





3',5'-cyclic-nucleotide phosphodiesterase activity





# features = 29 , max = 2

5'-nucleotidase activity





# features = 11 , max = 1

acetylcholine-gated cation-selective channel activity





# features = 25 , max = 1

acetylcholine-gated channel complex





# features = 19 , max = 1

acetylcholine binding





# features = 18 , max = 1

adenosine deaminase activity





# features = 10 , max = 1

adenylate cyclase-modulating G-protein coupled receptor signaling pathway





# features = 40 , max = 1

adenylate cyclase activity





# features = 10 , max = 1

AMPA glutamate receptor complex





# features = 17 , max = 1

anchored component of membrane





# features = 20 , max = 1

anion transmembrane transporter activity





# features = 16 , max = 1

ARF guanyl-nucleotide exchange factor activity





# features = 24 , max = 2

axon extension





# features = 27 , max = 2

axon guidance





# features = 78 , max = 4

axonal fasciculation





# features = 10 , max = 1

axonogenesis





# features = 71 , max = 2

brain morphogenesis





# features = 20 , max = 1

calcium-activated potassium channel activity





# features = 12 , max = 1

calcium-transporting ATPase activity



# features = 15 , max = 2

calcium channel activity



# features = 79 , max = 2