

---

# **em Documentation**

***Release 0.1a1***

**Marcell Marosvlgyi**

March 15, 2018



## CONTENTS

<b>1</b>	<b>College Elektrische en Magnetische velden</b>	<b>1</b>
1.1	Elektrische velden . . . . .	1
<b>2</b>	<b>Software</b>	<b>3</b>
<b>3</b>	<b>Indices and tables</b>	<b>5</b>
	<b>Python Module Index</b>	<b>7</b>
	<b>Index</b>	<b>9</b>



## COLLEGE ELEKTRISCHE EN MAGNETISCHE VELDEN

### Elektrische velden

#### Krachtveld en elektrisch veld

Elektrische kracht ten gevolge van twee ladingen  $q_1$  en  $q_2$

$$\vec{F} = \frac{1}{4\pi\epsilon_0} \frac{q_1 q_2}{r^2} \hat{r}$$

Elektrisch veld

$$\vec{E} = \frac{1}{4\pi\epsilon_0} \frac{q}{r^2} \hat{r}$$

Kracht op een testlading  $q$  in een elektrisch veld:

$$\vec{F} = q\vec{E}$$

#### Superpositie

$$\vec{E} = \vec{E}_1 + \vec{E}_2 + \vec{E}_3 + \dots$$



## SOFTWARE

Contents:

**class** `em.BField`

Calculate the Magnetic Field using wire elements.

$$B = \frac{\mu_0 \cdot I}{2\pi r}$$

We calculate  $\vec{B}$  as being perpendicular to  $\vec{r}$

**class** `em.EField`

Calculate the Electric Field using point charges.

$$E = \frac{1}{4\pi\epsilon_0} \frac{|q|}{r^2}$$

We calculate  $\vec{E}$  as being parallel to  $\vec{r}$

**class** `em.Field`

The main field object, E and B are derived from this

Contains the meshgrid and plot functions

**plot** (*<type>*)

plot("vector"), plot("line"), plot("vetor and line")





## INDICES AND TABLES

- `genindex`
- `modindex`
- `search`



**e**

em, 3



## B

BField (class in em), 3

## E

EField (class in em), 3

em (module), 3

## F

Field (class in em), 3

## P

plot() (em.Field method), 3