LATEX Template

Raymond E. Marcil <marcilr@gmail.com>

Revision 52 (February 4, 2013)

Abstract

Contents

| Contents | 2 |
|---------------------------------------|----|
| List of Figures | 3 |
| List of Tables | 3 |
| List of Definitions and Abbreviations | 4 |
| Introduction | 5 |
| Questions | 5 |
| Examples | 6 |
| Abstract | 6 |
| Comments | 6 |
| Enumerate | 6 |
| Escaping $<$ and $>$ Symbols | 6 |
| Footnotes | 7 |
| Hyperlinks | 7 |
| Table Examples | 7 |
| Verbatim | 9 |
| Version Number | 11 |
| Endnotes | 12 |
| Appendix | 12 |

List of Figures

| 1 | File and Directory Structure | 10 |
|------|------------------------------|----|
| List | of Tables | |
| 1 | EASEMENTS_17B Table | 7 |
| 2 | USS XML index elements | 8 |
| 3 | Demo | 8 |
| 4 | Daemons | 8 |

List of Definitions and Abbreviations

 \bullet \mathbf{MOA} - Municipality of Anchorage

Introduction

Introduction to the LATEX Template with Examples.

Questions

• Break table column over two rows?

Examples

Series of useful LATEX markup. Need to break out to separate examples.tex file.

Abstract

Implement document abstract using \input:

\input{00SECTIONS/examples/abstract.tex}

%% Abstract

Comments

COMMENTS Comment — Sean Weems, Spring 2003

We should get the COMMENTS column searchable via the landrecords application before we do much anything else – shouldn't be too hard.

Errata: Plats spanning multiple sections

A few anomalies can be observed in the AKPLATS table. Specifically plats exist that span multiple sections. Since the table only has a single column, SCODE, that accepts a single section code, SGU (Status Graphics Unit) has handled this problem by entering multiple rows in the table, each with a different section that point to the same plat or file. Multiple section plats are indicated by setting the TCODE column to the value 37, and making an appropriate notation like Section 24-25-26-27 in the REMARKS column.

[FIXME: Perhaps the SCODE column should accept an array of sections?]

Enumerate

- 1. DNR Alaska State Department of Natural Resources
 - HI Historical Index, not maintained since 1982
 - LE Land Estate, maintained by SGU
 - ME Mineral Estate, maintaind by SGU
- 2. Alaska State Surveys
 - ASBLT As-Built Survey
 - ASCS Cadastral Survey

Escaping < and > Symbols

To get \$<\$ or \$>\$ just wrap the symbols in \$ for math mode.

Footnotes

See my footnote¹ generated with:

```
\footnote{\href{http://www.google.com/search?q=latex+footnotes} {Search google for footnotes.}}
```

GoogleGuide — Linking to Search Results.²

Hyperlinks

Use $\left\{\right\}$ to generate hyperlinks:

\href{http://www.google.com}{Google}}

Yields: Google

Table Examples

| Column Name | Type | Description |
|-----------------|---------------|--|
| EQS | VARCHAR2(1) | !NULL map shows village selections |
| ITM_COL | VARCHAR2(1) | USGS ITM column: 1-6 |
| ITM_ROW | VARCHAR2(1) | USGS ITM row: A-E |
| QMQ_ABBR_DNR | VARCHAR2(3) | Three character DNR abbreviation for the |
| | | QMQ |
| RASTER_FILENAME | VARCHAR2(50) | Physical path to file |
| RASTER_PATHNAME | VARCHAR2(50) | URL path to PDF of map |
| SCODE | VARCHAR2(2) | Supplement map code: 1,2,3, |
| COMMENTS | VARCHAR2(256) | Plat comments |

Table 1: EASEMENTS_17B Table

 $^{^{1}}$ Search google for footnotes.

²GoogleGuide — Linking to Search Results.

| XML element | Descripton | |
|-------------|-----------------------------------|--|
| FNUM | US Survey file number | |
| MERIDIAN | BLM meridian code | |
| | 12 = Copper River | |
| | 13 = Fairbanks | |
| | 28 = Seward | |
| | 44 = Kateel | |
| | 45 = Umiat | |
| TOWNSHIP | Five character Township code | |
| RANGE | Five character Range code | |
| PAGE | Survey page number 1,2,3, | |
| FILENAME | Relative path to file in directry | |
| | | |

Table 2: USS XML index elements

| col 1 | col 2 | col 3 | col 4 |
|--------|--------|--------|--------|
| item 1 | item 2 | item 3 | item 4 |
| item 1 | item 2 | item 3 | item 4 |

Table 3: Demo

| Virtual Machine | Apache | ELM | LM | Elluminate Server |
|--------------------|--------|-----|----|-------------------|
| dcs-elive-prod01 | | X | X | X |
| uaa-elive-dev01 | X | X | X | |
| uaa-elive-server01 | | | | X |
| uaa-elive-prod01 | | X | X | X |
| uaf-elive-prod01 | | X | X | X |
| uas-elive-prod01 | | X | X | X |

Table 4: Daemons

| Column Name | Type | Description | |
|-------------|-------------|---|--|
| MTR | VARCHAR2(9) | Meridian, Township, Range, example: C026S054E | |
| QMQ | VARCHAR2(3) | Quarter Million Quadrangle code, | |
| | | example: DIL (Dillingham quadrangle) | |

Table 5: ${\tt XREF_MTR_QMQ}$ Table

Verbatim

"The verbatim environment is a paragraph-making environment that gets \LaTeX to print exactly what you type in. It turns \LaTeX into a typewriter with carriage returns and blanks having the same effect that they would on a typewriter."

\begin{verbatim}
 text
\end{verbatim\}

Figure formatting with verbatim

The following figure leverages verbatim for proper formatting:

```
gis/raster/
  dnr/
    map_library/
    plats/
      SP/YYYYMMDD/*.pdf
                                       # indexed
      HI/YYYYMMDD/*.pdf
                                       # Indexed
      ASLS/YYYYMMDD/*.pdf
                                       # Indexed
    recorded-plats/
      YYYYMMDD/*.pdf
  blm/
    easements_17b/YYYYMMDD/*.pdf
                                       # indexed
    mtp/YYYYMMDD/*.pdf
                                       # non-indexed
    usrs/YYYYMMDD/*.pdf
                                       # indexed
    usrs-notes/YYYYMMDD/*.pdf
                                       # indexed
    uss/YYYYMMDD/*.pdf
                                       # indexed
    uss-notes/YYYYMMDD/*.pdf
                                       # indexed
    usms/YYYYMMDD/*.pdf
                                       # indexed
    usms-notes/YYYYMMDD/*.pdf
                                       # indexed
  usgs/
    drg/
      collared/
        250K/
        63K/
        25K/
        24/
      decollared/
      tools/
      missing\_data/
    dem/
    doq/
    topo/
```

Figure 1: File and Directory Structure

Version Number

It is often desirable to add a version number to a document for tracking or revision control. CVS or Subversion users can use the rcs or svnInfo packages for inline version information.

[FIXME: Need to complete details here]

Endnotes

1. Later verbatim http://www.kfunigraz.ac.at/binder/texhelp/ltx-79.html

Appendix

A Guide to LATEX http://www.astro.rug.nl/ kuijken/latex.html

 \LaTeX - From Wikibooks, the open-content textbooks collection http://en.wikibooks.org/wiki/LaTeX

 $\mbox{\sc LATeX}$ Notes $\mbox{\sc http://luke.breuer.com/time/item/LaTeX_Notes/180.aspx}$