

Annotated Bibliography

EA30 – Spring 2017

April 21, 2017

1 Abstract

Contents

1 Abstract	1
2 Instructions	1
2.1 Searching for Academic Sources	2
2.2 Writing an Annotated Bibliography	2
2.3 Implementing in L ^A T _E X	2
2.4 Annotated Example	3
3 Industrial Sources (Khalil)	3
4 Use in Industry (except gasoline) (Caudia)	3
5 “Ethyl” gas and airplane fuels (Viraj)	3
6 Atmospheric transport and deposition	4
7 Aquatic transport (Olivia)	4
8 Sinks (Katie)	4
9 Food web dynamics (Mireya)	4
10 Toxicity (non-human) (Kelli)	4
11 Human health effects (physiological, toxicity) (Thea)	5
12 Public health effects (crime, IQ, etc) (Marissa)	5

2 Instructions

Please complete the annotated bibliography by the 17th of April.

2.1 Searching for Academic Sources

There are numerous electronic sources to evaluate and obtain academic sources of information. Usually, we consider peer reviewed articles to have the highest quality scholarship. As a rule of thumb, this is a good start, but there is also a great deal of variation between sources, even journal titles can vary in quality. Thus, it's best to evaluate a range of sources and appreciate the subtle differences in quality and prestige.

First, you should search CUC databases using key words, such as Pb and lead. I admit the lead is tricky, because it's not a useful term due to a double meaning. I suggest heavy metals or trace metals with the other key words, i.e. fate and transport, toxicity, etc, depending on the topic you selected.

Below are links to some useful databases:

- Web of Science
- JStore
- Google Scholar

2.2 Writing an Annotated Bibliography

After adding your citation to the Pb_literature.bib, using the BibTeX format, cite your reference using the syntax below. Then, write a concise annotation that summarizes the central theme and scope of the book or article. Include one or more sentences that (a) evaluate the authority or background of the author, (b) comment on the intended audience, (c) compare or contrast this work with another you have cited, or (d) explain how this work illuminates your bibliography topic.

2.3 Implementing in L^AT_EX

L^AT_EX is a software program used for desktop publishing. With an eye for detail, the program was developed to give the author a great deal of control. In contrast, Microsoft Word is designed to have lots of options, but these seem to get in the way of controlling the outcome.

L^AT_EX is an open source program and relies on specific formatting commands that begin with a backslash. For example to start a new section heading, we use `\section{section name}` and `\subsection{subsection name}` to create a subsection heading.

Below might be an example of what we are trying to accomplish using our Rstudio resources. The L^AT_EX command for the citation is `\bibentry{key}`, where key identifies the citation based on the BibTeX citation entry as shown below.

However, we also need to add the citation to the *.bib file, in this case the file is called "Pb.literature.bib". Open the file. You can see each entry within the curly brackets. Also, it starts with the definition of the entry, e.g. article, book,

conference proceedings. We can easily add the citation using the databases cited above. All you need to do is search for the citation manager or citation tool and select a citation format “bibtex”. Copy and paste the bibtex format (try to put it in the correct location, i.e. alphabetic order). Note the “key” is the first word after the citation definition.

2.4 Annotated Example

To help the readers, you might create subsection and even subsubsections, using `\subsection{subsection name}` and `\subsubsection{subsubsection name}`.

3 Industrial Sources (Khalil)

4 Use in Industry (except gasoline) (Caudia)

5 “Ethyl” gas and airplane fuels (Viraj)

This study by Galzigna et al. is published in the British Journal of Industrial Medicine. The paper speaks to the negative health effects that result from exposure to tetraethyl lead. The effects of tetraethyl lead are similar to general lead exposure. The primary negative health effect observed was reduced neuromuscular function.

The American Oil and Gas Historical Society offers official history of energy fuels for increasing public knowledge. Tetraethyl Lead was added to gasoline to prevent a common problem in engines before the 1930s called engine knock. Engine knock occurs when the air-fuel mixture in a cylinder about the piston prematurely detonates before the piston has risen to the maximum height. This premature detonation occurs because of the gasoline not being able to withstand the pressure. In the ideal internal combustion engine operation, the air-fuel mixture should only combust because of a spark created by the spark plug, not an increase in pressure. A gas's ability to withstand pressure is defined by its octane rating. Adding tetraethyl lead to gasoline increases the octane rating, makes the fuel more resistant to combusting under pressure, and therefore prevents engine knock. In 1921, General Motors scientists discovered the anti-knock properties of tetraethyl lead. Three years later, the first signs that leaded gasolines contributed to lead poisoning occurred when workers at a gasoline treatment plant fell ill. In 1925, after minimal non-comprehensive studies, the U.S Surgeon General stated that there is no reason to prohibit the sale of leaded gasoline. The leaded gasoline industry used many manipulative techniques to hide the

fact that lead was present in gasoline. They labelled the higher octane fuel ethyl gasoline, to avoid lead in the name. The word lead was never used in any advertisements for the fuel. Ultimately, in the late 1970s lead was phased out of gasoline and in 1986 a total ban was placed on leaded automobile gasoline. The invention of the catalytic converter in 1975, which required unleaded fuel, also accelerated the phasing out of lead from gasoline.

6 Atmospheric transport and deposition

- Alexander Cohan. *Potential for atmospheric driven lead paint degradation in the South Coast Air Basin of California*. University of California, Irvine, 2010
- Jules M Blais. Using isotopic tracers in lake sediments to assess atmospheric transport of lead in eastern Canada. *Water, Air, & Soil Pollution*, 92(3):329–342, 1996
- A Martinez Cortizas, E Garcia-Rodeja, X Pontevedra Pombal, JC Nóvoa Muñoz, Dominik Weiss, and Andriy Cheburkin. Atmospheric Pb deposition in Spain during the last 4600 years recorded by two ombrotrophic peat bogs and implications for the use of peat as archive. *Science of the Total Environment*, 292(1):33–44, 2002

7 Aquatic transport (Olivia)

8 Sinks (Katie)

9 Food web dynamics (Mireya)

10 Toxicity (non-human) (Kelli)

Pallavi Sharma and Rama Shanker Dubey. Lead toxicity in plants. *Brazilian journal of plant physiology*, 17(1):35–52, 2005.

Pallavi Sharma is a biochemistry and molecular biology professor at the Central University of Jharkhand. She holds both a Master's and PhD in biochemistry, and she has published 28 articles relating to heavy metal toxicity in plants. The article cited here in particular was published in 2005, and has been cited by 887 articles since then. This article discusses the science of Pb uptake in plants as well as Pb's potential effects on plant growth and health. The article appears to be geared towards academics but its points are still generally accessible to readers such as college students.

Nicholas S Fisher, Jean-Louis Teyssié, Scott W Fowler, and Wen-Xiong Wang. Accumulation and retention of metals in mussels from food and water: a comparison under field and laboratory conditions. *Environmental science & technology*, 30(11):3232–3242, 1996.

Nicholas S. Fisher is a Distinguished Professor at Stony Brook University, specializing in topics such as marine pollution and the biogeochemical cycling of metals in marine environments. He has published over 200 articles on these topics, and the cited here in particular has been cited 159 times since it was published in 1996. The article is written very technically for an audience that has a strong scientific background. This article explained the author’s findings that metals such as Pb tend to accumulate in shells of mussels rather than in their soft tissue, as well as the presence of Pb in mussel fecal matter that could contribute to its biogeochemical cycling in the environment.

Daniel N Weber, Wendy M Dingel, John J Panos, and Rhea E Steinpreis. Alterations in neurobehavioral responses in fishes exposed to lead and lead-chelating agents. *American Zoologist*, 37(4):354–362, 1997.

Daniel N. Weber is a professor at the University of Wisconsin in Milwaukee, whose research is centered around the effects of metal contaminants such as lead on fish behavior. He has written 43 articles on the topic, and the particular article cited above has been cited 58 times since it was published in 1997. The article is extremely scientific and clearly written for a scientific audience. The article discusses the behavioral dysfunction that occurs in fish as a result of constant exposure to Pb, often interfering with their ability to react to stimuli.

11 Human health effects (physiological, toxicity) (Thea)

12 Public health effects (crime, IQ, etc) (Marissa)