

Week 1: Backend Development with FastAPI

Course Introduction

What you'll learn:

- Build high-performance APIs
- Use databases, authentication, and Docker
- Deploy real-world backend systems

What Is Backend Development?

The backend powers:

- Application logic
- Databases
- APIs

Handles:

- Data processing
- Authentication
- Business rules

Backend vs Frontend

Frontend	Backend
Runs in browser	Runs on server
HTML, CSS, JS	Python, Java, Node.js
UI/UX focused	Logic & data focused
Immediate feedback	Handles data & logic

Client-Server Model

Request/Response cycle:

- Browser (client) sends HTTP request
- Backend (server) sends response
- Stateless communication

What is an API?

API = Application Programming Interface

Allows systems to communicate

REST APIs use HTTP methods:

- GET
- POST
- PUT
- DELETE

Backend provides **endpoints** that clients can call

REST Overview

REST = Representational State Transfer

Principles:

- Stateless
- Resource-based (URL represents data)
- Standard HTTP methods

Example:

- `GET /users` → fetch users
- `POST /users` → create user

Introduction to FastAPI

FastAPI is a modern web framework for building APIs
Built on **Starlette** (ASGI) and **Pydantic**

Key Features:

- Type hints & data validation
- Automatic API docs (Swagger/OpenAPI)
- Async support
- Super fast!

Backend Tech Stack (This Course)

- **Language:** Python 3.11+
- **Framework:** FastAPI
- **Database:** PostgreSQL
- **ORM:** SQLAlchemy
- **Async:** asyncio, httpx
- **Deployment:** Docker + Render

Setting Up Your Dev Environment

- Install Python 3.11+
- Install VS Code or PyCharm
- Git and GitHub setup
- HTTP clients: Postman or Insomnia
- Python virtual environments:

```
python -m venv .venv  
source .venv/bin/activate
```

Intro to Git and Version Control

- What is `git`?
 - Tracks code changes
 - Enables collaboration
- Common commands:
 - `git init` - Initialize a repo
 - `git add .` - Stage changes
 - `git commit -m "message"` - Commit changes
 - `git push origin main` - Push to remote repo

Project: Hello FastAPI

```
pip install fastapi uvicorn
```

```
from fastapi import FastAPI
app = FastAPI()

@app.get("/")
def read_root():
    return {"message": "Hello, FastAPI!"}
```

```
uvicorn main:app --reload
```

Homework

- Set up your environment
- Create a GitHub repo
- Build a `/hello` endpoint returning a JSON message

Remember

- Backend development fundamentals
- Client-server model
- REST APIs and FastAPI basics
- Setting up your development environment
- Python virtual environments