

*Power EnJoy*  
*Integration Test Plan Document*

Niccolo' Raspa, Matteo Marinelli

January 14, 2017



Software Engineering 2 Course Project

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Revision History . . . . .	3
1.2	Purpose and Scope . . . . .	3
1.3	List of Definitions and Abbreviations . . . . .	4
1.4	List of Reference Documents . . . . .	4
<b>2</b>	<b>Integration Strategy</b>	<b>5</b>
2.1	Entry Criteria . . . . .	5
2.2	Elements to be Integrated . . . . .	5
2.3	Integration Testing Strategy . . . . .	7
2.4	Sequence of Component/Function Integration . . . . .	8
2.4.1	Software Integration Sequence . . . . .	8
2.4.2	Subsystem Integration Sequence . . . . .	13
<b>3</b>	<b>Individual Steps and Test Description</b>	<b>15</b>
3.1	I1 Payment . . . . .	16
3.2	I2 Assistance . . . . .	17
3.3	I3 Car On Board System . . . . .	18
3.4	I4 Location of Cars . . . . .	19
3.5	I5 Car Selection . . . . .	19
3.6	I6 Start/Cancel Reservation . . . . .	20
3.7	I7 Driving and Ending Reservation . . . . .	21
3.8	I8 Timing . . . . .	21
3.9	I9 Payment of Reservations . . . . .	21
3.10	I10 User & Profile Management . . . . .	22
3.11	I11 Assistance . . . . .	22
<b>4</b>	<b>Tools and Test Equipment Required</b>	<b>22</b>
<b>5</b>	<b>Program Stubs and Test Data Required</b>	<b>23</b>
5.1	Drivers . . . . .	23
5.2	Stubs . . . . .	24
<b>6</b>	<b>Effort Spent</b>	<b>25</b>

# 1 Introduction

## 1.1 Revision History

Version	Date	Author(s)	Summary
1.0	06/01/2016	Niccolo' Raspa, Matteo Marinelli	Initial Release

## 1.2 Purpose and Scope

This document represents the Integration Testing Plan Document for PowerEnJoy. The main purpose of this document is to outline, in a clear and comprehensive way, the main aspects concerning the organization of the integration testing activity for all the components that make up the system.

This process is essential because it not only guarantees that every component behaves as expected but also that all the components interoperate correctly together to fulfill all the functionalities expected from the system.

We will focus deeply on the Application Layer since it implements all the core of our business. This component is divided in different services which provides great benefits but the implicit granularity of a service oriented approach must be fully tested to guarantee that all the subcomponents behave as one cohesive layer.

**This document is structured as follows:**

**Chapter 1** Provides general information about the ITPD document.

**Chapter 2** Explains in details the chosen integration strategy. In more details:

- Lists of the subsystems and their subcomponents involved in this process
- Specifies the criteria that must be met before integration testing begins
- Describes the integration testing approach and the rationale behind it
- Outlines the order in which components and subcomponents will be integrated

**Chapter 3** Describes the type of tests that will be used to verify that every step of the integration process above perform as expected.

**Chapter 4** Identifies all tools and test equipment needed to accomplish the integration.

**Chapter 5** Identifies any program stubs or special test data required for each integration step

### 1.3 List of Definitions and Abbreviations

**DD:** Design Document

**RASD:** Requirement Analysis and Specification Document

**ITPD:** Integration Test Plan Document

**EJB:** Enterprise JavaBeans

**SOA:** Service Oriented Architecture

**Component:** One of the four tier of the system (Client, Web, Application, Database)

**Subcomponent:** Usually refers to the Application Layer, and refers to a EJB that encapsulates a specific part of the business logic of the module

**Layer:** synonym of *Component*

**Service:** synonym of *Subcomponent*

**Power User:** Registered user of the application

**External System:** Refers to third party systems used in the Power EnJoy application (Payment System, Assistance System, Car-On-Board System)

**CF:** Codice Fiscale of an Italian Document

**PS:** Payment System (External System)

**AS:** Assistance System (External System)

### 1.4 List of Reference Documents

Please refer to the following documents, for additional informations on the Power Enjoy System:

- Project rules of the Software Engineering 2 project
- Power Enjoy - Requirement Analysis and Specification Document
- Power Enjoy - Design Document

## 2 Integration Strategy

### 2.1 Entry Criteria

This section describes the prerequisites that need to be met before integration testing can be started.

**Stakeholder Approval** First of all, the Requirements Analysis and Specification Document and the Design Document must have been presented to the stakeholders for approval even before the coding phase can begin, this will ensure that they're satisfied with the development.

**Website and Mobile App** The presentation layer to the user might not be completed but communication between the Application Server and Clients, both via the Mobile App and via the Web Server, must have clearly structured and coded via RESTful APIs using JAX-RS.

#### Coding and Testing Application Layer


- All the classes and methods of the main Entity Beans must be coded and must pass thorough **Unit tests**. Unit tests should have a minimum coverage of 90% of the lines of code and should be run automatically at each build using JUnit. (non necessariamente tutte, ma quelle piu importanti prima ed eventualmente simulare le altre durante il testing)
- **Code inspection** has to be performed on all the code in order to ensure maintainability, respect of conventions and find possible issues which could increase the testers' effort in next testing phases. Code inspection should be performed using automated tools when possible.
- **Documentation** of all classes and functions should be well written using JavaDoc. The public interfaces of each Entity Bean should be clearly stated.
- **Object relational mapping** of each service to its corresponding database should be implemented with automated tools to avoid errors (such as Hibernate) and fully tested.

### 2.2 Elements to be Integrated

In this section we're going to provide a list of all the components that need to be integrated together. The figure below correspond to the system architecture already discussed in the Design Document.

The system is built upon the interactions of many tiers, each one implementing a specific set of functionalities. Every tier is also obtained by the combination

of several lower-level components. This modularity causes that the integration phase will involve the integration of components at different levels of abstraction. In addition our system is in relation with External Systems, which are crucial for our application to work. It's important that they're correctly integrated to the system in a way in which everything is transparent to the user.



In summary, the elements to integrate are:

1. Integration of the different services inside the Application Layer.
2. Integration of different tiers (Client - Web - Application)
3. Integration and configuration with third party systems (Payment System, Assistance System)

## 2.3 Integration Testing Strategy

The approach we're going to use to perform integration testing is based on a mixture of the bottom-up and functional-grouping integration strategies. This choice is due to the fact that if the entry criteria is met, it's reasonable to assume that we have different small services, independent from one other, that implement correctly a small part of the application logic and by integrating them we're able to create a more and more complex system that will eventually satisfy all the requirements. In a pure bottom-up strategy we would start from the lowest layers of the system, testing the basic functionalities, then moving forward the most abstract layers but in our case this approach would be unefficient. Since every service is dedicated to one part of the business logic we can parallelize this testing, focusing on different logic groups at the same time, giving more priority to the critical components first and then integrating secondary functionalities. Moreover, we also need to keep in mind that we're dealing with external systems and if we discover some bugs or problems on their side, fixes might take time and this would create a time gap in which we're not able to move the integration forward.

For all these reasons we believe that the best integration strategy is the following:

**PHASE 1: Assure that services in relations with external systems works as expected.**

As stated earlier, in order to avoid wasting time we start from the boundary of the system. This process should be fairly quick if everything was implemented as mutually agreed and should immediatly discover issues that we can notify early on to external parties. In this phase we'll test the communication between *Assistance Service - Assistance System* and *Payment Service - Payment System*.

**PHASE 2: Assure that we have control over the Car**

This phase is similar to the previous, and can be carried in parallel. In this phase we're also in relation with an external system which is the *Car On Board System* but due to the relevance of this process we've decided to outline it and dedicated a whole phase. We can't move the integration forward if we're lacking the foundations. In a digital management system for a car-sharing service the control over the car must be treated as a first class citizen. This will avoid a big bang scenario, where we have implemented high level functionalities that not reflect the concrete situation of the car in the real world. These two initial phases will also allow us to "forget" of external systems in the next phases, and only focus on the relation among different services.

### PHASE 3: Integration of Services

In this part the bottom-up approach would be used to build complex functionalities integrating different services. Since subsystems are fairly independent from one another, the order in which they're integrated together to obtain the full system follows the critical-module-first approach. This strategy allows us to concentrate our testing efforts on the riskiest components first that represent the core functionalities of the whole system. By proceeding this way, we are able to discover bugs earlier in the integration progress and take the necessary measures to correct them on time.

The most critical service to integrate is the *Reservation Component* which manages all active reservation made by Power Users, we will ensure that it integrates correctly both with the *Location Component* and the *Car Service*. This will ensure that we have a stable prototype of the actual software that implements the core functionalities. From this prototype we will spread like wildfire, integrating other Components that implements all the other functionalities.

In this phase, it is only necessary to use drivers to simulate the top layers during the testing, which are a lot easier to produce than stubs.

### PHASE 4: Integration with top layers

In this phase we will remove the drivers and connect the Application Side to the top tiers. We must ensure that the Application Layer works with real inputs from the "external word" and not only in a simulated and controlled environment. The integration should proceed smoothly since the communication via RESTful APIs was clearly structured at the beginning of the integration but we should focus deeply on errors and exception handling.

### PHASE 5: Alpha Test

In this phase we'll test the Power Enjoy System as a whole. This phase will provide a confirmation of the correctness of the integration process and will ensure that we haven't overlooked possible error scenarios.

## 2.4 Sequence of Component/Function Integration

### 2.4.1 Software Integration Sequence

In this section we're going to formalize the order of integration (and integration testing) of the various components and subsystems presented in the previous section. Before describing this process, we will clarify the notation used. In the figures we will refer to an Entity Java Bean contained in the application layer as a `<<service>>`, we will use `<<component>>` to refer to a layer (subsystem) of the Power EnJoy Application and `<<external system>>` to refer to



External Systems (Payment System, Assistance System, Car-on-Board System). Elements that will be simulated during the integration process will be placed inside a dashed line box.

## External Systems

**Payment** The first two elements to be integrated are the *Payment Service* and the *Payment System*. As explained above, it is important to start from the external systems in order to signal any problems that involve third party software or APIs. In this step we test if we're able to check if a user has a registered account in the third payment system, regular payment functionalities (sending a payment request, receiving payment confirmation) and the correct management of payment logs.



**Assistance** The second step in the integration process is to integrate the other external system, the *Assistance System*, for the same reasons mentioned above. The latter has less priority because it's reasonable to assume that we have more control over the Assistance System, since it's part of the company. In this step we test if we're able to request assistance and receive the confirmation when services are rendered.



**Car On Board System** The last system to integrate is the Car on Board System. In this step will make sure that the system itself works (correctly detects car events such as door opening and closing, engine starting, ecc...) but also that we're able to detect this events from inside our software and controlling remotely the vehicle. In this way, all the other services will only use the interface provided by the *Car Service* forgetting about the actual Car on Board System.



## Reservation


After making sure the boundaries of our system work correctly, the next step in the integration process is to appropriately connect the services that implement the reservation functionality. This choice comes from the critical-module-first approach, because in a car sharing service being able to reserve a car is the most important functionality. As said before, it was not implemented first to avoid a big bang scenario, where we have implemented high level functionalities that not reflect the concrete situation of the car in the real world.

Using a bottom-up approach, we are going to show which services must be integrated together in order to implement this functionality.


**Location of Cars** First, we proceed by integrating the *Car Service* with the *Location Service*. We test if the location is correctly detected, if we're able to monitor the car during a ride and if we're able to correctly detect a safe or an unsafe park.



**Car Selection** Second, we integrate the location of user by simulating the initial part of a reservation request from a user via Mobile App. As a remainder, our system is mobile-first and the reservation of a vehicle is only possible via a mobile device, this allows us to reduce the scope of the testing and forget about the web services which we'll be integrated later. In this step we test the "Select Car" use case (please refer to the RASD for more details) in which the user selects a car on the map given an address or a (simulated) user position and a range, the system performs the GridSearch Algorithm (please refer to DD for more details on the implementation) and returns the list of available cars.



**Start/Cancel Reservation** Finally, we have built all the necessary functionalities and we're able to test the registration functionality. We integrate the *Reservation Service* with the *Location Service* and the *Car Service*. In this step we test if a Power User can successfully reserve a car, unreserve a car (without the 1hour limit for now) and can request to unlock the car (with proximity check). The user input is still simulated.



**Driving and Ending Reservation** To complete the reservation functionality we don't need to integrate any but we need to make sure that the prototype of the system performs all the actions required to stop the reservation. In this step we test that the engine ignition triggers an active reservation and that a reservation immediately stops as soon as a car is parked and locked (both in a Safe/Unsafe Area for now).


### Other functionalities

Now that we have a stable prototype of the Power Enjoy Application we will spread like wildfire, integrating other services that implements all the other functionalities.


**Timing** Our prototype doesn't consider the timing constraint that the reservation imposes. Moreover, we need to incorporate the following constraints:

1. A Power User has 1 hour to request to unlock a vehicle once he/she has reserved it
2. A reserved car parked in an Unsafe Area, triggers a one hour countdown in which the user needs to go back to the car to move it on a Safe Area. As soon as the countdown expires the reservation expires as well. The car is set unavailable and the Power User is charged for the extra time as a refund for moving the car back in a Safe Area.

In this step we integrate these functionalities, adding the *Timing Service* to the prototype. In later figures this component we will be hidden for clarity, but a timer icon will be added to the Reservation Service as a remainder. We will test that countdown expiration causes the reservation to end and that a user requesting to unlock a vehicle stops the timer (both for case 1 and case 2)




**Payment** In this step we start moving towards the boundaries of our system. We include the payment functionalities adding the *Payment Service* to the prototype. We test that the end of a Reservation (in any case) triggers a payment request.



**User & Profile Management** So far in the integration progress we have assumed that a simulated User was already registered to the Power Enjoy System, logged and always allowed to reserve a car. Now it's time to introduce this additional checks and functionalities integrating the *User Service*. The new features to test involve:


1. Login and Registering
2. Temporary Ban a Power User if it has a payment pending
3. Unban as soon as a payment request is received
4. Editing Profile Info
5. Request Logs (Reservations, Payments)



**Assistance** In this step we integrate the last componen of the Business tier, the *Assistance Service* . We test that a malfunctioning event detected from the *Car Service* triggers and assistance request and the termination of the reservation.

#### 2.4.2 Subsystem Integration Sequence


Our prototype is working with the top layers simulated. Now it's ready to integrate the real tiers into the system. We can split the integration between



the two parts: the web part and the mobile part. We first integrate the Web Part because it uses all parts of the prototype already tested for the mobile and then the mobile should be straightforward if the simulated mobile app was implemented mirroring the real app.


### Web Subsystem

In this step we need to make sure that all the functionalities expected from the Website (Profile Management, Car Lookup and Payments) works accordingly.



## Complete System

Integrating the mobile application we're ready to deploy and test the entire system. In this phase we should perform an alpha test and check that a client can successfully make a reservation from start to finish. Different scenario might occur in a real non-simulated environment so it's important to make sure that we haven't overlooked any plausible situation that might cause unexpected behaviour of the system.



## 3 Individual Steps and Test Description

This chapter describes the individual test cases to be executed. The Database integration test and all related tests are not present because our application is composed of microservices, each one with its own DBMS, which is strictly related to the functionality expected from that component. The tests of the single databases and of the object relational mapping were performed during the individual component testing stage (which is not part of this document).

### 3.1 I1 Payment

<b>Test Case Identifier</b>	I1T1
<b>Test Items</b>	Payment Service, Payment System
<b>Test Description</b>	Check if a Power User has an account on the third party payment service
<b>Input Specification</b>	Codice Fiscale (CF) of the Power User
<b>Output Specification</b>	Boolean that rapresents if the user was found or not.
<b>Enviromental Needs</b>	Existing accounts on the Payment System and being in contact with them during the process
<b>Testing Method</b>	Manual

<b>Test Case Identifier</b>	I1T2
<b>Test Items</b>	Payment Service, Payment System
<b>Test Description</b>	Payment Request
<b>Input Specification</b>	CF of the Power User, Amount to Pay
<b>Output Specification</b>	Acknowledgement with a PaymentID or ErrorMessage
<b>Enviromental Needs</b>	Existing accounts on the PS and being in contact with them during the process
<b>Testing Method</b>	Manual

<b>Test Case Identifier</b>	I1T3
<b>Test Items</b>	Payment Service, Payment System
<b>Test Description</b>	Payment Confirmation from third party.
<b>Input Specification</b>	PaymentID
<b>Output Specification</b>	Acknowledgment or ErrorMessage
<b>Enviromental Needs</b>	Existing accounts on the Payment System and being in contact with the PS during the process
<b>Testing Method</b>	Manual



<b>Test Case Identifier</b>	I1T4
<b>Test Items</b>	Payment Service
<b>Test Description</b>	Insert/Update Payment Logs
<b>Input Specification</b>	Event: Payment Request or Payment Confirmation
<b>Output Specification</b>	Event: Create/Update entity in the Database
<b>Enviromental Needs</b>	Stubs to simulate payment request
<b>Testing Method</b>	Automated with JUnit, Mockito, Arquillian

### 3.2 I2 Assistance

<b>Test Case Identifier</b>	I2T1
<b>Test Items</b>	Assistance Service, Assistance System
<b>Test Description</b>	Assistance Request
<b>Input Specification</b>	CarID, Location, Type of Problem
<b>Output Specification</b>	Acknowledgement with a AssistanceID or ErrorMessage
<b>Enviromental Needs</b>	Being in contact with the AS during the process
<b>Testing Method</b>	Manual

<b>Test Case Identifier</b>	I2T2
<b>Test Items</b>	Assistance Service, Assistance System
<b>Test Description</b>	Assistance Rendered Confirmation from AS
<b>Input Specification</b>	AssistanceID, CarID, NewLocation
<b>Output Specification</b>	Acknowledgment or ErrorMessage
<b>Enviromental Needs</b>	Being in contact with the AS during the process
<b>Testing Method</b>	Manual

### 3.3 I3 Car On Board System

<b>Test Case Identifier</b>	I3T1
<b>Test Items</b>	Car On Board System
<b>Test Description</b>	General test of all the functionalities expected from the embedded system
<b>Input Specification</b>	Event: Door opening and closing, Engine starting, Locking/Unlocking, Malfunctioning Detection, Charging Detection
<b>Output Specification</b>	Event Correctly Detected and Managed
<b>Enviromental Needs</b>	Power Enjoy Vehicle
<b>Testing Method</b>	Manual

<b>Test Case Identifier</b>	I3T2
<b>Test Items</b>	Car Service, Car On Board System
<b>Test Description</b>	Remote Control over the Vehicle
<b>Input Specification</b>	Command to Vehicle (e.g. unlock car)
<b>Output Specification</b>	Command Executed
<b>Enviromental Needs</b>	Power Enjoy Vehicle, GSM Connection
<b>Testing Method</b>	Manual

<b>Test Case Identifier</b>	I3T3
<b>Test Items</b>	Car Service, Car On Board System
<b>Test Description</b>	Information stream from Vehicle
<b>Input Specification</b>	Information from vehicle about Ride (Battery Level, Ride Length, Shared Ride Length) and Notification of detected events
<b>Output Specification</b>	Information correctly detected and managed
<b>Enviromental Needs</b>	Power Enjoy Vehicle, GSM Connection
<b>Testing Method</b>	Manual, JUnit

### 3.4 I4 Location of Cars

<b>Test Case Identifier</b>	I4T1
<b>Test Items</b>	Car Service, Location Service
<b>Test Description</b>	Monitor mode of the car during driving
<b>Input Specification</b>	GPS Position of the vehicle
<b>Output Specification</b>	Information correctly detected and managed
<b>Enviromental Needs</b>	Power Enjoy Vehicle, someone driving the vehicle
<b>Testing Method</b>	Manual, JUnit, Arquilian

<b>Test Case Identifier</b>	I4T2
<b>Test Items</b>	Car Service, Location Service
<b>Test Description</b>	Safe/Unsafe Park Detection
<b>Input Specification</b>	GPS Position from parked vehicle
<b>Output Specification</b>	Boolean rapresenting safe park
<b>Enviromental Needs</b>	Set of GPS Location
<b>Testing Method</b>	Automated JUnit, Arquilian

### 3.5 I5 Car Selection

<b>Test Case Identifier</b>	I5T1
<b>Test Items</b>	Car Service, Location Service
<b>Test Description</b>	Car Selection
<b>Input Specification</b>	User input with GPS
<b>Output Specification</b>	List of Available Cars
<b>Enviromental Needs</b>	Simulated Mobile App
<b>Testing Method</b>	Automated JUnit, Arquilian, Mockito

### 3.6 I6 Start/Cancel Reservation

<b>Test Case Identifier</b>	I6T1
<b>Test Items</b>	Car Service, Location Service, Reservation Service
<b>Test Description</b>	Reservation of a Car
<b>Input Specification</b>	User input of the choosen car (rapresented with CarID)
<b>Output Specification</b>	Acknowledgment or ErrorMessage
<b>Enviromental Needs</b>	Simulated Mobile App
<b>Testing Method</b>	Automated JUnit, Arquilian, Mockito

<b>Test Case Identifier</b>	I6T2
<b>Test Items</b>	Car Service, Location Service, Reservation Service
<b>Test Description</b>	Cancel Reservation of a Car
<b>Input Specification</b>	User input
<b>Output Specification</b>	Acknowledgment or ErrorMessage
<b>Enviromental Needs</b>	Simulated Mobile App
<b>Testing Method</b>	Automated JUnit, Arquilian, Mockito

<b>Test Case Identifier</b>	I6T3
<b>Test Items</b>	Car Service, Location Service, Reservation Service
<b>Test Description</b>	Request Unlock Vehicle
<b>Input Specification</b>	User input, CarID, UserGPS
<b>Output Specification</b>	Acknowledgment and unlocking or ErrorMessage (No Reservation, Distance Error)
<b>Enviromental Needs</b>	Simulated Mobile App
<b>Testing Method</b>	Automated JUnit, Arquilian, Mockito

### 3.7 I7 Driving and Ending Reservation

<b>Test Case Identifier</b>	I7T1
<b>Test Items</b>	Car Service, Location Service, Reservation Service
<b>Test Description</b>	End Reservation
<b>Input Specification</b>	Event: Reserved vehicle parked and locked
<b>Output Specification</b>	End of reservation properly managed
<b>Enviromental Needs</b>	Power Enjoy Vehicle
<b>Testing Method</b>	Manual, JUnit, Arquilian

### 3.8 I8 Timing

<b>Test Case Identifier</b>	I8T1
<b>Test Items</b>	Car Service, Reservation Service, Timing Service
<b>Test Description</b>	Timing Features
<b>Input Specification</b>	Event: Reservation Countdown Expires
<b>Output Specification</b>	End of reservation properly managed
<b>Enviromental Needs</b>	/
<b>Testing Method</b>	JUnit, Arquilian

### 3.9 I9 Payment of Reservations

<b>Test Case Identifier</b>	I9T1
<b>Test Items</b>	Car Service, Reservation Service, Payment Service
<b>Test Description</b>	End of Reservation causes Payment Request
<b>Input Specification</b>	Event: Reservation Countdown Expires or car parked in Safe Area
<b>Output Specification</b>	Sent Payment Request
<b>Enviromental Needs</b>	Simulated PS
<b>Testing Method</b>	JUnit, Arquilian, Mockito

### 3.10 I10 User & Profile Management

<b>Test Case Identifier</b>	I10T1
<b>Test Items</b>	User Service, Payment Service
<b>Test Description</b>	Test all user functionalities and profile managements
<b>Input Specification</b>	Event: Login, Registration, Edit Profile Info
<b>Output Specification</b>	Action properly managed and info correctly stored in the database
<b>Enviromental Needs</b>	Simulated Input from the user
<b>Testing Method</b>	JUnit, Arquillian, Mockito

### 3.11 I11 Assistance

<b>Test Case Identifier</b>	I11T1
<b>Test Items</b>	Assistance Service, Car Service
<b>Test Description</b>	Car Malfunctioning causes Assistance Request
<b>Input Specification</b>	Event: Car Malfunctioning
<b>Output Specification</b>	Assistance Request Filed
<b>Enviromental Needs</b>	Simulated Car Malfunctioning
<b>Testing Method</b>	Manual

## 4 Tools and Test Equipment Required

**Manual Testing** In most of the test cases in which a Power Enjoy vehicle is involved we have decided to adopt a manual testing approach for several reason. First, using a real vehicle will give more accurate result and since we're dealing with vehicles, safety is a first class citizen. Second, building a simulation for the car and the onboard system might be more expensive than actually doing the testing manually.

**JUnit** Before integration testing, tests on single components is necessary. This first part of testing is not covered in this document. Anyway, the main issue is to check the absence of bugs and problem in each part of the system, from the application to the all the Application Server components. We choose JUnit to perform the components test basically because is the most used framework for this specific; totally java dedicated, it combines perfectly itself with the implementation choices described in the Design Document and with the integration testing framework Arquillian. In particular, we are going to use it in order to verify that the correct objects are returned after a method invocation,

that appropriate exceptions are raised when invalid parameters are passed to a method and other issues that may arise when components interact with each other.

**Mockito** Mockito is an open-source test framework useful to generate mock objects, stubs and drivers. Since the entire system interacts with external and real objects, is necessary to use a framework to reproduce this kind of entities. In unit testing, mock objects can simulate the behavior of complex, real objects: they are useful when a real object is impractical or impossible to incorporate into a unit test. They are also useful for the developers, who have to focus their tests on the behavior of the system without worrying about its dependencies and having predictable results.

**Arquillian** Arquillian is an integration testing framework for business objects that are executed inside a container or that interact with the container as a client. Our choice falls on it because is widely used, in particular makes simple the kind of testing we need, since we have different components grouped inside one big application server. Arquillian also integrates perfectly with JUnit, used in the single components testing phase. It combines a unit testing framework (JUnit), and one or more supported target containers (Java EE container, etc) to provide a simple, flexible and pluggable integration testing environment. Arquillian makes integration testing no more difficult than the beans testing. Specifically, we are going to use Arquillian to verify that the right components are injected when dependency injection is specified, that the connections with the database are properly managed and similar containerlevel tests.

**Devices** The application run on operative systems thanks to Apache Cordoba. This fact make necessary testing on different devices to make sure that everyone supports the power enjoy system.

**Power Enjoy Cars** In order to perform most of the task involving vehicles, we need a proper vehicle to check all the functionalities.

## 5 Program Stubs and Test Data Required

In order to perform integration testing without having developed the entire system first, we need to use stubs and drivers to simulate the software components that still don't exist and test the others.

### 5.1 Drivers

**Data Access Driver** This testing module will invoke methods in order to test interaction between DBMSs and Application Server's beans. Since the Power

Enjoy is structured in microservices, bin has access at most to on specific DBMS. This driver manages all the interaction of this kind, for all bins.

**Reservation Service Driver** this testing module will invoke the methods visible to the Reservation Service subcomponent, in order to test its interaction with the Reservation database, the User service, the Car Service and the Payment Service components.

**User Service Driver** this testing module will invoke the methods visible to the User Service subcomponent, in order to test its interaction with the User database, the Reservation service, the Location Service and the Payment Service components.

**Car Service Driver** this testing module will invoke the methods visible to the Car Service subcomponent, in order to test its interaction with the Car database, the Reservation service, the Location Service and the Assistance Service components.

**Location Service Driver** this testing module will invoke the methods visible to the Location Service subcomponent, in order to test its interaction with the Location database, the User service and the Car Service.

**Assistance Service Driver** this testing module will invoke the methods visible to the Assistance Service subcomponent, in order to test its interaction with the Car Service component.

**Payment Service Driver** this testing module will invoke the methods visible to the Payment Service subcomponent, in order to test its interaction with the Payment database, the Reservation service and the User Service components.

## 5.2 Stubs

Since we used a mixed approach, not purely bottom-up, stubs are necessary to emulate the presence of not yet completed components. A test DBMS must be filled with random values in order to test properly the Software. Each entity must appear in the test DBMS following the same ER diagram designed in the Design Document. Could be usefull to insert values may cause exceptions, to check the behaviour of the system on limit situations. Other stubs must reproduce the behaviour of external systems that interact with the Power Enjoy software. Must be emulated the communication between Payment System, Assistance System and Car On Board System with the respective bins. The test must evaluate also the efficiency of the user actions. Will be usefull a Mock



sender and receiver in order to collect all data of an imaginary user. A set of datas choosen ad hoc (also not real ones) is necessary to verify the validity of the credential.

## **6 Effort Spent**

The approximate number of hours of work for each member of the group is the following:

Niccolo' Raspa 25 Hours

Matteo Marinelli 15 Hours