

Distribution of Parameters for Generated SQL Queries on the TPC-H Database

Scenario: 1-3jp_rjpp__g__h0ss_h0nss

Scale factor: 1000 GB

The 1000-query pack was generated on: 2023-11-10

First column ('Query parameter or value') displays either:

- a parameter name, or

- a value of the current parameter (only for low-cardinality parameters).

Second column ('Descriptive statistics') displays:

- for low cardinality parameters: frequency and proportion from total (of 1000 queries)

- for higher cardinality parameters: [min, median, max] mean / SD

Query parameter or value	Descriptive statistics
SELECT_n_of_columns	[1, 6, 93] 10 / 13
SELECT_n_of_non_aggr_func__LOWER	
0	697 (70%)
1	232 (23%)
2	49 (4.9%)
3	16 (1.6%)
4	3 (0.3%)
5	3 (0.3%)
SELECT_n_of_non_aggr_func__UPPER	
0	675 (68%)
1	252 (25%)
10	1 (0.1%)
2	53 (5.3%)
3	16 (1.6%)
4	2 (0.2%)

Query parameter or value	Descriptive statistics
5	1 (0.1%)
SELECT_n_of_non_aggr_func___DOW	
0	883 (88%)
1	94 (9.4%)
2	16 (1.6%)
3	5 (0.5%)
4	1 (0.1%)
5	1 (0.1%)
SELECT_n_of_non_aggr_func___MONTH	
0	847 (85%)
1	113 (11%)
2	26 (2.6%)
3	6 (0.6%)
4	7 (0.7%)
5	1 (0.1%)
SELECT_n_of_non_aggr_func___RTRIM	
0	713 (71%)
1	213 (21%)
2	53 (5.3%)
3	13 (1.3%)
4	4 (0.4%)
5	3 (0.3%)
6	1 (0.1%)
SELECT_n_of_non_aggr_func___SUBSTR	
0	679 (68%)
1	243 (24%)
2	54 (5.4%)
3	16 (1.6%)
4	5 (0.5%)
5	3 (0.3%)
SELECT_n_of_non_aggr_func___TRUNC	
0	932 (93%)
1	64 (6.4%)
2	3 (0.3%)
3	1 (0.1%)
SELECT_n_of_non_aggr_func___YEAR	
0	867 (87%)
1	100 (10%)
2	25 (2.5%)
3	7 (0.7%)
4	1 (0.1%)
SELECT_n_of_non_aggr_func___ABS	
0	953 (95%)
1	44 (4.4%)
2	2 (0.2%)
3	1 (0.1%)

Query parameter or value	Descriptive statistics
SELECT_n_of_non_aggr_func__LOG	
0	901 (90%)
1	83 (8.3%)
2	13 (1.3%)
3	2 (0.2%)
4	1 (0.1%)
SELECT_n_of_non_aggr_func__LTRIM	
0	685 (69%)
1	238 (24%)
2	53 (5.3%)
3	17 (1.7%)
4	3 (0.3%)
5	2 (0.2%)
6	2 (0.2%)
SELECT_n_of_non_aggr_func__SQRT	
0	859 (86%)
1	107 (11%)
2	28 (2.8%)
3	4 (0.4%)
4	2 (0.2%)
SELECT_n_of_non_aggr_func__ROUND	
0	938 (94%)
1	56 (5.6%)
2	5 (0.5%)
3	1 (0.1%)
SELECT_n_of_non_aggr_func__DAY	
0	910 (91%)
1	76 (7.6%)
2	10 (1.0%)
3	4 (0.4%)
SELECT_n_of_non_aggr_func__FLOOR	
0	939 (94%)
1	55 (5.5%)
2	5 (0.5%)
3	1 (0.1%)
SELECT_n_of_all_non_aggr_func	[0.0, 2.0, 37.0] 3.3 / 4.5
SELECT_n_of_aggr_func__MAX	[0.00, 0.00, 9.00] 0.60 / 1.41
SELECT_n_of_aggr_func__COUNT	[0.00, 0.00, 10.00] 0.71 / 1.58
SELECT_n_of_aggr_func__MIN	[0.00, 0.00, 11.00] 0.65 / 1.53
SELECT_n_of_aggr_func__SUM	
0	944 (94%)
1	40 (4.0%)
2	14 (1.4%)
3	1 (0.1%)
4	1 (0.1%)
SELECT_n_of_aggr_func__COUNT_DISTINCT	[0.00, 0.00, 10.00] 0.60 / 1.36

Query parameter or value	Descriptive statistics
SELECT_n_of_aggr_func__AVG	
0	936 (94%)
1	39 (3.9%)
2	16 (1.6%)
3	8 (0.8%)
4	1 (0.1%)
SELECT_n_of_all_aggr_func	[0.00, 2.00, 12.00] 2.73 / 2.37
FROM_n_of_join_paths	
1	336 (34%)
2	313 (31%)
3	351 (35%)
FROM_n_of_super_joins__RIGHT	
0	782 (78%)
1	201 (20%)
2	17 (1.7%)
FROM_n_of_super_joins__FULL	
0	757 (76%)
1	226 (23%)
2	17 (1.7%)
FROM_n_of_super_joins__LEFT	
0	767 (77%)
1	207 (21%)
2	26 (2.6%)
FROM_n_of_joins__INNER	
0	254 (25%)
1	260 (26%)
2	204 (20%)
3	136 (14%)
4	94 (9.4%)
5	29 (2.9%)
6	15 (1.5%)
7	5 (0.5%)
8	3 (0.3%)
FROM_n_of_joins__RIGHT	[0.00, 1.00, 10.00] 1.74 / 1.58
FROM_n_of_processed_rows	[5, 6,809,989,709, 22,949,969,202] 6,455,681,860 / 6,035,589,700
WHERE_n_of_predicates	[0.00, 3.00, 10.00] 2.81 / 2.21
WHERE_n_of_attribs_of_type__character	
0	734 (73%)
1	198 (20%)
2	58 (5.8%)
3	8 (0.8%)
4	2 (0.2%)
WHERE_n_of_attribs_of_type__character_varying	
0	416 (42%)
1	322 (32%)

Query parameter or value	Descriptive statistics
2	158 (16%)
3	74 (7.4%)
4	26 (2.6%)
5	4 (0.4%)
WHERE_n_of_attribs_of_type__integer	
0	467 (47%)
1	319 (32%)
2	150 (15%)
3	52 (5.2%)
4	10 (1.0%)
5	2 (0.2%)
WHERE_n_of_attribs_of_type__numeric	
0	661 (66%)
1	235 (24%)
2	82 (8.2%)
3	21 (2.1%)
4	1 (0.1%)
WHERE_n_of_attribs_of_type__date	
0	834 (83%)
1	142 (14%)
2	21 (2.1%)
3	3 (0.3%)
WHERE_n_of_pkey_attribs	
0	626 (63%)
1	278 (28%)
2	76 (7.6%)
3	18 (1.8%)
4	2 (0.2%)
WHERE_n_of_connect_OR	[0.00, 1.00, 9.00] 1.36 / 1.69
WHERE_n_of_operators__between	
0	641 (64%)
1	255 (26%)
2	71 (7.1%)
3	25 (2.5%)
4	8 (0.8%)
WHERE_n_of_operators__in	
0	618 (62%)
1	268 (27%)
2	87 (8.7%)
3	23 (2.3%)
4	2 (0.2%)
5	2 (0.2%)
WHERE_n_of_operators__greater_or_less	
0	417 (42%)
1	298 (30%)
2	179 (18%)

Query parameter or value	Descriptive statistics
3	77 (7.7%)
4	21 (2.1%)
5	7 (0.7%)
6	1 (0.1%)
WHERE_n_of_operators_like	
0	804 (80%)
1	177 (18%)
2	17 (1.7%)
3	2 (0.2%)
WHERE_n_of_non_aggr_func__SQRT	
0	908 (91%)
1	85 (8.5%)
2	7 (0.7%)
WHERE_n_of_non_aggr_func__TRUNC	
0	965 (97%)
1	33 (3.3%)
2	2 (0.2%)
WHERE_n_of_non_aggr_func__DAY	
0	974 (97%)
1	24 (2.4%)
2	2 (0.2%)
WHERE_n_of_non_aggr_func__MONTH	
0	973 (97%)
1	26 (2.6%)
2	1 (0.1%)
WHERE_n_of_non_aggr_func__LOG	
0	948 (95%)
1	51 (5.1%)
2	1 (0.1%)
WHERE_n_of_non_aggr_func__DOW	
0	968 (97%)
1	31 (3.1%)
2	1 (0.1%)
WHERE_n_of_non_aggr_func__ROUND	
0	971 (97%)
1	28 (2.8%)
2	1 (0.1%)
WHERE_n_of_non_aggr_func__FLOOR	
0	969 (97%)
1	30 (3.0%)
2	1 (0.1%)
WHERE_n_of_non_aggr_func__ABS	
0	972 (97%)
1	28 (2.8%)
WHERE_n_of_non_aggr_func__YEAR	
0	979 (98%)

Query parameter or value	Descriptive statistics
1	21 (2.1%)
WHERE_n_of_all_non_aggr_func	
0	684 (68%)
1	257 (26%)
2	46 (4.6%)
3	12 (1.2%)
4	1 (0.1%)
GROUP_BY_n_of_columns	[0.00, 2.00, 9.00] 2.23 / 2.08
HAVING_n_of_main_predicates	
0	445 (45%)
1	176 (18%)
2	195 (20%)
3	184 (18%)
ORDER_BY_n_of_columns	
0	292 (29%)
1	397 (40%)
2	234 (23%)
3	49 (4.9%)
4	19 (1.9%)
5	5 (0.5%)
6	2 (0.2%)
7	1 (0.1%)
8	1 (0.1%)
limit	[1, 483, 998] 491 / 292
offset	[0, 11, 1,000] 254 / 328