

```

---
# Neural collapse config file. All must be specified
Model:
  model-name: NetSimpleConv2FC # Name of model in "our_models"
  no-bias: false # model param
  init-scale: 1.0 # Initialization scale for network weights

Data:
  dataset-id: cifar10 # Which dataset-getter to use. Note that shapes are provided by the dataset
  batch-size: 128 # Mini-batch size

Optimizer:
  criterion: c-e # Loss type. "mse" for MSE, otherwise cross-entropy
  weight-decay: 5.e-4 # Weight decay
  epochs: 1100 # Epochs to train for
  lr: 0.067 # Optimizer learning rate
  lr-decay: 0.1 # Learning rate decay
  lr-decay-steps: 3 # Number of learning rate decay steps
  momentum: 0.9 # Optimizer momentum

Logging:
  # When to store weights and calculate measurements
  save-dir: runs/cifar_2fc_celoss
  epoch-list: [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,
               12, 13, 14, 16, 17, 19, 20, 22, 24, 27, 29,
               32, 35, 38, 42, 45, 50, 54, 59, 65, 71, 77,
               85, 92, 101, 110, 121, 132, 144, 158, 172, 188, 206,
               225, 245, 268, 293, 320, 350, 400, 450, 500, 550, 600,
               650, 700, 750, 800, 850, 900, 950, 1000, 1050, 1100]

Measurements:
  tmp: 0
  ...

```







