```
___
```

Measurements: tmp: 0

. . .

```
# Neural collapse config file. All must be specified
Model:
 model-name: NetSimpleConv2FC # Name of model in "our_models"
 no-bias: false
                            # model param
  init-scale: 1.0
                             # Initialization scale for network weights
Data:
 dataset-id: cifar10
                         # Which dataset-getter to use. Note that shapes are provided by the dataset
 batch-size: 128
                         # Mini-batch size
Optimizer:
                         # Loss type. "mse" for MSE, otherwise cross-entropy
  criterion: c-e
 weight-decay: 5.e-4
                        # Weight decay
                        # Epochs to train for
 epochs: 1100
 lr: 0.067
                        # Optimizer learning rate
 1r-decay: 0.1
                        # Learning rate decay
 lr-decay-steps: 3
                        # Number of learning rate decay steps
 momentum: 0.9
                        # Optimizer momentum
Logging:
  # When to store weights and calculate measurements
 save-dir: runs/cifar_2fc_celoss
                                            7,
 epoch-list: [1,
                   2, 3, 4,
                                  5,
                                       6,
                                                 8,
                                                      9,
                                                           10,
                                                                 11,
              12, 13, 14, 16, 17, 19, 20, 22, 24, 27,
              32, 35, 38, 42, 45, 50, 54, 59, 65, 71,
                                                                 77,
              85, 92, 101, 110, 121, 132, 144, 158, 172, 188, 206,
              225, 245, 268, 293, 320, 350, 400, 450, 500, 550, 600,
               650, 700, 750, 800, 850, 900, 950, 1000, 1050, 1100]
```





























