



mitesterforsip_Release_Notes

Release Version 1.1





Table of Contents

[1] Software Details	.3
[1.1] Software Name	.3
[1.2] Software Platform	.3
[1.3] Software Version	
[1.4] Release Date	
[2] Release Package	
[3] Feature List	
[4] Bugs Fixed	. 4
[4] Bugs Fixed[5] Known Issues/Bugs/Limitations	. 4
[6] Things To be Noted	. 4



[1] Software Details

[1.1] Software Name

miTester for SIP

[1.2] Software Platform

Java

[1.3] Software Version

Release Version 1.1

[1.4] Release Date

21.04.2009

[2] Release Package

Binaries

- mitesterforsip v1.1 windows.zip
- mitesterforsip_v1.1_linux.zip
- mitesterforsip_v1.1_solaris.zip
- mitesterforsip_v1.1_mac.zip

Documents

- mitesterforsip_User_Guide-V1.1.pdf
- mitesterforsip Developing Test Scripts-V1.1.pdf
- mitesterforsip Architecture-V1.1.pdf
- mitesterforsip License-V1.1.pdf

[3] Feature List

- miTester for SIP is a tool designed and developed for easy testing of any SIP application.
- miTester for SIP makes the process of development, deployment and maintenance of automated testing easy and efficient.
- miTester for SIP architectural model uses the globally accepted SIP Stack and Server programming that offers a range of constructs from simple and very high level to complex-low level interfaces to control and test every aspect of SIP call flows
- miTester for SIP works on two modes: USER mode and ADVANCED mode of call flows execution
- In USER mode of miTester for SIP, any SIP call flow can be simulated without any
 exceptions. Design of miTester for SIP framework includes achieving the test result from
 simple to complex SIP call flows irrespective of the SIP application
- In ADVANCED mode of miTester for SIP, your testing process is quicker and easier. The
 unique advantage of miTester for SIP is that you can automate the execution of the SIP
 application
- miTester for SIP is ported to MAC and Solaris. Now miTester for SIP works on Windows, Linux, MAC and Solaris.
- Native folder and its contents have been removed from miTesterforsip folder structure.





- Implemented Backward compatibility, miTesterforsip works under both JDK1.5 & JDK1.6
- Supports Call Forking (Generating request or response messages with user-specified dialog, irrespective of the current dialog).
- Supports load testing. The test cases can be executed 'n' number of times.

[4] Bugs Fixed

None

[5] Known Issues / Bugs / Limitations

- Currently the miTester for SIP ADVANCED mode will yield a minor setback in consistency of Results. This inconsistency is noticed due to the SUT performance.
- No error is thrown while adding parameter name alone (without value) in the script, for those not maintained in the config file.
- No error is thrown while removing a header which is not present in the generated request / response.

[6] Things to be Noted

For Solaris Users:

After installing sip-communicator, edit the following line in "run.sh" file for successful test execution.

Line to be modified: export PATH=\$PATH:native

Modified Line : PATH=\$PATH:native export PATH

For MAC Users:

In USER or ADVANCED mode, while using sip-communicator as SUT, you need to add the 'Native' folder inside the installed SIP communicator folder. This should be done after installing the provided jar for MAC. This is mandatory for successful session completion in a test scenario.

In MAC, SIP communicator works under Java JDK 1.5 only

Note: miTester for SIP is tested on Windows XP, Ubuntu LINUX, MAC and Sun Solaris platform.