

EDGE



www.edge-design.com.tw

2015

PROFESSIONAL CYCLING COMPONENTS

EDGE DESIGN




INDEX

ROAD FRAMESET SERIES	1-4
AIRY ° AIRY-D ° ALICANTE ° ALLER-D °	
ANLACE ° AXION SL ° FOX II ° ASCETIC	
MTB FRAMESET SERIES	5-9
PICCOLO 650B ° PICCOLO 650B SL ° PICCOLO 29ER °	
PICCOLO 29ER SL ° PYRENEES 650B ° PYRENEES 650B AM PRO 150 °	
PYRENEES 29ER ° PYRENEES 29ER AM PRO 150 ° ARTIC ° TALLYHO	
TRACK FRAMESET SERIES.....	10
STINGER	
TT FRAMESET SERIES.....	10
SPRINT-2	
CX FRAMESET SERIES.....	11
CCX PRO ° CCX PRO D	
WHEELSET SERIES.....	12-18
SIDEWINDER REAR DISK ° SIDEWINDER FOUR SPOKE °	
AERO 3.0T ° AERO 3.0C ° AERO 4.5T ° AERO 4.5C °	
AERO 5.5T ° AERO 5.5C ° AERO 8.0T ° AERO 8.0C °	
XLR-200 ° XLR-300 ° XLR-650B ° XLR-29ER	
HANDLEBAR SERIES.....	19-20
SR-AW ° SL-A75 ° CSL 33 ° CSL 68 ° ISR °	
SL-AL2014 ° CSL ACM4 ° CSL ACM1	
FORK SERIES.....	21
FK26/ FK650B/ FK29ER ° FK10	
SADDLE SERIES	22
SD10 ° SD04 ° SD08 ° SD16 ° SD09 °	
SD1133 ° SD2059	
SEAT POST SERIES	23
CSL2 ° CSL1 ° SL ° SR	
STEM SERIES	24
SL ° C75 ° 3D FORGED	
QUICK RELEASE	24
QR03 ° QR58	
BOTTLE CAGE SERIES	25
BC009 ° BOT-012 ° BOT-FIGMO	
MISCELLANEOUS	25
NUMBER PLATE HOLDER: TNBOLT	

EDGE DESIGN
ROAD FRAME SERIES

Professional Cycling Experience




AIRY (Length: mm/ Angle: °)

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
450	450	400	75°	505	491	100	71°	370	45	964.2	507.2	408	72	371	501
480	480	420.6	74.5°	515	500.1	110	71.5°	370	45	996.3	572.3	408	72	373	513
500	500	440.6	74.5°	525	511.5	115	72°	370	45	972.2	578.1	408	72	381	519.5
520	520	460.6	74°	535	522.9	120	72.5°	370	45	974.6	579.5	408	69	384	522.5
540	540	480.6	73.5°	545	531.7	140	73°	370	45	975.2	580.2	408	69	385	543
560	560	500.6	73.5°	559.6	547.2	155	73°	370	45	990	594.9	408	69	394.5	557.5
580	580	520.6	73°	575	560.9	175	73.5°	370	45	995.1	600	410	69	398	579
600	600	540.6	72.5°	590	574.7	195	73.5°	370	45	1004.2	609	410	69	401.5	598

AIRY

Feature	Carbon monocoque super light road frame. DI2 compatible.
Head tube	48/57mm, 1 1/8"- 1 1/2"
Seat post	27.2mm
Size	45/48/50/52/54/56/58/60cm
Weight(frame)	850g(ex 56cm)
BB TYPE	BSA/BB30/PF30/BB86/BB386
Seat tube	31.8mm



AIRY-D (Length: mm/ Angle: °)
OLD 135mm/ ROTOR 140mm


AIRY-D

Feature	Carbon road frame, disc brake, DI2 compatible.
Head tube	48/57mm, 1 1/8"- 1 1/2"
Seat post	27.2mm
Size	450/480/500/520/540/560/580/600mm
Weight(frame)	1100g +/- 50g
BB TYPE	BSA/BB30/PF30/BB86/BB386
Seat tube	31.8mm

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
450	450	400	75°	505	491	95.8	71°	368	45	974.4	507.2	415	72	370.9	500.7
480	480	420.6	74.5°	515	500.1	105.8	71°	368	45	976.4	572.3	415	72	372.8	512.9
500	500	440.6	74.5°	525	511.5	110.8	72°	368	45	981.4	578.1	415	72	381	519.4
520	520	460.6	74°	535	522.9	115.8	72.5°	368	45	974.6	579.5	415	69	384.1	522.5
540	540	480.6	73.5°	545	531.7	135.8	73°	368	45	985.4	580.2	415	69	385.2	543.2
560	560	500.6	73.5°	559.6	547.2	150.8	73°	368	45	1000.1	594.9	415	69	394.5	557.6
580	580	520.6	73°	575	560.9	170.8	73.5°	368	45	1005.2	600	415	69	398.1	578.8
600	600	540.6	72.5°	590	574.7	190.8	73.5°	368	45	1014.3	609	415	69	401.5	598

EDGE DESIGN
ROAD FRAME SERIES


Professional Cycling Experience



ALICANTE

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	HD	HB
450	450	75°	505	100	71°	370	45	965.6	570	405	69	367.7	498	46	46
480	480	74.5°	515	110	71.5°	370	45	967.6	572.7	405	69	371.7	510	46	46
500	500	74.5°	525	115	72°	370	45	973.6	578.6	405	69	374	516.5	46	46
520	520	74°	535	120	72.5°	370	45	974.5	579.5	405	69	381	522.5	46	46
540	540	73.5°	545	140	73°	370	45	975.2	580.3	405	69	384	543.2	46	46
560	560	73.5°	560	160	73°	370	45	990	595	405	69	385	558.3	46	46
580	580	73°	575	180	73.5°	370	45	995	600	405	69	395	584	46	46
600	600	72.5°	590	200	73.5°	370	45	1004.2	609	405	69	396.4	602.7	46	46

Feature	Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post
Head tube	1 1/8"
Seat post	Aero
Size	45/48/50/52/54/56/58/60 cm
Weight (frame)	1030g +/- 50g
BB TYPE	BSA/BB30/PF30/BB86/BB386
Seat tube	Aero



ALLER-D


Feature	Carbon monocoque road frame, disc brake/ DI2 compatible.
Head tube	48/57 mm, 1 1/8"-1 1/2"
Seat post	Square
Size	440/470/510/540/570 mm
Weight(frame)	1100g +/- 50g
BB TYPE	BSA/BB30/PF30/BB86
Seat tube	

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
440	440	74.5	520	115	71.5°	368	45	974	577.7	406	68	377.8	511.8
470	470	73.6°	540	135	72.5°	368	45	977	580.6	406	68	382.4	534.2
510	510	73°	555	155	73°	368	45	983.2	584.9	408	68	385	555
540	540	73°	570	170	73°	368	45	998.2	599.7	408	68	395.6	569.3
570	570	72.5°	585	190	73.5°	368	45	1007.4	609	408	68	403.5	590.2

EDGE 2

EDGE DESIGN
ROAD FRAME SERIES


Professional Cycling Experience



SIZE	S	SP	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
450	450	400	75°	500	105	70.5°	368	43	963.9	568.3	406	70	365	502
470	470	420	75°	500	110	70.5°	368	43	966.5	570	406	70	365.5	506.2
490	490	450	75°	505	115	71°	368	43	965.4	570	406	70	367.6	512.7
510	510	470	74.5°	517	125	71.5°	368	43	967.1	571.5	406	70	370	524.6
530	530	490	74°	530	135	72°	368	43	967.5	572	406	70	375.4	537
550	550	510	73.5°	548	150	72.5°	368	43	981	585.5	406	70	384.8	551
580	580	540	73.5°	568	170	73°	368	43	996.5	601	406	70	398.3	572


ANLACE

Feature	Carbon monocoque road frameset, DI2 compatible.
Head tube	48/57mm, 1 1/8"- 1 1/2"
Seat post	27.2mm
Size	450/470/490/510/530/550/580mm
Weight(frame)	1000g +/- 50g
BB TYPE	BSA/BB30/BB86/PF30
Seat tube	31.8mm




AXION SL

Feature	Carbon monocoque super light road frame, DI2 compatible.
Head tube	48/57mm, 1 1/8"- 1 1/2"
Seat post	27.2mm
Size	470/490/510/540/565/590mm
Weight(frame)	765g +/- 30g (ex 490mm)
BB TYPE	BSA/ BB30/ PF30
Seat tube	31.8mm




FOX II



ASCETIC

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	Feature	Super light Titanium road frame, Integrated headset.
510	510	465	74°	520	516.1	102	72.5°	365	45	959.7	564.22	405	67	377.74	496.21	Head tube	46mm
530	530	485	74°	535	530.9	120	73°	365	45	970.8	575.27	405	67	387.35	515	Seat post	27.2mm
550	550	505	73.5°	550	545.1	140	73°	365	45	981.1	585.5	405	67	391.81	534.13	Size	510/530/550/570/590mm
570	570	525	73.5°	565	560.15	160	73°	365	45	996.3	600.6	405	67	401.14	553.25	BB TYPE	BSA/BB30/BB86
590	590	545	73°	575	569.31	180	73°	365	45	1003	605.29	407	67	400.01	572.37	Seat tube	31.8mm



PICCOLO 650B (Length: mm/ Angle: °)

PICCOLO 650B

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
16"	412	348	73°	575	556.5	112	69°	485	43	1074	649.5	427	45	395.4	587.3
18"	450	374.5	73°	595	574	120	71°	485	43	1074.5	650	427	45	410	604.9
20"	500	423	73°	620	594	140	71°	485	43	1098	675.5	427	45	429.2	624.2

Feature 27.5" MTB carbon frame.

Head tube 48/57mm, 1 1/8"-1 1/2"


Seat post 31.6mm

Size 16"/18"/20"

Weight(frame) 1350g +/- 50g

BB TYPE BSA/BB30/PF30

Seat tube 34.9mm



PICCOLO 650B SL (Length: mm/ Angle: °)

PICCOLO 650B SL

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	400	347.3	73.5°	570	555.9	101	70°	485	43	1064.4	640.3	428	45	398	581
17.5"	435	381.6	73°	595	570.8	115	70.5°	485	43	1078	654	428	45	410.1	598.1
19"	480	427.1	73°	610	584.2	120	71°	485	43	1089.1	665	428	45	425.7	603.4
20.5"	520	466.9	73°	625	599.1	130	71°	485	43	1104.5	680.3	428	45	437.8	618

Feature Super light 650B MTB frame.

Head tube 48/57mm, 1 1/8"-1 1/2"


Seat post 27.2mm

Size 15.5"/17.5"/19"/20.5"

Weight(frame) 950g +/- 50g

BB TYPE BSA/BB30/PF30/BB92

Seat tube 31.8mm




PICCOLO 29ER (Length: mm/ Angle: °)

PICCOLO 29ER

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
16"	406.5	330.8	73.7°	570.8	567	105	70.7°	506	45	1066.7	635.1	440	65.5	387.3	627.5
18"	458	376.3	73.5°	594	578.5	120	71°	506	45	1084.6	652.8	440	65.5	403.2	643
20"	508	419.5	73.3°	615	590.3	130	72.7°	506	45	1103.9	672	440	65.5	419.3	652.4

Feature	Carbon 29er MTB frame
Head tube	48/57mm, 1 1/8"- 1 1/2"
Seat post	31.6mm
Size	16"/18"/20"
Weight(frame)	1000g +/- 50g
BB TYPE	BSA/BB30/PF30
Seat tube	34.9mm




PICCOLO 29ER SL (Length: mm/ Angle: °)

PICCOLO 29ER SL

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	395	341	72.5°	580	555	100	69.5°	506	45	1077.4	644.3	440	60	387.1	611.9
17.5"	440	385	72.5°	600	572	105	69.5°	506	45	1097.7	664.5	440	60	405	618
19"	483	431.3	72.5°	620	584.7	120	69.5°	506	45	1117.6	684.3	440	60	419.8	632.1
20.5"	533	478.2	72.5°	640	606.5	130	69.5°	506	45	1139.3	705.7	440	60	438	640.8


Feature	Super light 29er MTB carbon frame
Head tube	48/57mm, 1 1/8"- 1 1/2"
Seat post	31.6mm
Size	15.5"/17.5"/19"/21"
Weight(frame)	900g +/- 50g
BB TYPE	BSA/BB30/PF30/BB92
Seat tube	34.9mm



PYRENEES 650B

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
16"	415	346	73.8°	570	529.5	100	68°	505	39	1106	671	435	10	556.8	408.4
18"	440	346	73.8°	600	558	110	68°	505	39	1137	702.5	435	10	566.1	435.6
20"	470	346	73.8°	625	582.5	120	68°	505	39	1163	728	435	10	574.9	457.9


Feature	Carbon 27.5" MTB suspension frame.
Head tube	48/57mm, 1 1/8"-1 1/2"
Seat post	31.6mm
Size	16"/18"/20"
Weight(frame)	2050g +/- 50g
BB TYPE	BSA/BB30/PF30
Seat tube	34.9mm



PYRENEES 650B AM PRO 150

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	400	74°	580	100	68°	540	45	1134.7	694.8	1440	5	413.2	591
17.5"	445	74°	600	110	68°	540	45	1155.5	715.5	440	5	430.2	591
19"	483	74°	620	120	68.5°	540	45	1171	731	440	5	447.1	602.9


Feature	Carbon 27.5" MTB suspension frame, travel: 150mm, rear shock eye to eye 200mm
Head tube	48/57mm, 1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	15.5"/17.5"/19"
Weight(frame)	2500g +/- 50g
BB TYPE	BSA/BB30/PF30
Seat tube	34.9mm



PYRENEES 29ER

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	395	343.3	73.6°	565	508.5	105	71°	506	46	1079.1	631.7	452	43	386.5	607
17.5"	449	401	73.6°	598.1	539.5	115	71°	506	46	1112.7	669.4	452	43	416.8	616
19"	483	343.3	73.6°	617	558	125	71°	506	46	1132	683.4	452	43	432.9	625.5
21"	533	343.2	73.6°	638	579	131.1	71°	506	46	1153.5	704.9	452	43	451.1	635


Feature	Carbon monocoque suspension MTB 29" frame
Head tube	48/57mm, 1 1/8"-1 1/2"
Seat post	31.6mm
Size	15.5"/17.5"/19"/21"
Weight(frame)	2050g +/- 50g
BB TYPE	BSA/BB30/PF30
Seat tube	34.9mm



PYRENEES 29ER AM PRO 150

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	400	74°	580	100	69°	550	46	1136.2	680	457	25	402.2	620
17.5"	440	74°	600	110	69°	550	46	1157	701	457	25	419.5	629.3
19"	480	74°	620	120	69°	550	46	1178	722	457	25	436.8	638.7
21"	530	74°	640	135	69°	550	46	1198.9	743	457	25	454.2	648

Feature	Carbon 29" MTB suspension frame, travel: 150mm, rear shock eye to eye 200mm
Head tube	48/57mm, 1 1/8"-1 1/2"
Seat post	31.6 mm
Size	15.5"/17.5"/19"/21"
Weight(frame)	2500g +/- 50g
BB TYPE	BSA/BB30/PF30
Seat tube	34.9mm



ARTIC

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15"	381	316	67.5°	583	562.1	115	69.5	468	45	1112	651.6	467	60	401.9	590.3
17"	432	366.4	67.5°	602	576.4	135	70°	468	45	1126.8	666.4	467	60	415.2	611.2
19"	483	416.5	67.5°	622	597	155	70°	468	45	1148	687.5	467	60	429.5	630
21"	533	466	67.5°	640	611.6	175	70°	468	45	1167	706.4	467	60	441.6	648.8

Feature Fatbike carbon frame

Head tube 48/57mm, 1 1/8"- 1 1/2"


Seat post 31.6mm

Size 15"/17"/19"/21"

Weight(frame) 1100g +/- 50g

BB TYPE BSA/BB30/PF30/BB386

Seat tube 34.9mm



TALLYHO

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15"	381	326	73°	538.6	520	110	71°	445	38	1005.1	588.1	420	38	370.8	548.9
17"	432	377	73°	579	554.7	110	71°	445	38	1045.5	628.4	420	38	411.2	548.9
19"	483	428	73°	598	576	110	71°	445	38	1064.5	647.4	420	38	430.2	548.9
21"	533	478	73°	608.3	591.3	125	71°	445	38	1075.3	658.2	420	38	436.1	563.1

Feature Titanium MTB frame. Integrated headset

Head tube 46mm

Seat post 27.2mm

Size 15"/17"/19"/21"


BB TYPE BSA/BB30/BB92

Seat tube 31.8mm

EDGE DESIGN

TRACK FRAME / TT FRAME SERIES


Professional Cycling Experience



STINGER

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	HD	HB
490	498	473	75	516	517	85	72.5°	368	35	932	560	380	60	386.8	471.1	48	57
510	505	477.5	75°	535	536	90	72.5°	368	35	951	579	380	60	404.5	487.1	48	57
540	520	492	75°	557	558	105	72.5°	368	35	974	601.5	380	60	422.6	501.4	48	57
560	539	512	75°	573	574	125	72.5°	368	35	991	618	380	60	433.5	509.3	48	57

Feature	Carbon track frame include fork and seatpost
Head tube	48/57mm, 1 1/8"-1 1/2"
Seat post	AERO
Size	49/51/54/56 cm
Weight(frame)	1850g +/- 50g
BB TYPE	BSA/BB30
Seat tube	AERO




SPRINT-2

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	HD	HB	ST
450	450	435	75°	490	488	91.5	71°	370	45	945.5	562.5	395	75	372.5	453.5	46	46	75
490	515	500	75°	511	511.5	101.5	72.5°	370	45	945.5	562.8	395	75	378	512	46	46	75
520	525	510	75°	531.5	532	111.5	72.5°	370	45	967	584	395	75	396	521.5	46	46	75
540	542	527	75°	550.5	551	129.5	72.5°	370	45	986.5	603.5	395	75	410	538	46	46	75
560	561	546	75°	569	569.5	148	72.5°	370	45	1006	622.5	395	75	424	556	46	46	75

Feature	Carbon time trial frame with fork, seat post and handle bar. Front brake:mini V ; rear brake:direct mount
Head tube	48/57mm, 1 1/8"-1 1/2"
Seat post	OVAL
Size	45/49/52/54/56 cm
Weight(frame)	1360g +/- 50g
BB TYPE	BSA/BB30/PF30
Seat tube	AERO

EDGE DESIGN
CX FRAMESET SERIES


Professional Cycling Experience



SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
480	480	445	75.5°	510	501.4	100	70.5°	400	45	1009.4	590	425	53	378	510
500	500	465	75°	525	516.3	115	70.5°	400	45	1020.8	601.5	425	53	384.5	524
520	520	485	74.5°	535	526.2	125	71°	400	45	1021.1	602.2	425	55	386	537.5
540	540	505	74°	545	536.8	135	71.5°	400	45	1021.7	602.8	425	55	387.5	548.5
560	560	525	73.5°	560	552.2	145	72°	400	45	1026.6	607.6	425	57	393.5	562.5
580	580	545	73°	575	566.8	160	72.5°	400	45	1030.9	612.4	425	57	398	578.5


CCX PRO

Feature	Carbon cyclocross frame
Head tube	48/57mm, 1 1/8"- 1 1/2"
Seat post	27.2mm
Size	480/500/520/540/560/580mm
Weight(frame)	1100g +/- 50g
BB TYPE	BSA/BB30/PF30/BB386
Seat tube	31.8mm




CCX PRO D

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
480	480	445	75.5°	510	501.4	100	70.5°	400	45	1009.4	590	425	53	378	510
500	500	465	75°	525	516.3	115	70.5°	400	45	1020.8	601.5	425	53	384.5	524
520	520	485	74.5°	535	526.2	125	71°	400	45	1021.1	602.2	425	55	386	537.5
540	540	505	74°	545	536.8	135	71.5°	400	45	1021.7	602.8	425	55	387.5	548.5
560	560	525	73.5°	560	552.2	145	72°	400	45	1026.6	607.6	425	57	393.5	562.5
580	580	545	73°	575	566.8	160	72.5°	400	45	1030.9	612.4	425	57	398	578.5




SIDEWINDER REAR DISK

Rim Size	FALT DISK WHEEL
Model	WH155
Rim Type	Carbon Tubular
E.R.D	N/A
Spoke	N/A
Shape	N/A
Material	N/A
Nipple Material & Gauge	N/A
Lacing	N/A
Hub	MARU0708
Bearings	4 sealed bearing
Freehub Type	Track/Shimano/Campy/Sram 10/11s
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	Track:120mm/Road :130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1100g




SIDEWINDER FOUR SPOKE

Rim Size	4 SPOKE WHEEL
Model	CFRT-701
Rim Type	Carbon Tubular
E.R.D	N/A
Spoke	N/A
Shape	N/A
Material	N/A
Nipple Material & Gauge	N/A
Lacing	N/A
Hub	MARU0708
Bearings	4 sealed bearing
Freehub Type	Track/Shimano/Campy/Sram 10/11s
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	Track:120mm/Road :130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1075g




AERO 3.0T

Rim Size	30mm	
Model	WH133-30	
Rim Type	Carbon Tubular	
E.R.D	581.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 831/832	EDGE R13
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1325.4g	1369.4g




AERO 3.0C

Rim Size	30mm	
Model	WH156-30	
Rim Type	Carbon Clincher	
E.R.D	581.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 831/832	EDGE R13
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1505.4g	1549.4g




AERO 4.5T

Rim Size	45mm	
Model	WH136-45	
Rim Type	Carbon Tubular	
E.R.D	551.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 831/832	EDGE R13
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1365.4g	1409.4g




AERO 4.5C

Rim Size	45mm	
Model	WH150-45	
Rim Type	Carbon Clincher	
E.R.D	551.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 831/832	EDGE R13
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1605.4g	1649.4g




AERO 5.5T

Rim Size	55mm	
Model	WH135-55	
Rim Type	Carbon Tubular	
E.R.D	531.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 831/832	EDGE R13
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/Campy/Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1401.4g	1445.4g




AERO 5.5C

Rim Size	55mm	
Model	WH167-55	
Rim Type	Carbon Clincher	
E.R.D	531.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 831/832	EDGE R13
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/Campy/Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1641.4g	1685.4g




AERO 8.0T

Rim Size	80mm	
Model	WH139-80	
Rim Type	Carbon Tubular	
E.R.D	482	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 831/832	EDGE R13
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/Campy/Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1645.4g	1689.4g




AERO 8.0C

Rim Size	80mm	
Model	WH173-80	
Rim Type	Carbon Clincher	
E.R.D	481.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 831/832	EDGE R13
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/Campy/Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1875g	1919g




XLR-200

Rim Size	22mm
Model	XR-200
Rim Type	Alloy Clincher
E.R.D	588
Spoke	24/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	R13
Bearings	2/4 sealed bearing
Freehub Type	Shimano/Campy/Sram
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1380g




XLR-300

Rim Size	30mm
Model	XR-300
Rim Type	Alloy Clincher
E.R.D	571.5
Spoke	20/24
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	R13
Bearings	2/4 sealed bearing
Freehub Type	Shimano/Campy/Sram
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1486g



XLR-650B

Rim Size	22.4mm
Model	TL-21-650B
Rim Type	Alloy Clincher
E.R.D	551
Spoke	24/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Cross
Hub	DH12
Bearings	2/4 sealed bearing
Freehub Type	Shimano/Sram 11S
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:135mm or F:100/R:142mm (F:15/R:12mm thru axle)
Axle Material	Alloy
Skewer Type	QR (15/12mm thru axle)
Weight (w/o skewer)	1600g



XLR-29ER

Rim Size	22.4mm
Model	TL-21-29er
Rim Type	Alloy Clincher
E.R.D	587.5
Spoke	24/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Cross
Hub	DH12
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Sram 11S
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:135mm or F:100/R:142mm (F:15/R:12mm thru axle)
Axle Material	Alloy
Skewer Type	QR (15/12mm thru axle)
Weight (w/o skewer)	1650g



SR-AW

Model	HR025
Material	Alloy 6061
Feature	Road Compact Bar
Bar Bore	31.8mm
Weight	260g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	130 / 80



SL-A75

Model	HR075
Material	Alloy 7075
Feature	Road Bar
Bar Bore	31.8mm
Weight	260g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	163 / 90



CSL 33

Model	HR033
Material	Carbon
Feature	Road Compact Bar
Bar Bore	31.8mm
Weight	195g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	145.4 / 85.7



CSL 68

Model	HR068
Material	Carbon
Feature	Road Compact Bar
Bar Bore	31.8mm
Weight	185g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	129.93 / 74.57



ISR

Model	LRB02
Material	Carbon
Feature	Integrated Handle Bar
Bar Bore	31.8mm
Stem	90/ 100/ 110/ 120 mm
Weight	380g (ex. 400mm*90mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	130 / 90



SL-AL2014

Model	HR014
Material	Alloy 2014
Feature	Straight MTB Bar
Bar Bore	31.8
Weight	219g (ex. 680mm)
Width	580- 780mm
Color	Black
Rise	4
Backsweep	9°



CSL ACM4

Model	HR044
Material	Carbon
Feature	Riser MTB Bar
Bar Bore	31.8mm
Weight	210g (ex. 700mm)
Width	660mm- 750mm
Color	Black
Rise	15
Backsweep	9°



CSL ACM1

Model	HR041
Material	Carbon
Feature	Straight MTB Bar
Bar Bore	31.8mm
Weight	222g (ex. 750mm)
Width	580mm- 750mm
Color	Black
Rise	0
Backsweep	4°



FK26/ FK650B/ FK29ER

Model	FK26/ FK650B/ FK29ER
Material	Carbon
Feature	MTB Fork 26", 27.5", 29"
Headtube/ Crown	1 1/2"
Weight	600g ± 30g



FK10

Model	FK10
Material	Carbon
Feature	Fat bike fork 26"
Headtube/ Crown	1 1/8"- 1 1/2"
Weight	700g ± 30g

EDGE DESIGN
SADDLE SERIES

Professional Cycling Experience



SD10

Model	SD10
Material	Carbon
Weight	105g
Color	Black/ White



SD04

Model	SD04
Material	Carbon
Weight	120g
Color	Black/ White



SD08

Model	SD08
Material	Carbon
Weight	110g
Color	Black/ White



SD16

Model	SD16
Material	Carbon
Weight	105g
Color	Black/ White



SD9

Model	SD9
Material	Carbon saddle with micro fiber cover, super light foam
Weight	164g
Color	Black/ White



SD1133

Model	SD1133
Material	CRN Ti alloy rail, super light foam
Weight	191g
Color	Black-Silver/ White-Black/ White-Red



SD2059

Model	SD2059
Material	CRN Ti alloy rail, super light foam
Weight	210g
Color	Black-Silver/ White-Black/ White-Red

EDGE DESIGN
SEAT POST SERIES

Professional Cycling Experience



CSL2

Model	SP006
Material	Full carbon
Bar Bore	27.2mm 31.6mm
Weight	170g 185g
Length	350mm
Color	Black



CSL1

Model	SP001
Material	Full carbon
Bar Bore	27.2mm 31.6mm
Weight	182g 240g
Length	350mm
Color	Black



SL

Model	SP007
Material	Alloy 2014
Bar Bore	27.2mm 31.6mm
Weight	237g 252g
Length	350mm
Color	Black



SR

Model	SP008
Material	Alloy 6061
Bar Bore	27.2mm 31.6mm
Weight	265g 280g
Length	350mm
Color	Black

EDGE DESIGN

STEM SERIES / QUICK RELEASE

Professional Cycling Experience



SL

Model	SM001
Material	Alloy 7075
Bar Bore	31.8mm
Weight	95g(ext: 100mm)
Length	50-130mm
Color	Shinning Black/ Matt Black/ Shinning White



C75

Model	SM003
Material	Alloy stem wrapped by carbon
Bar Bore	31.8mm
Weight	128g(ext:100mm)
Length	50-130mm
Color	Shinning Black

3D FORGED

Model	SM007
Material	Alloy
Bar Bore	31.8mm
Weight	150g(ext: 100mm)
Length	70-120mm
Color	Matt Black



QR03

Model	QR03
Material	Alloy
Feature	QR, Cromo Hollow Axle
Weight	88g/ pair
Color	Black



QR58

Model	QR58
Material	Alloy
Feature	QR, Hollow Axle
Weight	58g/ pair
Color	Black/ Red/ Gold

EDGE DESIGN

BOTTLE CAGE SERIES / MISCELLANEOUS

Professional Cycling Experience



BC009

Model	BC009
Material	Carbon
Feature	Bottle Cage
Weight	18g
Finish	UD
Color	Black



BOT-012

Model	BOT-012
Material	Carbon
Feature	Bottle Cage
Weight	25g
Finish	3K/UD
Color	Black



BOT-FIGMO

Model	BOT-FIGMO
Material	Carbon
Feature	Bottle Cage
Weight	25g
Finish	3K/UD
Color	Black



TNBOLT

Model	TNBOLT
Material	Carbon
Feature	Racer Number Plate Holder
Finish	3K
Color	Black

EDGE 25



www.edge-design.com.tw

MARUDEAN CO., LTD

**ADD:639, Folker Rd.his-Tung
Taichung, Taiwan, R.O.C. 407**

TEL:886-4-24653278

FAX:886-4-24616825

EMAIL:paul@marudean.com.tw

WEBSITE:www.edge-design.com.tw