

**EDGE**

**2017**

*PROFESSIONAL CYCLING COMPONENTS*



**EDGE DESIGN**

<b>ROAD FRAME SERIES .....</b>	<b>1-4</b>
ADROITE · AVANCE · AIRY PRO · AIRY SL · ALICANTE ·	
GRAVEL · AXION SL · FOX II	
<b>MTB FRAME SERIES .....</b>	<b>5-10</b>
PHANTOM · PAX · PHAETON 650B · PHAETON 29ER ·	
PICCOLO 650B SL · PICCOLO 29ER SL · PYRENEES 650B ·	
PYRENEES 29ER · PYRENEES 650B AM PRO 150 ·	
PYRENEES 29ER AM PRO 150 · PYRENEES PLUS · PHAETON 650B PLUS	
<b>TRACK FRAME SERIES .....</b>	<b>11</b>
STINGER · STINGER EV	
<b>TT FRAME SERIES .....</b>	<b>12-13</b>
TRIDENT · SPRINT-2 · ROSETTA	
<b>CX FRAME SERIES .....</b>	<b>14</b>
CCX PRO	
<b>E BIKE FRAME SERIES .....</b>	<b>14</b>
PINNACLE 29ER	
<b>TITANIUM FRAME SERIES .....</b>	<b>15</b>
ASCETIC · TALLYHO	
<b>WHEELSET SERIES .....</b>	<b>16-24</b>
AERO DISK(T/C) · RS35 · RS50 · AERO 30T · AERO 45T · AERO 80T ·	
AERO 30C · AERO 45C · AERO 80C · XLR-280 · XLR-200 · XLR-300 ·	
THUNDERBOLT 275 · THUNDERBOLT 29ER · XLR-650B · XLR-29ER	
<b>HANDLEBAR SERIES .....</b>	<b>25-26</b>
HB-SR-AW · HB-SL-A75 · HB-CSL-33 · HB-CSL-68 · HB-ISR ·	
HB-SL-AL1 · H-CSL-ACM4 · HB-CSL-ACM1	
<b>FORK SERIES .....</b>	<b>27</b>
FK26/FK650B/FK29ER · FK10F · FK650B PLUS	
<b>SADDLE SERIES .....</b>	<b>28</b>
SD10 · SD04 · SD08 · SD16 · SD09 · SD1133 · SD2059	
<b>SEAT POST SERIES .....</b>	<b>29</b>
SP-CSL1 · SP-CSL2 · SP-CSL3 · SP-SL	
<b>STEM SERIES .....</b>	<b>30</b>
SM-SL · SM-C75 · SM-3D	
<b>QUICK RELEASE SERIES .....</b>	<b>30</b>
QR03 · QR58	
<b>BOTTLE CAGE / MISCELLANEOUS SERIES .....</b>	<b>31</b>
BC009 · BOT-012 · BOT-FIGMO · BK1992R · BK1297A · BK1903R ·	
TNBOLT · BK1990D-L	



## Our Story

Flying in the sky is a dream that mankind has always had.

It is a well-known story that the Wright Brothers, who used the concept of operating a bike, made it possible for mankind to successfully fly for the first time in the sky by plane.

Even today the technology of bicycle making is closely related with airplanes.

Paul, the creator of EDGE, served in the air force and flew a fighter in his early years.

With great passion for cycling, he made up his mind going into the industry of bikes after he retired from the air force.

He has worked with several factories which manufacture bicycle components and thus has accumulated substantial technical knowledge.

Besides, he has cooperated for years with many famous professional cycling teams in Europe. EDGE develops, designs and makes bikes intended for racing that can enhance the performance of the professional riders.

A handwritten signature in black ink, likely belonging to Paul, the founder of EDGE. The signature is fluid and cursive, with a large, stylized letter 'P' on the left.



#### UCI/EN/IOS Tested and Approved

EDGE-DESIGN's products are tested to be safe and strong.



#### Quality Control

EDGE DESIGN insists on high quality products, and strictly controls the production.



#### Professional Design

EDGE-DESIGN seeks to enhance the performance of riders.



#### Aerospace-Material

EDGE-DESIGN uses aerospace level carbon or alloy.



#### Carbon Technology

EDGE-DESIGN uses Toray T700,800,1000 for carbon frames and EPS technology.



#### Cost Effective

EDGE-DESIGN brings the high quality products with the most reasonable cost.



#### Product Design

EDGE-DESIGN helps customers to develop their own products.



#### Brand Development


EDGE-DESIGN's designer helps customers to create their own brand.



#### Product Sourcing

EDGE-DESIGN helps customers to source products that they need.

## ROAD FRAME SERIES




SIZE	S	SC	O	HS	HC	OT	WB	FC	RC	G	Reach	Stack
480	480	74.8°	515	125	71.3°	45	976.4	578.4	408	69	373.6	521.5
500	500	74.3°	525	135	72°	45	975.7	577.7	408	69	375.4	533.5
520	520	73.5°	535	145	72°	45	977.3	579.4	408	70	373.9	544
540	540	73°	550	160	72.3°	45	984.5	586.6	408	70	379	559.3
560	560	72.5°	560	170	72.3°	45	989.2	591.2	408	70	380.6	568.9
580	580	72.5°	570	190	73°	45	992.1	594.1	408	70	383.8	590.5

## ADROITE

Feature	Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post
Head Tube	48/57 mm, 1 1/8"- 1 1/2"
Seat Post	Aero
Size	480/ 500/ 520/ 540/ 560/ 580 mm
Weight(Frame)	1050g ± 50g
BB Type	BB86/ BSA/ BB30/ PF30
Seat Tube	Aero

\* Shimano flat mount disc version available




SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
430	430	75°	515	100	71.5°	370	45	971.7	576.8	405	69	380.7	501.1
470	470	74°	536	120	72.5°	370	45	975.3	580.4	405	69	385.9	523.4
495	495	73.5°	548	140	73°	370	45	978	583.1	405	69	386.9	543.8
510	510	73.25°	565	160	73.5°	370	45	987.7	592.7	405	69	394.9	565
540	540	73°	587	180	73.5°	370	45	1006.8	611.7	405	69	408.3	584.2

## AVANCE

Feature	Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post
Head Tube	48/57 mm, 1 1/8"- 1 1/2"
Seat Post	Aero
Size	430/ 470/ 495/ 510/ 540 mm
Weight(Frame)	950g ± 25g
BB Type	BB86/ PF30/ BSA
Seat Tube	Aero

\* Shimano flat mount disc version available


## ROAD FRAME SERIES



SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
450	415	75°	505	100	71°	368	45	965.4	570.4	405	72	371	501
480	435	74.5°	515	110	71.5°	368	45	967.3	573.3	405	72	373	512
500	455	74.5°	525	115	72°	368	45	972.5	578	405	72	381	519
520	475	74°	535	120	72.5°	368	45	974.6	579.5	405	69	385	522
540	495	73.5°	545	140	73°	368	45	975.2	580.2	405	69	384	543
560	515	73.5°	559.6	155	73°	368	45	990	595	405	69	395	558
580	535	73°	575	175	73.5°	368	45	995.1	600	405	69	398	579

## AIRY PRO

Feature	Carbon monocoque super light road frame. DI2 compatible. Include fork.
Head Tube	48/ 57 mm, 1 1/8"- 1 1/2"
Seat Post	27.2 mm
Size	450/ 480/ 500/ 520/ 540/ 560/ 580 mm
Weight(Frame)	875g ± 25g
BB Type	BSA/ BB30/ BB86/ PF30
Seat Tube	31.8 mm




## AIRY SL

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
450	450	400	75°	505	491	100	71°	370	45	964.2	570.2	408	72	371	501
480	480	420.6	74.5°	515	500.1	110	71.5°	370	45	996.3	572.3	408	72	373	513
500	500	440.6	74.5°	525	511.5	115	72°	370	45	972.2	578.1	408	72	381	519.5
520	520	460.6	74°	535	522.9	120	72.5°	370	45	974.6	579.5	408	69	384	522.5
540	540	480.6	73.5°	545	531.7	140	73°	370	45	975.2	580.2	408	69	385	543
560	560	500.6	73.5°	559.6	547.2	155	73°	370	45	990	594.9	408	69	394.5	557.5
580	580	520.6	73°	575	560.9	175	73.5°	370	45	995.1	600	410	69	398	579
600	600	540.6	72.5°	590	574.7	195	73.5°	370	45	1004.2	609	410	69	401.5	598

\* Disc version available

## ROAD FRAME SERIES




## ALICANTE

SIZE	S	O	I	SC	HC	FC	RC	HS	G	OT	F	Reach	Stack	WB
460	460	495	137.2	75°	71.5°	558	402	115	69	45	367	512.8	357.8	949.7
490	480	515	146	74.5°	71.5°	573.9	402	130	69	45	367	527	369	965.7
520	500	525	147.8	74.5°	72°	579.6	402	135	69	45	367	533.5	377.2	971.5
540	520	535	154.7	74°	72.5°	580.1	402	140	69	45	367	540	380.3	972.1
560	540	545	165.9	73.5°	73°	580.6	402	160	69	45	367	560.8	379.1	972.5
580	560	560	171.6	73.5°	73°	595.7	402	180	69	45	367	579.9	388.4	987.7

## ALICANTE

Feature	Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post
Head Tube	48/ 57 mm, 1 1/8"- 1 1/2"
Seat Post	Aero
Size	460/ 490/ 520/ 540/ 560/ 580 mm
Weight(Frame)	1080g ± 25g
BB Type	BSA/ BB86
Seat Tube	Aero




## GRAVEL

SIZE	S	RC	WB	FC	F	G	OT	HS	O	Stack	Reach	SC	HC
S	500	420	1001	592	395	70	50	105	528	522	365	72.5°	69.5°
M	530	420	1008	598	395	70	50	130	549	551	376	72.5°	71°
L	560	420	1014	604	395	70	50	155	570	580	387	72.5°	72.5°
XL	590	420	1032	622	395	70	50	180	591	609	398	72.5°	72.5°


Feature	Carbon monocoque aerodynamic gravel frame. DI2 compatible. Include fork and seat post
Head Tube	48/ 57 mm, 1 1/8"- 1 1/2"
Seat Post	Aero
Size	500/ 535/ 560/ 590 mm
Weight(Frame)	1260g ± 25g
BB Type	BB86
Seat Tube	Aero

## ROAD FRAME SERIES




## AXION SL

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
470	470	420	75°	500	487.1	100	71.5°	371	43	955.1	560	405	68	366.4	498.6
490	490	440	74°	510	494.8	120	72°	371	43	952.3	557.1	405	68	360.4	521.7
510	510	460	73.5°	530.4	514.3	132.8	72.1°	371	43	967.2	572	405	68	372.2	534.2
540	540	490	73°	548	532.7	145	73.1°	371	43	970.5	575.3	405	68	380.1	549.2
565	565	515	72.5°	569.1	552.4	171.1	73.1°	371	43	986.1	590.7	405	68	388.1	574.2
590	590	540	72°	590.7	572.6	197.3	73.1°	371	43	1004.6	606.2	405	68	396	599.3



## FOX II


SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
450	450	400	75°	510	495.5	100	71°	368	45	970.4	575.8	405	70	376.6	498.7
480	480	430	74.5°	525	510	115	72°	368	45	973	578.4	405	70	381.8	516.3
510	510	460	74°	540	524.7	135	72.5°	368	45	980.2	584.9	405	68	386.5	535
540	540	490	73.5°	555	539.7	155	73°	368	45	985.8	590.4	405	68	390.3	555.9
570	570	520	73°	570	555.4	175	73°	368	45	995.5	600.1	405	68	394.2	575

**MTB FRAME SERIES**

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
17"	432	72.5°	595	105	68.5°	506	51	1109.8	676.7	425	60	402.3	611.3
19"	483	115°	617	110	68.5°	506	51	1131.8	698.6	425	60	422.4	616
21"	533	125°	639	115	68.5°	506	51	1154.6	721.3	425	60	443.3	520.7

**PHANTOM**


Feature	Carbon 27.5"/29er MTB frame, TA 12mm dropout
Head Tube	48/57 mm, 1 1/8"- 1 1/2"
Seat Post	31.6 mm
Size	17"/ 19"/ 21"
Weight(Frame)	1300g ± 50g
BB Type	BB92
Seat Tube	37.0 mm



SIZE	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
16"	73°	575	95	71°	490	45	1056.9	627.6	437	63	391.4	601.4
18"	73°	605	105.5	71°	490	45	1086.9	657.5	437	63	418	612.5
20"	73°	625	110	71°	490	45	1107.3	677.6	437	63	436.6	615.8

**PAX**

Feature	Carbon 29er MTB frame, QR/TA 12mm dropout
Head Tube	48/57 mm, 1 1/8"- 1 1/2"
Seat Post	27.2 mm
Size	16"/ 18"/ 20"
Weight(Frame)	1320g ± 25g
BB Type	BSA/ BB92/ BB30
Seat Tube	31.8 mm


**MTB FRAME SERIES**

PHAETON 650B (Length: mm/ Angle: °)

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	400	73°	562	95	69°	485	43	1073.4	650.3	427	45	398	561
17.5"	440	73°	587.6	100	69°	485	43	1087.4	664.4	427	45	410.9	578.1
19"	480	73°	602	105	69°	485	43	1098.1	675	427	45	425.7	583.4
20.5"	520	73°	617	110	69°	485	43	1113.5	690.3	427	45	437.8	598

**PHAETON 650B**

Feature	27.5" MTB carbon frame, QR/TA 12mm dropout
Head Tube	48/57 mm, 1 1/8"- 1 1/2"
Seat Post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 20.5"
Weight(Frame)	1145g ± 50g
BB Type	BSA/ PF30/ BB92
Seat Tube	37.0 mm




PHAETON 29ER (Length: mm/ Angle: °)

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	395	72.5°	580	100	69.5°	506	45	1087.7	644.5	440	60	387.1	612
17.5"	440	72.5°	600	105	69.5°	506	45	1097.7	663.6	440	60	404.3	618
19"	483	72.5°	620	110	69.5°	506	45	1107.7	684.5	440	60	419.8	632
21"	533	72.5°	640	115	69.5°	506	45	1117.7	704.5	440	60	438	640.8


**PHAETON 29ER**

Feature	29er MTB carbon frame, QR/TA 12mm dropout
Head Tube	48/57 mm, 1 1/8"- 1 1/2"
Seat Post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 21"
Weight(Frame)	1185g ± 50g
BB Type	BSA/ PF30/ BB92
Seat Tube	37.0 mm

**MTB FRAME SERIES****PICCOLO 650B SL**


SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	400	347.3	73.5°	570	555.9	101	70°	485	43	1064.4	640.3	428	45	398	581
17.5"	435	381.6	73°	595	570.8	115	70.5°	485	43	1078	654	428	45	410.1	598.1
19"	480	427.1	73°	610	584.2	120	71°	485	43	1089.1	665	428	45	425.7	603.4
20.5"	520	466.9	73°	625	599.1	130	71°	485	43	1104.5	680.3	428	45	437.8	618

Feature	Super light 27.5" MTB frame, QR/TA 12mm dropout
Head Tube	48/ 57 mm, 1 1/8"- 1 1/2"
Seat Post	27.2 mm
Size	15.5"/ 17.5"/ 19"/ 20.5"
Weight(Frame)	950g ± 50g
BB Type	BSA/ PF30/ BB92
Seat Tube	31.8 mm

**PICCOLO 29ER SL**


SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	395	341	72.5	580	555	100	69.5°	506	45	1077.4	644.3	440	60	387.1	611.9
17.5"	440	385	72.5°	600	572	105	69.5°	506	45	1097.7	664.5	440	60	405	618
19"	483	431.3	72.5°	620	584.7	120	69.5°	506	45	1117.6	684.3	440	60	419.8	632.1
20.5"	533	478.2	72.5°	640	606.5	130	69.5°	506	45	1139.3	705.7	440	60	438	640.8

Feature	Super light 29er MTB carbon frame, QR/TA 12mm dropout
Head Tube	48/ 57 mm, 1 1/8"- 1 1/2"
Seat Post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 21"
Weight(Frame)	900g ± 50g
BB Type	BSA/ PF30/ BB92
Seat Tube	34.9 mm

**MTB FRAME SERIES****PYRENEES 27.5**


SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	Travel	Shock Eye to Eye
15.5"	395	74.5°	559	95	69°	502	51	1098	662.1	435	45	397.6	582	110	190
17.5"	445	74.5°	585	100	69°	502	51	1117.7	686.6	435	45	412.7	588.7	110	190
19"	483	74.5°	600	115	69°	502	51	1141	705.1	435	45	433.4	600.7	110	190
20.5"	520	74.5°	630	125	69°	502	51	1172	736.1	435	45	460.8	610	110	190

Feature	Carbon 27.5" MTB suspension frame, XC, travel 110mm, TA 12mm dropout
Head Tube	48/ 57 mm, 1 1/8"- 1 1/2"
Seat Post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 20.5"
Weight(Frame)	2000g ± 50g
BB Type	BB92
Seat Tube	34.9 mm

**PYRENEES 29ER**

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	Travel	Shock Eye to Eye
15.5"	395	73.6°	560.5	95	68°	520	51	1105.5	668.1	440	38	386.9	589.2	110	190
17.5"	445	73.6°	587.5	100	68°	520	51	1129.5	692.1	440	38	412.7	595.1	110	190
19"	483	73.6°	602	115	68°	520	51	1149	711.4	440	38	422.4	608.5	110	190
20.5"	520	73.6°	632	125	68°	520	51	1180	742.6	440	38	449.6	618.3	110	190

Feature	Carbon 29er MTB suspension frame, XC, travel 110mm, TA 12mm dropout
Head Tube	48/ 57 mm, 1 1/8"- 1 1/2"
Seat Post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 20.5"
Weight(Frame)	2000g ± 50g
BB Type	BB92
Seat Tube	34.9 mm

**MTB FRAME SERIES**


PYRENEES 650B (Length: mm/ Angle: °)

**PYRENEES 650B AM PRO 150**

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	Travel	Shock Eye to Eye
15.5"	400	74°	580	100	68°	540	45	1134.7	694.8	440	5	413.2	591	150	200
17.5"	445	74°	600	110	68°	540	45	1155.5	715.5	440	5	430.2	591	150	200
19"	483	74°	620	120	68.5°	540	45	1171	731	440	5	447.1	602.9	150	200
20.5"	520	74°	640	130	68.5°	540	45	1191	751	440	5	463.5	612	150	200

Feature Carbon 27.5" MTB suspension frame, TA 12mm dropout travel: 150mm, rear shock eye to eye 200mm


Head Tube	48/ 57 mm, 1 1/8"- 1 1/2"
Seat Post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 20.5"
Weight(Frame)	2500g ± 50g
BB Type	BB92
Seat Tube	34.9 mm

**PYRENEES 29ER AM PRO 150**

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	Travel	Shock Eye to Eye
15.5"	400	74°	580	100	69°	550	46	1136.2	680	457	25	402.2	620	150	200
17.5"	440	74°	600	110	69°	550	46	1157	701	457	25	419.5	629.3	150	200
19"	480	74°	620	120	69°	550	46	1178	722	457	25	436.8	638.7	150	200
21"	530	74°	640	135	69°	550	46	1198.9	743	457	25	454.2	648	150	200

Feature Carbon 29er MTB suspension frame, TA 12mm dropout travel: 150mm, rear shock eye to eye 200mm

Head Tube	48/ 57 mm, 1 1/8"- 1 1/2"
Seat Post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 21"
Weight(Frame)	2500g ± 50g
BB Type	BB92
Seat Tube	34.9 mm

**MTB FRAME SERIES****PYRENEES PLUS**

SIZE	S	O	I	SC	HC	FC	RC	HS	G	OT	F	Reach	Stack	WB
15.5"	395	558.2	162.6	74.5°	69°	659.4	445	95	45	51	502	584.8	395.6	1105.5
17.5"	445.5	585	163.3	74.5°	69°	686.6	455	100	45	51	502	588.7	421.7	1132.7
19"	483	600	167.1	74.5°	69°	703	445	115	45	51	502	602.7	432.9	1149.2
20.5"	520	630	169.7	74.5°	69°	733.9	455	125	45	51	502	612.1	460.5	1180.2

**Feature** 27.5" PLUS Carbon MTB suspension frame,  
TA 12mm dropout, travel: 110 mm rear shock  
eye to eye: 190

**Head Tube** 48/ 57 mm, 1 1/8"- 1 1/2"


**Seat Post** 27.2 mm

**Size** 15.5"/ 17.5"/ 19"/ 20.5"

**Weight(Frame)** 2050g ± 25g

**BB Type** BB 92

**Seat Tube** 31.8 mm



PHAETON 650B PLUS (Length: mm/ Angle: °)

**PHAETON 650B PLUS**

SIZE	S	SP	SC	SL	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	395	341	72.5°	110.8	580	555	100	69.5°	506	45	1077.4	644.3	440	60	387	612
17.5"	440	385	72.5°	126.6	600	572	105	69.5°	506	45	1097.7	664.5	440	60	405	618
19"	483	431.3	72.5°	140.4	620	584.7	120	69.5°	506	45	1117.6	684.3	440	60	420	632
21"	533	478.2	72.5°	157.6	640	606.5	130	69.5°	506	45	1139.3	705.7	440	60	438	641

**Feature** 27.5" PLUS MTB carbon frame, OLD 12\*148MM

**Head tube** 48/ 57 mm, 1 1/8"- 1 1/2"


**Seat post** 31.6 mm

**Size** 15.5"/ 17.5"/ 19"/ 21"

**Weight (frame)** 1254g ± 50g

**BB type** BSA/ PF30/ BB92


**Seat tube** 34.9 mm

**TRACK FRAME SERIES****STINGER**

SIZE	S	SP	SC	SL	O	HS	HC	F	OT	WB	FC	RC	G	HD	HB	Reach	Stack
450	450	468.5	75°	121.5	505	80	72.5°	368	35	921.3	551.1	375	46	48	57	380.8	463.6
490	498	473	75°	122	516	85	72.5°	368	35	932	560	380	50	48	57	387	461.5
510	505	477.5	75°	123.5	535	90	72.5°	368	35	951	579	380	50	48	57	405	477
540	520	492	75°	127	557	105	72.5°	368	35	974	601.5	380	50	48	57	422.5	491.5
560	539	512	75	132.5	573	125	72.5°	368	35	991	618	380	50	48	57	433.5	499


**STINGER**

Feature	Carbon track frame include fork and seatpost
Head Tube	48/57 mm, 1 1/8"- 1 1/2"
Seat Post	Aero
Size	450/ 490/ 510/ 540/ 560 mm
Weight(Frame)	1850g ± 50g
BB Type	BSA/ PF30
Seat Tube	Aero

**STINGER EV**


SIZE	O(SA75°)	O(SA79°)	HC	FC	RC	HS	G	OT	F	WB	Reach	Stack
510	544.6	508.6	72.5°	596.9	377	95	60	43	368	966	413.6	488.6
540	557.5	520.9	72.5°	610.3	377	105	60	43	368	979.8	424	498.2
560	581.6	543.2	72.5°	635.3	377	130	60	43	368	1004.7	441.7	522
580	598.6	559.1	72.5°	952.9	377	145	60	43	368	1022.4	454.9	536.3

Feature	Carbon track frame include fork and seat post.
Head Tube	46 mm, 1 1/8"
Seat Post	Aero
Size	510/ 540/ 560/ 580 mm
Weight(Frame)	1455g ± 25g
BB Type	BSA
Seat Tube	Aero

**TT FRAME SERIES****TRIDENT**


SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
505	505	77°	480	100	70.3°	370	45	954.3	570.5	395	72	364.8	499.2
525	525	77°	505	115	71.5°	370	45	970.4	586.5	395	72	385.5	517.7
549	549	77°	530	140	72°	370	45	993.3	609.2	395	72	404.6	543.1
577	577	77°	560	165	72.5°	370	45	1020.8	636.5	395	72	428.7	568.7
600	600	77°	585	190	72.5°	370	45	1048	663.5	395	72	448	592.6

Feature	Carbon monocoque aerodynamic triathlon frame. DI2 compatible. Include fork, seat post, stem and handle bar
Head Tube	46 mm, 1 1/8"
Seat Post	Aero
Size	505/ 525/ 549/ 577/ 600 mm
Weight(Frame)	1430g ± 25g
BB Type	BB86
Seat Tube	Aero

**SPRINT-2**

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	HD	HB	ST	Reach	Stack
450	450	435	75°	490	488	91.5	71°	370	45	945.5	562.5	395	75	46	46	75	372.5	453.5
490	515	500	75°	511	511.5	101.5	72.5°	370	45	945.5	562.8	395	75	46	46	75	378	512
520	525	510	75°	531.5	532	111.5	72.5°	370	45	967	584	395	75	46	46	75	396	521.5
540	542	527	75°	550.5	551	129.5	72.5°	370	45	986.5	603.5	395	75	46	46	75	410	538
560	561	546	75	569	569.5	148	72.5°	370	45	1006	622.5	395	75	46	46	75	424	556


Feature	Carbon time trial frame with fork, seat post and handle bar. Front brake: mini V; rear brake: direct mount
Head Tube	46 mm, 1 1/8"
Seat Post	Oval
Size	450/ 490/ 520/ 540/ 560 mm
Weight(Frame)	1360g ± 50g
BB Type	BSA/ PF30
Seat Tube	Aero

**TT FRAME SERIES****ROSETTA**

SIZE	O(SA75°)	O(SA79°)	HC	FC	RC	HS	G	OT	F	WB	Reach	Stack
510	533	495.9	72.5°	583.1	399	95	75	43	368	970.2	398	503.6
540	551	513.2	72.5°	601.4	399	105	75	43	368	988.6	413.5	513.2
560	570	530.5	72.5°	621.4	399	130	75	43	368	1008.8	426.1	537
580	587	546.4	72.5°	639	399	145	75	43	368	1026.4	419.3	551.3

Feature	Carbon time trial frame. Include fork and seat post.
Head Tube	46 mm, 1 1/8"
Seat Post	Aero
Size	510/ 540/ 560/ 580 mm
Weight(Frame)	1455g ± 25g
BB Type	BSA/ BB30/ BB86
Seat Tube	Aero




**CX / E BIKE FRAME SERIES****CCX PRO**

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
480	480	445	75.5°	510	501.4	100	70.5°	400	45	1009.4	590	425	53	378	510
500	500	465	75°	525	516.3	115	70.5°	400	45	1020.8	601.5	425	53	384.5	524
520	520	485	74.5°	535	526.2	125	71°	400	45	1021.1	602.2	425	55	386	537.5
540	540	505	74°	545	536.8	135	71.5°	400	45	1021.7	602.8	425	55	387.5	548.5
560	560	525	73.5°	560	552.2	145	72°	400	45	1026.6	607.6	425	57	393.5	562.5
580	580	545	73°	575	566.8	160	72.5°	400	45	1030.9	612.4	425	57	398	578.5


Feature	Carbon cyclocross frame. Include fork.
Head Tube	48/ 57 mm, 1 1/8"- 1 1/2"
Seat Post	27.2 mm
Size	480/ 500/ 520/ 540/ 560/ 580 mm
Weight(Frame)	1100g ± 50g
BB Type	BSA/ PF30/ BB386
Seat Tube	31.8 mm

\* Disc version available

**PINNACLE 29ER**

SIZE	S	HD1	HD2	HC	RC	SC	HS	WB	F	O	OT	C	FC	G	Reach	Stack
16"	408	Ø48	Ø60	69	475	74	105	1133	39	575	46	508	664	58	399	613.7
18"	458	Ø48	Ø60	69	475	74	115	1158	39	599	46	508	689	58	420	623
20"	508	Ø48	Ø60	69	475	74	125	1185	39	626	46	508	717	58	444.7	632

Feature	Carbon monocoque 29er MTB E bike frame.
Head Tube	48/ 60 mm, 1 1/8"- 1 1/2"
Seat Post	31.6 mm
Size	16"/ 18"/ 20"
Weight(Frame)	1660g ± 25g
BB Type	SHIMANO STEPS E8000
Seat Tube	37.0 mm

**TITANIUM FRAME SERIES****ASCETIC**

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
510	510	465	74°	520	516.1	102	72.5°	365	45	959.7	564.22	405	67	377.74	496.21
530	530	485	74°	535	530.9	120	73°	365	45	970.8	575.27	405	67	387.35	515
550	550	505	73.5°	550	545.1	140	73°	365	45	981.1	585.5	405	67	391.81	534.13
570	570	525	73.5°	565	560.15	160	73°	365	45	996.3	600.6	405	67	401.14	553.25
590	590	545	73°	575	569.31	180	73°	365	45	1003	605.29	407	67	400.01	572.37

**Feature** Super light Titanium road frame, Integrated headset.


**Head Tube** 46 mm, 1 1/8"

**Seat Post** 27.2 mm

**Size** 510/ 530/ 550/ 570/ 590 mm

**BB Type** BSA/ BB30/ BB86

**Seat Tube** 31.8 mm

**TALLYHO**

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15"	381	326	73°	538.6	520	110	71°	445	38	1005.1	588.1	420	38	370.8	548.9
17"	432	377	73°	579	554.7	110	71°	445	38	1045.5	628.4	420	38	411.2	548.9
19"	483	428	73°	598	576	110	71°	445	38	1064.5	647.4	420	38	430.2	548.9
21"	533	478	73°	608.3	591.3	125	71°	445	38	1075.3	658.2	420	38	436.1	563.1

**Feature** Titanium MTB frame. Integrated headset

**Head Tube** 46 mm, 1 1/8"


**Seat Post** 27.2 mm

**Size** 15"/ 17"/ 19"/ 21"

**BB Type** BSA/ BB30/ BB92

**Seat Tube** 31.8 mm


# WHEELSET SERIES



## AERO REAR DISK


Rim Size	FALT DISK WHEEL
Model	AERO REAR DISK
Rim Type	Carbon Tubular / Clincher
E.R.D	N/A
Spoke	N/A
Shape	N/A
Material	N/A
Nipple Material & Gauge	N/A
Lacing	N/A
Hub	MARU0708
Bearings	4 sealed bearing
Freehub Type	Track/Shimano/Campy/Sram 10/11s
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	Track:120mm/Road :130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1100g

# WHEELSET SERIES



## RS35C


Rim Size	30mm	
Model	RS35C	
Rim Type	Carbon Clincher	
E.R.D	570.8	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1445.4g	1489.4g



## RS50C

Rim Size	50mm	
Model	RS50C	
Rim Type	Carbon Clincher	
E.R.D	542.0	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1605.4g	1649.4g

# WHEELSET SERIES




## AERO 30T

Rim Size	30mm	
Model	AERO 30T	
Rim Type	Carbon Tubular	
E.R.D	581.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1325.4g	1369.4g

## AERO 45T


Rim Size	45mm	
Model	AERO 45T	
Rim Type	Carbon Tubular	
E.R.D	551.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1365.4g	1409.4g

# WHEELSET SERIES



## AERO 80T


Rim Size	80mm	
Model	AERO 80T	
Rim Type	Carbon Tubular	
E.R.D	482	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1645.4g	1689.4g



## AERO 30C


Rim Size	30mm	
Model	AERO 30C	
Rim Type	Carbon Clincher	
E.R.D	581.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1505.4g	1549.4g

# WHEELSET SERIES



## AERO 45C


Rim Size	45mm	
Model	AERO 45C	
Rim Type	Carbon Clincher	
E.R.D	551.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1605.4g	1649.4g



## AERO 80C


Rim Size	80mm	
Model	AERO 80C	
Rim Type	Carbon Clincher	
E.R.D	481.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1875g	1919g

# WHEELSET SERIES



## XLR-280


Rim Size	W:23mm,H:28mm
Model	XLR-280
Rim Type	Alloy Clincher
E.R.D	581
Spoke	20/24
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 288JR
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1541g



## XLR-200


Rim Size	22mm
Model	XLR-200
Rim Type	Alloy Clincher
E.R.D	588
Spoke	24/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 288JR
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1380g

## WHEELSET SERIES



## XLR-300


Rim Size	30mm
Model	XLR-300
Rim Type	Alloy Clincher
E.R.D	571.5
Spoke	20/24
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 288JR
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1486g



## THUNDERBOLT 275


Rim Size	W:26mm,H:22mm(W:33mm,H:24mm)
Model	THUNDERBOLT 27.5
Rim Type	Carbon Hookless Clincher
E.R.D	557.5(553.4)
Spoke	28/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Cross
Hub	EDGE 402JM
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Sram 11S
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:135mm or F:100mm/ R:142mm(F:15mm/R:12mm thru axle)
Axle Material	Alloy
Skewer Type	QR / Thru Axle
Weight (w/o skewer)	1475g (1505g)

# WHEELSET SERIES



## THUNDERBOLT 29


Rim Size	W:26mm,H:22mm(W:33mm,H:24mm)
Model	THUNDERBOLT 29
Rim Type	Carbon Hookless Clincher
E.R.D	595.4(591.4)
Spoke	28/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Cross
Hub	EDGE 402JM
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Sram 11S
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:135mm or F:100mm /R:142mm(F:15mm/R:12mm thru axle)
Axle Material	Alloy
Skewer Type	QR / Thru Axle
Weight (w/o skewer)	1575g (1615g)



## XLR-650B

Rim Size	22.4mm
Model	XLR-650B-XC
Rim Type	Alloy Clincher
E.R.D	551
Spoke	24/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Cross
Hub	EDGE 402JM
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Sram 11S
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:135mm or F:100mm /R:142mm(F:15mm/R:12mm thru axle)
Axle Material	Alloy
Skewer Type	QR / Thru Axle
Weight (w/o skewer)	1600g

# WHEELSET SERIES



## XLR-29ER

Rim Size	22.4mm
Model	XLR-29ER-XC
Rim Type	Alloy Clincher
E.R.D	587.5
Spoke	24/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Cross
Hub	EDGE 402JM
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Sram 11S
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:135mm or F:100mm/ R:142mm(F:15mm/R:12mm thru axle)
Axle Material	Alloy
Skewer Type	QR / Thru Axle
Weight (w/o skewer)	1650g



**HANDLEBAR SERIES****HB-SR-AW**

Material	Alloy 6061
Feature	Road Compact Bar
Bar Bore	31.8mm
Weight	260g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	130 / 80

**HB-SL-A75**

Material	Alloy 7075
Feature	Road Bar
Bar Bore	31.8mm
Weight	260g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	163 / 90

**HB-CSL-33**

Material	Carbon
Feature	Road Compact Bar
Bar Bore	31.8mm
Weight	195g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	145.4 / 85.7

**HB-CSL-68**

Material	Carbon
Feature	Road Compact Bar
Bar Bore	31.8mm
Weight	185g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	129.93 / 74.57

**HANDLEBAR SERIES****HB-ISR**

Material	Carbon
Feature	Integrated Handle Bar
Bar Bore	31.8 mm
Stem	90/ 100/ 110/ 120 mm
Weight	380g (ex. 400 mm*90 mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	130 / 90

**HB-SL-AL1**

Material	Alloy 2014
Feature	Straight MTB Bar
Bar Bore	31.8 mm
Weight	219g (ex. 680 mm)
Width	580- 780 mm
Color	Black
Rise	4
Backsweep	9°

**HB-CSL-ACM4**

Material	Carbon
Feature	Riser MTB Bar
Bar Bore	31.8 mm
Weight	210g (ex. 700 mm)
Width	660 mm- 750 mm
Color	Black
Rise	15
Backsweep	9°

**HB-CSL-ACM1**

Material	Carbon
Feature	Straight MTB Bar
Bar Bore	31.8 mm
Weight	222g (ex. 750 mm)
Width	580 mm- 750 mm
Color	Black
Rise	0
Backsweep	4°

**FORK SERIES****FK26/ FK650B/ FK29ER**

Material	Carbon Fiber
Feature	MTB FORK , size 26" / 27.5" / 29", QR type or M15 thru axle dropout available
Headtube/ Crown	1 1/8" - 1 1/2"
Weight	600g ± 30g

**FK10**

Material	Carbon Fiber
Feature	26" Fat bike fork, OLD 135mm or OLD 150mm available, M15 thru axle dropout
Headtube/ Crown	1 1/8" - 1 1/2"
Weight	700g ± 30g

**FK650B PLUS**

Material	Carbon Fiber
Feature	MTB Fork, 27.5" PLUS; OLD: 110 mm; M15 thru axle dropout
Headtube Crown	Tapered 1 1/8" - 1 1/2" / 56 mm
Weight	630g ± 30g

**SADDLE SERIES****SD10**

Material	Carbon
Weight	105g
Color	Black / White

**SD9**

Material	Carbon saddle with micro fiber cover, super light foam
Weight	164g
Color	Black / White

**SD08**

Material	Carbon
Weight	110g
Color	Black / White

**SD1133**

Material	CRN Ti alloy rail, super light foam
Weight	191g
Color	Black-Silver / White-Black

**SD16**

Material	Carbon
Weight	105g
Color	Black / White

**SD2059**

Material	CRN Ti alloy rail, super light foam
Weight	210g
Color	Black-Silver / White-Black

**SEAT POST SERIES****SP-CSL1**

Material	Full carbon
Diameter	27.2mm 31.6mm
Weight	182g 240g
Length	350mm
Color	Black UD

**SP-CSL2**

Material	Full carbon
Diameter	27.2mm 31.6mm
Weight	170g 185g
Length	350mm
Color	Black UD

**SP-CSL3**

Material	Full carbon, set back adjustable 0-30mm
Diameter	27.2mm 31.6mm
Weight	223g 243g
Length	415mm
Color	Black UD

**SP-SL**

Material	Alloy 2014
Diameter	27.2mm 31.6mm
Weight	237g 252g
Length	350mm
Color	Black

**STEM/QUICK RELEASE SERIES****SM-SL**

Material	Alloy 7075
Bar Bore	31.8mm
Weight	95g(ext: 100mm)
Length	50 -130mm
Color	Shinning Black / Matt Black / Shinning White

**SM-C75**

Material	Alloy stem wrapped by carbon
Bar Bore	31.8mm
Weight	128g(ext:100mm)
Length	50 -130mm
Color	Shinning Black

**SM-3D**

Material	Alloy
Bar Bore	31.8mm
Weight	150g(ext: 100mm)
Length	70 -120mm
Color	Matt Black

**QR03**

Material	Alloy
Feature	QR, Cromo Hollow Axle
Weight	88g / pair
Color	Black

**QR58**

Material	Alloy
Feature	QR, Hollow Axle
Weight	58g / pair
Color	Black / Red / Gold

**BOTTLE CAGE/MISCELLANEOUS SERIES****BC009**

Material	Carbon
Feature	Bottle Cage
Weight	18g
Finish	UD
Color	Black

**BOT-012**

Material	Carbon
Feature	Bottle Cage
Weight	25g
Finish	3K/ UD
Color	Black

**BOT-FIGMO**

Material	Carbon
Feature	Bottle Cage
Weight	25g
Finish	3K/ UD
Color	Black

**BK1992R**

Feature	Bike bag, 210D, for 700C / 29" / 27.5" / 26", folded size 40x11cm
Color	Black

**BK1297A**

Feature	Saddle bag, 1500D , 3-1/2" x 7-1/2" x 4"
Color	Black

**BK1903R**

Feature	Saddle bag, 1200D w/ carbon weave look, 3" x 5-1/2" x 3-1/2"
Color	Black

**TNBOLT**

Material	Carbon
Feature	Racer Number Plate Holder
Finish	3K/ UD
Color	Black

**BK1990D-L**

Feature	Double wheel bag, 1200D, for 29" / 27.5" / 26", 29-1/2"(DIA)*8-1/2"
Color	Black



**MARUDEAN CO., LTD**

**ADD:639, Folker Rd.his-Tung  
Taichung, Taiwan, R.O.C. 407**

**TEL:886-4-24653278  
FAX:886-4-24616825  
EMAIL:paul@marudean.com.tw  
WEBSITE:www.edge-design.com.tw**