

EDGE DESIGN FRAME GEOMETRY

2017

Road

P3 ADROITE
P4 ADROITE (disc)
P5 AIRY PRO
P6 AIRY SL
P7 AIRY-D
P8 ALICANTE
P9 ALLER
P10 ALLER-D
P11 ANLACE
P12 AVANCE (direct mount)
P13 AVANCE-D (flat mount disc)
P14 AXION SL
P15 FOX II
P16 GRAVEL
P17 GRAVEL ALU
P18 ASCETIC

MTB

P19 PICCOLO 650B
P20 PICCOLO 650B SL
P21 PICCOLO 29ER
P22 PICCOLO 29ER SL
P23 PYRENEES 650B
P24 PYRENEES 650B AM PRO 150
P25 PYRENEES 29ER
P26 PYRENEES 29ER AM PRO 150
P27 PYRENEES PLUS
P28 PHAETON 650B
P29 PHAETON 650B PLUS
P30 PHAETON 29ER
P31 PAX
P32 PHANTOM
P33 ARTIC
P34 TALLYHO

TRACK

P35 STINGER
P36 STINGER EV

TIME TRIAL

P37 SPRINT-2
P38 ROSETTA

CYCLOCROSS

P39 CCX PRO
P40 CCX PRO D


E-BIKE

P41 PINNACLE 29ER

TRIATHLON


P42 TRIDENT

LEGENDS

[Back to Index](#)


ADROITE (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|----|-------|-------|-----|----|-------|-------|
| 480 | 480 | 74.8° | 515 | 125 | 71.3° | 45 | 976.4 | 578.4 | 408 | 69 | 373.6 | 521.5 |
| 500 | 500 | 74.3° | 525 | 135 | 72° | 45 | 975.7 | 577.7 | 408 | 69 | 375.4 | 533.5 |
| 520 | 520 | 73.5° | 535 | 145 | 72° | 45 | 977.3 | 579.4 | 408 | 70 | 373.9 | 544 |
| 540 | 540 | 73° | 550 | 160 | 72.3° | 45 | 984.5 | 586.6 | 408 | 70 | 379 | 559.3 |
| 560 | 560 | 72.5° | 560 | 170 | 72.3° | 45 | 989.2 | 591.2 | 408 | 70 | 380.6 | 568.9 |
| 580 | 580 | 72.5° | 570 | 190 | 73° | 45 | 992.1 | 594.1 | 408 | 70 | 383.8 | 590.5 |




ADROITE-Disc (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|----|-------|-------|-----|----|-------|-------|
| 480 | 480 | 74.8° | 515 | 125 | 71.3° | 45 | 976.4 | 578.4 | 408 | 69 | 373.6 | 521.5 |
| 500 | 500 | 74.3° | 525 | 135 | 72° | 45 | 975.7 | 577.7 | 408 | 69 | 375.4 | 533.5 |
| 520 | 520 | 73.5° | 535 | 145 | 72° | 45 | 977.3 | 579.4 | 408 | 70 | 373.9 | 544 |
| 540 | 540 | 73° | 550 | 160 | 72.3° | 45 | 984.5 | 586.6 | 408 | 70 | 379 | 559.3 |
| 560 | 560 | 72.5° | 560 | 170 | 72.3° | 45 | 989.2 | 591.2 | 408 | 70 | 380.6 | 568.9 |
| 580 | 580 | 72.5° | 570 | 190 | 73° | 45 | 992.1 | 594.1 | 408 | 70 | 383.8 | 590.5 |




| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | REACH | STACK |
|------|-----|-------|-------|-----|-------|-----|----|-------|-------|-----|----|-------|-------|
| 450 | 415 | 75° | 505 | 100 | 71° | 368 | 45 | 964.4 | 570.4 | 405 | 72 | 371 | 501 |
| 480 | 435 | 74.5° | 515 | 110 | 71.5° | 368 | 45 | 967.3 | 573.3 | 405 | 72 | 373 | 512 |
| 500 | 455 | 74.5° | 525 | 115 | 72° | 368 | 45 | 972.5 | 578 | 405 | 72 | 381 | 519 |
| 520 | 475 | 74° | 535 | 120 | 72.5° | 368 | 45 | 974.6 | 579.5 | 405 | 69 | 385 | 522 |
| 540 | 495 | 73.5° | 545 | 140 | 73° | 368 | 45 | 975.2 | 580.2 | 405 | 69 | 384 | 543 |
| 560 | 515 | 73.5° | 559.6 | 155 | 73° | 368 | 45 | 990 | 595 | 405 | 69 | 395 | 558 |
| 580 | 535 | 73° | 575 | 175 | 73.5° | 368 | 45 | 995.1 | 600 | 405 | 69 | 398 | 579 |

[Back to Index](#)

AIRY SL (Length: mm/ Angle: °)


| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|--------------|-------|-------|-----|--------------|-----|----|--------|-------|-----|----|-------|-------|
| 450 | 450 | 400 | 75° | 505 | 491 | 100 | 71° | 370 | 45 | 964.2 | 570.2 | 408 | 72 | 371 | 501 |
| 480 | 480 | 420.6 | 74.5° | 515 | 500.1 | 110 | 71.5° | 370 | 45 | 996.3 | 572.3 | 408 | 72 | 373 | 513 |
| 500 | 500 | 440.6 | 74.5° | 525 | 511.5 | 115 | 72° | 370 | 45 | 972.2 | 578.1 | 408 | 72 | 381 | 519.5 |
| 520 | 520 | 460.6 | 74° | 535 | 522.9 | 120 | 72.5° | 370 | 45 | 974.6 | 579.5 | 408 | 69 | 384 | 522.5 |
| 540 | 540 | 480.6 | 73.5° | 545 | 531.7 | 140 | 73° | 370 | 45 | 975.2 | 580.2 | 408 | 69 | 385 | 543 |
| 560 | 560 | 500.6 | 73.5° | 559.6 | 547.2 | 155 | 73° | 370 | 45 | 990 | 594.9 | 408 | 69 | 394.5 | 557.5 |
| 580 | 580 | 520.6 | 73° | 575 | 560.9 | 175 | 73.5° | 370 | 45 | 995.1 | 600 | 410 | 69 | 398 | 579 |
| 600 | 600 | 540.6 | 72.5° | 590 | 574.7 | 195 | 73.5° | 370 | 45 | 1004.2 | 609 | 410 | 69 | 401.5 | 598 |



AIRY- D (Length: mm/ Angle: °)


OLD 135mm/ ROTOR 140mm

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-------|-------|-------|-------|-------|-----|----|--------|-------|-----|----|-------|-------|
| 450 | 450 | 400 | 75° | 505 | 491 | 95.8 | 71° | 368 | 45 | 974.4 | 570.2 | 415 | 72 | 370.9 | 500.7 |
| 480 | 480 | 420.6 | 74.5° | 515 | 500.1 | 105.8 | 71° | 368 | 45 | 976.4 | 572.3 | 415 | 72 | 372.8 | 512.9 |
| 500 | 500 | 440.6 | 74.5° | 525 | 511.5 | 110.8 | 72° | 368 | 45 | 981.4 | 578.1 | 415 | 72 | 381 | 519.4 |
| 520 | 520 | 460.6 | 74° | 535 | 522.9 | 115.8 | 72.5° | 368 | 45 | 974.6 | 579.5 | 415 | 69 | 384.1 | 522.5 |
| 540 | 540 | 480.6 | 73.5° | 545 | 531.7 | 135.8 | 73° | 368 | 45 | 985.4 | 580.2 | 415 | 69 | 385.2 | 543.2 |
| 560 | 560 | 500.6 | 73.5° | 559.6 | 547.2 | 150.8 | 73° | 368 | 45 | 1000.1 | 594.9 | 415 | 69 | 394.5 | 557.6 |
| 580 | 580 | 520.6 | 73° | 575 | 560.9 | 170.8 | 73.5° | 368 | 45 | 1005.2 | 600 | 415 | 69 | 398.1 | 578.8 |
| 600 | 600 | 540.6 | 72.5° | 590 | 574.7 | 190.8 | 73.5° | 368 | 45 | 1014.3 | 609 | 415 | 69 | 401.5 | 598 |


[Back to Index](#)

ALICANTE (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | I | REACH | STACK |
|------|-----|-------|-----|-----|-------|-----|----|-------|-------|-----|----|-------|-------|-------|
| 460 | 460 | 75° | 495 | 115 | 71.5° | 367 | 45 | 949.7 | 558 | 402 | 69 | 137.2 | 357.8 | 512.8 |
| 490 | 480 | 74.5° | 515 | 130 | 71.5° | 367 | 45 | 965.7 | 573.9 | 402 | 69 | 146 | 369 | 527 |
| 520 | 500 | 74.5° | 525 | 135 | 72° | 367 | 45 | 971.5 | 579.6 | 402 | 69 | 147.8 | 377.2 | 533.5 |
| 540 | 520 | 74° | 535 | 140 | 72.5° | 367 | 45 | 972.1 | 580.1 | 402 | 69 | 154.7 | 380.3 | 540 |
| 560 | 540 | 73.5° | 545 | 160 | 73° | 367 | 45 | 972.5 | 580.6 | 402 | 69 | 165.9 | 379.1 | 560.8 |
| 580 | 560 | 73.5° | 560 | 180 | 73° | 367 | 45 | 987.7 | 595.7 | 402 | 69 | 171.6 | 388.4 | 579.9 |


[Back to Index](#)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 440 | 440 | 74.5° | 520 | 115 | 71.5° | 368 | 45 | 978 | 577.7 | 410 | 68 | 377.8 | 511.8 |
| 470 | 470 | 73.6° | 540 | 135 | 72.5° | 368 | 45 | 980.9 | 580.6 | 410 | 68 | 382.4 | 534.2 |
| 510 | 510 | 73° | 555 | 155 | 73° | 368 | 45 | 985.5 | 584.9 | 410 | 68 | 385 | 555 |
| 540 | 540 | 73° | 570 | 170 | 73° | 368 | 45 | 1000.2 | 599.7 | 410 | 68 | 395.6 | 569.3 |
| 570 | 570 | 72.5° | 590 | 190 | 73.5° | 368 | 45 | 1009.4 | 609 | 410 | 68 | 403.5 | 590.2 |


[Back to Index](#)

ALLER-D (Length: mm/ Angle: °)


| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 440 | 440 | 74.5° | 520 | 115 | 71.5° | 368 | 45 | 978 | 577.7 | 410 | 68 | 377.8 | 511.8 |
| 470 | 470 | 73.6° | 540 | 135 | 72.5° | 368 | 45 | 980.9 | 580.6 | 410 | 68 | 382.4 | 534.2 |
| 510 | 510 | 73° | 555 | 155 | 73° | 368 | 45 | 985.5 | 584.9 | 410 | 68 | 385 | 555 |
| 540 | 540 | 73° | 570 | 170 | 73° | 368 | 45 | 1000.2 | 599.7 | 410 | 68 | 395.6 | 569.3 |
| 570 | 570 | 72.5° | 585 | 190 | 73.5° | 368 | 45 | 1009.4 | 609 | 410 | 68 | 403.5 | 590.2 |




| SIZE | S | SP | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-----|-----|-------|-----|----|-------|-------|-----|----|-------|-------|
| 450 | 450 | 400 | 75° | 500 | 105 | 70.5° | 368 | 43 | 963.9 | 568.3 | 406 | 70 | 365 | 502 |
| 470 | 470 | 420 | 75° | 500 | 110 | 70.5° | 368 | 43 | 966.5 | 570 | 406 | 70 | 365.5 | 506.2 |
| 490 | 490 | 450 | 75° | 505 | 115 | 71° | 368 | 43 | 965.4 | 570 | 406 | 70 | 367.6 | 512.7 |
| 510 | 510 | 470 | 74.5° | 517 | 125 | 71.5° | 368 | 43 | 967.1 | 571.5 | 406 | 70 | 370 | 524.6 |
| 530 | 530 | 490 | 74° | 530 | 135 | 72° | 368 | 43 | 967.5 | 572 | 406 | 70 | 375.4 | 537 |
| 550 | 550 | 510 | 73.5° | 548 | 150 | 72.5° | 368 | 43 | 981 | 585.5 | 406 | 70 | 384.8 | 551 |
| 580 | 580 | 540 | 73.5° | 568 | 170 | 73° | 368 | 43 | 996.5 | 601 | 406 | 70 | 398.3 | 572 |

[Back to Index](#)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|--------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 430 | 430 | 75° | 515 | 100 | 71.5° | 370 | 45 | 971.7 | 576.8 | 405 | 69 | 380.7 | 501.1 |
| 470 | 470 | 74° | 536 | 120 | 72.5° | 370 | 45 | 975.3 | 580.4 | 405 | 69 | 385.9 | 523.4 |
| 495 | 495 | 73.5° | 548 | 140 | 73° | 370 | 45 | 978 | 583.1 | 405 | 69 | 386.9 | 543.8 |
| 510 | 510 | 73.25° | 565 | 160 | 73.5° | 370 | 45 | 987.7 | 592.7 | 405 | 69 | 394.9 | 565 |
| 540 | 540 | 73° | 587 | 180 | 73.5° | 370 | 45 | 1006.8 | 611.7 | 405 | 69 | 408.3 | 584.2 |


[Back to Index](#)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|--------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 430 | 430 | 75° | 515 | 100 | 71.5° | 370 | 45 | 971.7 | 576.8 | 405 | 69 | 380.7 | 501.1 |
| 470 | 470 | 74° | 536 | 120 | 72.5° | 370 | 45 | 975.3 | 580.4 | 405 | 69 | 385.9 | 523.4 |
| 495 | 495 | 73.5° | 548 | 140 | 73° | 370 | 45 | 978 | 583.1 | 405 | 69 | 386.9 | 543.8 |
| 510 | 510 | 73.25° | 565 | 160 | 73.5° | 370 | 45 | 987.7 | 592.7 | 405 | 69 | 394.9 | 565 |
| 540 | 540 | 73° | 587 | 180 | 73.5° | 370 | 45 | 1006.8 | 611.7 | 405 | 69 | 408.3 | 584.2 |


[Back to Index](#)

AXION SL (Length: mm/ Angle: °)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-------|-------|-------|-------|-----|----|--------|-------|-----|----|-------|-------|
| 470 | 470 | 420 | 75° | 500 | 487.1 | 100 | 71.5° | 371 | 43 | 955.1 | 560 | 405 | 68 | 366.4 | 498.6 |
| 490 | 490 | 440 | 74° | 510 | 494.8 | 120 | 72° | 371 | 43 | 952.3 | 557.1 | 405 | 68 | 360.4 | 521.7 |
| 510 | 510 | 460 | 73.5° | 530.4 | 514.3 | 132.8 | 72.1° | 371 | 43 | 967.2 | 572 | 405 | 68 | 372.2 | 534.2 |
| 540 | 540 | 490 | 73° | 548 | 532.7 | 145 | 73.1° | 371 | 43 | 970.5 | 575.3 | 405 | 68 | 380.1 | 549.2 |
| 565 | 565 | 515 | 72.5° | 569.1 | 552.4 | 171.1 | 73.1° | 371 | 43 | 986.1 | 590.7 | 405 | 68 | 388.1 | 574.2 |
| 590 | 590 | 540 | 72° | 590.7 | 572.6 | 197.3 | 73.1° | 371 | 43 | 1004.6 | 606.2 | 405 | 68 | 396 | 599.3 |




| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-----|-------|-----|-------|-----|----|-------|-------|-----|----|-------|-------|
| 450 | 450 | 400 | 75° | 510 | 495.5 | 100 | 71° | 368 | 45 | 970.4 | 575.8 | 405 | 70 | 376.6 | 498.7 |
| 480 | 480 | 430 | 74.5° | 525 | 510 | 115 | 72° | 368 | 45 | 973 | 578.4 | 405 | 70 | 381.8 | 516.3 |
| 510 | 510 | 460 | 74° | 540 | 524.7 | 135 | 72.5° | 368 | 45 | 980.2 | 584.9 | 405 | 68 | 386.5 | 535 |
| 540 | 540 | 490 | 73.5° | 555 | 539.7 | 155 | 73° | 368 | 45 | 985.8 | 590.4 | 405 | 68 | 390.3 | 555.9 |
| 570 | 570 | 520 | 73° | 570 | 555.4 | 175 | 73° | 368 | 45 | 995.5 | 600.1 | 405 | 68 | 394.2 | 575 |

[Back to Index](#)


GRAVEL (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | REACH | STACK |
|------|-----|-------|-----|-----|-------|-----|----|------|-----|-----|----|-------|-------|
| 500 | 500 | 72.5° | 528 | 105 | 69.5° | 395 | 50 | 1001 | 592 | 420 | 70 | 365 | 522 |
| 535 | 530 | 72.5° | 549 | 130 | 71° | 395 | 50 | 1008 | 598 | 420 | 70 | 376 | 551 |
| 560 | 560 | 72.5° | 570 | 155 | 72.5° | 395 | 50 | 1014 | 604 | 420 | 70 | 387 | 580 |
| 590 | 590 | 72.5° | 591 | 180 | 72.5° | 395 | 50 | 1032 | 622 | 420 | 70 | 398 | 609 |

[Back to Index](#)


GRAVEL ALU (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|-----|----|------|-----|-----|----|-------|-------|
| 450 | 455 | 74.5° | 515 | 100 | 70° | 405 | 45 | 1027 | 580 | 450 | 70 | 368.6 | 527.7 |
| 490 | 495 | 73.5° | 535 | 120 | 70.5° | 405 | 45 | 1035 | 586 | 450 | 70 | 372.5 | 548.4 |
| 520 | 520 | 73° | 550 | 140 | 70.5° | 405 | 45 | 1045 | 592 | 450 | 70 | 376.6 | 567.3 |
| 540 | 540 | 73° | 565 | 160 | 71.5° | 405 | 45 | 1050 | 598 | 450 | 70 | 384.6 | 590.1 |
| 570 | 575 | 72.5° | 580 | 185 | 72° | 405 | 45 | 1055 | 604 | 450 | 70 | 385.8 | 615.8 |
| 600 | 605 | 72° | 600 | 210 | 72° | 405 | 45 | 1070 | 622 | 450 | 70 | 392.2 | 639.6 |

[Back to Index](#)


ASCETIC (Length: mm/ Angel: °)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-----|--------|-----|-------|-----|----|-------|--------|-----|----|--------|--------|
| 510 | 510 | 465 | 74° | 520 | 516.1 | 102 | 72.5° | 365 | 45 | 959.7 | 564.22 | 405 | 67 | 377.74 | 496.21 |
| 530 | 530 | 485 | 74° | 535 | 530.9 | 120 | 73° | 365 | 45 | 970.8 | 575.27 | 405 | 67 | 387.35 | 515 |
| 550 | 550 | 505 | 73.5° | 550 | 545.1 | 140 | 73° | 365 | 45 | 981.1 | 585.5 | 405 | 67 | 391.81 | 534.13 |
| 570 | 570 | 525 | 73.5° | 565 | 560.15 | 160 | 73° | 365 | 45 | 996.3 | 600.6 | 405 | 67 | 401.14 | 553.25 |
| 590 | 590 | 545 | 73° | 575 | 569.31 | 180 | 73° | 365 | 45 | 1003 | 605.29 | 407 | 67 | 400.01 | 572.37 |




PICCOLO 650B (Length: mm/ Angle: °)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|
| 16" | 412 | 348 | 73° | 575 | 556.5 | 112 | 69° | 485 | 43 | 1074 | 649.5 | 427 | 45 | 395.4 | 587.3 |
| 18" | 450 | 374.5 | 73° | 595 | 574 | 120 | 71° | 485 | 43 | 1074.5 | 650 | 427 | 45 | 410 | 604.9 |
| 20" | 500 | 423 | 73° | 620 | 594 | 140 | 71° | 485 | 43 | 1098 | 675.5 | 427 | 45 | 429.2 | 624.2 |

[Back to Index](#)


PICCOLO 650B SL (Length: mm/ Angle: °)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 400 | 347.3 | 73.5° | 570 | 555.9 | 101 | 70° | 485 | 43 | 1064.4 | 640.3 | 428 | 45 | 398 | 581 |
| 17.5" | 435 | 381.6 | 73° | 595 | 570.8 | 115 | 70.5° | 485 | 43 | 1078 | 654 | 428 | 45 | 410.1 | 598.1 |
| 19" | 480 | 427.1 | 73° | 610 | 584.2 | 120 | 71° | 485 | 43 | 1089.1 | 665 | 428 | 45 | 425.7 | 603.4 |
| 20.5" | 520 | 466.9 | 73° | 625 | 599.1 | 130 | 71° | 485 | 43 | 1104.5 | 680.3 | 428 | 45 | 437.8 | 618 |

[Back to Index](#)


PICCOLO 29ER (Length: mm/ Angle: °)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-------|-------|-------|-------|-------|-----|-------|-----|----|--------|-------|-----|------|-------|-------|
| 16" | 406.5 | 330.8 | 73.7° | 570.8 | 567 | 105 | 70.7° | 506 | 45 | 1066.7 | 635.1 | 440 | 65.5 | 387.3 | 627.5 |
| 18" | 458 | 376.3 | 73.5° | 594 | 578.5 | 120 | 71° | 506 | 45 | 1084.6 | 652.8 | 440 | 65.5 | 403.2 | 643 |
| 20" | 508 | 419.5 | 73.3° | 615 | 590.3 | 130 | 72.7° | 506 | 45 | 1103.9 | 672 | 440 | 65.5 | 419.3 | 652.4 |


[Back to Index](#)

PICCOLO 29ER SL (Length: mm/ Angle: °)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 395 | 341 | 72.5° | 580 | 555 | 100 | 69.5° | 506 | 45 | 1077.4 | 644.3 | 440 | 60 | 387.1 | 611.9 |
| 17.5" | 440 | 385 | 72.5° | 600 | 572 | 105 | 69.5° | 506 | 45 | 1097.7 | 664.5 | 440 | 60 | 405 | 618 |
| 19" | 483 | 431.3 | 72.5° | 620 | 584.7 | 120 | 69.5° | 506 | 45 | 1117.6 | 684.3 | 440 | 60 | 419.8 | 632.1 |
| 21" | 533 | 478.2 | 72.5° | 640 | 606.5 | 130 | 69.5° | 506 | 45 | 1139.3 | 705.7 | 440 | 60 | 438 | 640.8 |


[Back to Index](#)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-------|-----|-----|-----|-----|----|--------|-------|-----|----|-------|-------|--------|------------------|
| 15.5" | 395 | 74.5° | 559 | 95 | 69° | 502 | 51 | 1098 | 662.1 | 435 | 45 | 397.6 | 582 | 110 | 190 |
| 17.5" | 445 | 74.5° | 585 | 100 | 69° | 502 | 51 | 1117.7 | 686.6 | 435 | 45 | 412.7 | 588.7 | 110 | 190 |
| 19" | 483 | 74.5° | 600 | 115 | 69° | 502 | 51 | 1141 | 705.1 | 435 | 45 | 433.4 | 600.7 | 110 | 190 |
| 20.5" | 520 | 74.5° | 630 | 125 | 69° | 502 | 51 | 1172 | 736.1 | 435 | 45 | 460.8 | 610 | 110 | 190 |

[Back to Index](#)


PYRENEES 650B AM PRO 150 (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | REACH | STACK | Travel | Shock Eye to Eye |
|-------|-----|-----|-----|-----|-------|-----|----|--------|-------|-----|---|-------|-------|--------|------------------|
| 15.5" | 400 | 74° | 580 | 100 | 68° | 540 | 45 | 1134.7 | 694.8 | 440 | 5 | 413.2 | 591 | 150 | 200 |
| 17.5" | 445 | 74° | 600 | 110 | 68° | 540 | 45 | 1155.5 | 715.5 | 440 | 5 | 430.2 | 591 | 150 | 200 |
| 19" | 483 | 74° | 620 | 120 | 68.5° | 540 | 45 | 1171 | 731 | 440 | 5 | 447.1 | 602.9 | 150 | 200 |
| 20.5" | 520 | 74° | 640 | 130 | 68.5° | 540 | 45 | 1191 | 751 | 440 | 5 | 463.5 | 612.2 | 150 | 200 |

[Back to Index](#)


PYRENEES 29ER (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-------|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|--------|------------------|
| 15.5" | 395 | 73.6° | 560.5 | 95 | 68° | 520 | 51 | 1105.5 | 668.1 | 440 | 38 | 386.9 | 589.2 | 110 | 190 |
| 17.5" | 445 | 73.6° | 587.5 | 100 | 68° | 520 | 51 | 1129.5 | 692.1 | 440 | 38 | 412.7 | 595.1 | 110 | 190 |
| 19" | 483 | 73.6° | 602 | 115 | 68° | 520 | 51 | 1149 | 711.4 | 440 | 38 | 422.4 | 608.5 | 110 | 190 |
| 20.5" | 520 | 73.6° | 632 | 125 | 68° | 520 | 51 | 1180 | 742.6 | 440 | 38 | 449.6 | 618.3 | 110 | 190 |




PYRENEES 29ER AM PRO 150 (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-----|-----|-----|-----|-----|----|--------|-----|-----|----|-------|-------|--------|------------------|
| 15.5" | 400 | 74° | 580 | 100 | 69° | 550 | 46 | 1136.2 | 680 | 457 | 25 | 402.2 | 620 | 150 | 200 |
| 17.5" | 440 | 74° | 600 | 110 | 69° | 550 | 46 | 1157 | 701 | 457 | 25 | 419.5 | 629.3 | 150 | 200 |
| 19" | 480 | 74° | 620 | 120 | 69° | 550 | 46 | 1178 | 722 | 457 | 25 | 436.8 | 638.7 | 150 | 200 |
| 21" | 530 | 74° | 640 | 135 | 69° | 550 | 46 | 1198.9 | 743 | 457 | 25 | 454.2 | 648 | 150 | 200 |

[Back to Index](#)


PYRENEES PLUS (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | I | REACH | STACK | Travel | Shock Eye to Eye |
|------|-------|-------|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|-------|--------|------------------|
| 15.5 | 395 | 74.5° | 558.2 | 95 | 69° | 502 | 51 | 1100.6 | 659.4 | 445 | 45 | 162.6 | 395.6 | 584.8 | 110 | 190 |
| 17.5 | 445.5 | 74.5° | 585 | 100 | 69° | 502 | 51 | 1127.8 | 686.6 | 445 | 45 | 163.3 | 421.7 | 588.7 | 110 | 190 |
| 19 | 483 | 74.5° | 600 | 115 | 69° | 502 | 51 | 1144.3 | 703 | 445 | 45 | 167.1 | 432.9 | 602.7 | 110 | 190 |
| 20.5 | 520 | 74.5° | 630 | 125 | 69° | 502 | 51 | 1175.3 | 733.9 | 445 | 45 | 169.7 | 460.5 | 612.1 | 110 | 190 |

[Back to Index](#)


PHAETON 650B (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-----|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 400 | 73° | 562 | 95 | 69° | 485 | 43 | 1073.4 | 650.3 | 427 | 45 | 398 | 561 |
| 17.5" | 440 | 73° | 587.6 | 100 | 69° | 485 | 43 | 1087.4 | 664.4 | 427 | 45 | 410.9 | 578.1 |
| 19" | 480 | 73° | 602 | 105 | 69° | 485 | 43 | 1098.1 | 675 | 427 | 45 | 425.7 | 583.4 |
| 20.5" | 520 | 73° | 617 | 110 | 69° | 485 | 43 | 1113.5 | 690.3 | 427 | 45 | 437.8 | 598 |

[Back to Index](#)


PHAETON 650B PLUS (Length: mm/ Angle: °)

| SIZE | S | SP | SC | SL | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 395 | 341 | 72.5° | 110.8 | 580 | 555 | 100 | 69.5° | 506 | 45 | 1077.4 | 644.3 | 440 | 60 | 387 | 612 |
| 17.5" | 440 | 385 | 72.5° | 126.6 | 600 | 572 | 105 | 69.5° | 506 | 45 | 1097.7 | 664.5 | 440 | 60 | 405 | 618 |
| 19" | 483 | 431.3 | 72.5° | 140.4 | 620 | 584.7 | 120 | 69.5° | 506 | 45 | 1117.6 | 684.3 | 440 | 60 | 420 | 632 |
| 21" | 533 | 478.2 | 72.5° | 157.6 | 640 | 606.5 | 130 | 69.5° | 506 | 45 | 1139.3 | 705.7 | 440 | 60 | 438 | 641 |


[Back to Index](#)

PHAETON 29ER (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 395 | 72.5° | 580 | 100 | 69.5° | 506 | 45 | 1087.7 | 644.5 | 440 | 60 | 387.1 | 612 |
| 17.5" | 440 | 72.5° | 600 | 105 | 69.5° | 506 | 45 | 1097.7 | 663.6 | 440 | 60 | 404.3 | 618 |
| 19" | 483 | 72.5° | 620 | 110 | 69.5° | 506 | 45 | 1107.7 | 684.5 | 440 | 60 | 419.8 | 632 |
| 21" | 533 | 72.5° | 640 | 115 | 69.5° | 506 | 45 | 1117.7 | 704.5 | 440 | 60 | 438 | 640.8 |




| SIZE | SC | O | HS | HC | F | OT | WB | FC | RC | G | REACH | STACK |
|------|-----|-----|-------|-----|-----|----|--------|-------|-----|----|-------|-------|
| 16" | 73° | 575 | 95 | 71° | 490 | 45 | 1056.9 | 627.6 | 437 | 63 | 391.4 | 601.4 |
| 18" | 73° | 605 | 105.5 | 71° | 490 | 45 | 1086.9 | 657.5 | 437 | 63 | 418 | 612.5 |
| 20" | 73° | 625 | 110 | 71° | 490 | 45 | 1107.3 | 677.6 | 437 | 63 | 436.6 | 615.8 |

[Back to Index](#)


PHANTOM (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 17" | 432 | 72.5° | 595 | 105 | 68.5° | 506 | 51 | 1109.8 | 676.7 | 425 | 60 | 402.3 | 611.3 |
| 19" | 483 | 115° | 617 | 110 | 68.5° | 506 | 51 | 1131.8 | 698.6 | 425 | 60 | 422.4 | 616 |
| 21" | 533 | 125° | 639 | 115 | 68.5° | 506 | 51 | 1154.6 | 721.3 | 425 | 60 | 443.3 | 620.7 |




ARTIC (Length: mm/ Angle: °)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15" | 381 | 316 | 67.5° | 583 | 562.1 | 115 | 69.5° | 468 | 45 | 1112 | 651.6 | 467 | 60 | 401.9 | 590.3 |
| 17" | 432 | 366.4 | 67.5° | 602 | 576.4 | 135 | 70° | 468 | 45 | 1126.8 | 666.4 | 467 | 60 | 415.2 | 611.2 |
| 19" | 483 | 416.5 | 67.5° | 622 | 597 | 155 | 70° | 468 | 45 | 1148 | 687.5 | 467 | 60 | 429.5 | 630 |
| 21" | 533 | 466 | 67.5° | 640 | 611.6 | 175 | 70° | 468 | 45 | 1167 | 706.4 | 467 | 60 | 441.6 | 648.8 |


[Back to Index](#)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-----|-------|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|
| 15" | 381 | 326 | 73° | 538.6 | 520 | 110 | 71° | 445 | 38 | 1005.1 | 588.1 | 420 | 38 | 370.8 | 548.9 |
| 17" | 432 | 377 | 73° | 579 | 554.7 | 110 | 71° | 445 | 38 | 1045.5 | 628.4 | 420 | 38 | 411.2 | 548.9 |
| 19" | 483 | 428 | 73° | 598 | 576 | 110 | 71° | 445 | 38 | 1064.5 | 647.4 | 420 | 38 | 430.2 | 548.9 |
| 21" | 533 | 478 | 73° | 608.3 | 591.3 | 125 | 71° | 445 | 38 | 1075.3 | 658.2 | 420 | 38 | 436.1 | 563.1 |

[Back to Index](#)


STINGER (Length: mm/ Angle: °)

| SIZE | S | SP | SC | SL | O | HS | HC | F | OT | WB | FC | RC | G | REACH | STACK | HD | HB |
|------|-------|-------|-----|-------|-----|-----|-------|-----|----|-------|-------|-----|----|-------|-------|----|----|
| 450 | 450 | 468.5 | 75° | 121.5 | 505 | 80 | 72.5° | 368 | 35 | 921.3 | 551.1 | 375 | 46 | 380.8 | 463.6 | 48 | 57 |
| 490 | 478 | 473 | 75° | 122 | 516 | 85 | 72.5° | 368 | 35 | 932 | 560 | 375 | 50 | 387 | 461.5 | 48 | 57 |
| 510 | 482.3 | 477.5 | 75° | 123.5 | 535 | 90 | 72.5° | 368 | 35 | 951 | 579 | 375 | 50 | 405 | 477 | 48 | 57 |
| 540 | 497.8 | 492 | 75° | 127 | 557 | 105 | 72.5° | 368 | 35 | 974 | 601.5 | 375 | 50 | 422.5 | 491.5 | 48 | 57 |
| 560 | 529.3 | 512 | 75° | 132.5 | 573 | 125 | 72.5° | 368 | 35 | 991 | 618 | 375 | 50 | 433.5 | 499 | 48 | 57 |

[Back to Index](#)


STINGER EV (Length: mm/ Angle: °)

| SIZE | O(SC:75°) | O(SC:79°) | HS | HC | F | OT | WB | FC | RC | G | REACH | STACK |
|------|-----------|-----------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 510 | 544.6 | 508.6 | 95 | 72.5° | 368 | 43 | 966 | 596.9 | 377 | 60 | 413.6 | 488.6 |
| 540 | 557.5 | 520.9 | 105 | 72.5° | 368 | 43 | 979.8 | 610.3 | 377 | 60 | 424 | 498.2 |
| 560 | 581.6 | 543.2 | 130 | 72.5° | 368 | 43 | 1004.7 | 635.3 | 377 | 60 | 441.7 | 522 |
| 580 | 598.6 | 559.1 | 145 | 72.5° | 368 | 43 | 1022.4 | 952.9 | 377 | 60 | 454.9 | 536.3 |

[Back to Index](#)


SPRINT-2 (Length: mm/ Angle: °)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | HD | HB | ST |
|------|-----|-----|-----|-------|-------|-------|-------|-----|----|-------|-------|-----|----|-------|-------|----|----|----|
| 450 | 450 | 435 | 75° | 490 | 488 | 91.5 | 71° | 370 | 45 | 945.5 | 562.5 | 395 | 75 | 372.5 | 453.5 | 46 | 46 | 75 |
| 490 | 515 | 500 | 75° | 511 | 511.5 | 101.5 | 72.5° | 370 | 45 | 945.5 | 562.8 | 395 | 75 | 378 | 512 | 46 | 46 | 75 |
| 520 | 525 | 510 | 75° | 531.5 | 532 | 111.5 | 72.5° | 370 | 45 | 967 | 584 | 395 | 75 | 396 | 521.5 | 46 | 46 | 75 |
| 540 | 542 | 527 | 75° | 550.5 | 551 | 129.5 | 72.5° | 370 | 45 | 986.5 | 603.5 | 395 | 75 | 410 | 538 | 46 | 46 | 75 |
| 560 | 561 | 546 | 75° | 569 | 569.5 | 148 | 72.5° | 370 | 45 | 1006 | 622.5 | 395 | 75 | 424 | 556 | 46 | 46 | 75 |




ROSETTA (Length: mm/ Angle: °)

| SIZE | O(SC75°) | O(SC79°) | HS | HC | F | OT | WB | FC | RC | G | REACH | STACK |
|------|----------|----------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 510 | 533 | 495.9 | 95 | 72.5° | 368 | 43 | 970.2 | 583.1 | 399 | 75 | 398 | 503.6 |
| 540 | 551 | 513.2 | 105 | 72.5° | 368 | 43 | 988.6 | 601.4 | 399 | 75 | 413.5 | 513.2 |
| 560 | 570 | 530.5 | 130 | 72.5° | 368 | 43 | 1008.8 | 621.4 | 399 | 75 | 426.1 | 537 |
| 580 | 587 | 546.4 | 145 | 72.5° | 368 | 43 | 1026.4 | 639 | 399 | 75 | 439.3 | 551.3 |

[Back to Index](#)


CCX PRO (Length: mm/ Angle: °)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|--------------|-----|-------|-----|--------------|-----|----|--------|-------|-----|----|-------|-------|
| 480 | 480 | 445 | 75.5° | 510 | 501.4 | 100 | 70.5° | 400 | 45 | 1009.4 | 590 | 425 | 53 | 378 | 510 |
| 500 | 500 | 465 | 75° | 525 | 516.3 | 115 | 70.5° | 400 | 45 | 1020.8 | 601.5 | 425 | 53 | 384.5 | 524 |
| 520 | 520 | 485 | 74.5° | 535 | 526.2 | 125 | 71° | 400 | 45 | 1021.1 | 602.2 | 425 | 55 | 386 | 537.5 |
| 540 | 540 | 505 | 74° | 545 | 536.8 | 135 | 71.5° | 400 | 45 | 1021.7 | 602.8 | 425 | 55 | 387.5 | 548.5 |
| 560 | 560 | 525 | 73.5° | 560 | 552.2 | 145 | 72° | 400 | 45 | 1026.6 | 607.6 | 425 | 57 | 393.5 | 562.5 |
| 580 | 580 | 545 | 73° | 575 | 566.8 | 160 | 72.5° | 400 | 45 | 1030.9 | 612.4 | 425 | 57 | 398 | 578.5 |

[Back to Index](#)


CCX PRO D (Length: mm/ Angle: °)

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 480 | 480 | 445 | 75.5° | 510 | 501.4 | 100 | 70.5° | 400 | 45 | 1009.4 | 590 | 425 | 53 | 378 | 510 |
| 500 | 500 | 465 | 75° | 525 | 516.3 | 115 | 70.5° | 400 | 45 | 1020.8 | 601.5 | 425 | 53 | 384.5 | 524 |
| 520 | 520 | 485 | 74.5° | 535 | 526.2 | 125 | 71° | 400 | 45 | 1021.1 | 602.2 | 425 | 55 | 386 | 537.5 |
| 540 | 540 | 505 | 74° | 545 | 536.8 | 135 | 71.5° | 400 | 45 | 1021.7 | 602.8 | 425 | 55 | 387.5 | 548.5 |
| 560 | 560 | 525 | 73.5° | 560 | 552.2 | 145 | 72° | 400 | 45 | 1026.6 | 607.6 | 425 | 57 | 393.5 | 562.5 |
| 580 | 580 | 545 | 73° | 575 | 566.8 | 160 | 72.5° | 400 | 45 | 1030.9 | 612.4 | 425 | 57 | 398 | 578.5 |

[Back to Index](#)

PINNACLE 29ER (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | REACH | STACK | HD1 | HD2 |
|------|-----|-----|-----|-----|-----|-----|----|------|-----|-----|----|-------|-------|-----|-----|
| 16" | 408 | 74° | 575 | 105 | 69° | 508 | 46 | 1133 | 664 | 475 | 58 | 399 | 613.7 | Ø48 | Ø60 |
| 18" | 458 | 74° | 599 | 115 | 69° | 508 | 46 | 1158 | 689 | 475 | 58 | 420 | 623 | Ø48 | Ø60 |
| 20" | 508 | 74° | 626 | 125 | 69° | 508 | 46 | 1185 | 717 | 475 | 58 | 444.7 | 632 | Ø48 | Ø60 |

[Back to Index](#)

TRIDENT (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 505 | 505 | 77° | 480 | 100 | 70.3° | 370 | 45 | 954.3 | 570.5 | 395 | 72 | 364.8 | 499.2 |
| 525 | 525 | 77° | 505 | 115 | 71.5° | 370 | 45 | 970.4 | 586.5 | 395 | 72 | 385.5 | 517.7 |
| 549 | 549 | 77° | 530 | 140 | 72° | 370 | 45 | 993.3 | 609.2 | 395 | 72 | 404.6 | 543.1 |
| 577 | 577 | 77° | 560 | 165 | 72.5° | 370 | 45 | 1020.8 | 636.5 | 395 | 72 | 428.7 | 568.7 |
| 600 | 600 | 77° | 585 | 190 | 72.5° | 370 | 45 | 1048 | 663.5 | 395 | 72 | 448 | 592.6 |

Legends:

| | |
|-----------|--|
| S | Seat tube length |
| SP | Seat tube center to center length |
| SC | Seat tube angle |
| O | Horizontal (effective) top tube length |
| OS | Actual top tube length |
| HS | Head tube length |
| HC | Head tube angle |
| F | Fork length from crown |
| OT | Fork offset (rake) |
| WB | Wheelbase |
| FC | Fork axle to BB center |
| RC | Chain stay length |
| G | BB drop |