



hochschule mannheim



Requirements Specification for a telemetry data visualization dashboard for Caruso GmbH

Jan Diekhoff, Marvin Karhan, Jan Mayer, Joel Staubach

Contact us at: eighteyes.info@gmail.com



Course of Studies: Computer Science
Department of Computer Science
University of Applied Sciences Mannheim

22.01.2023

Version: 2.0

In cooperation with the company Caruso GmbH

Tutors

Prof. Dr. Peter Knauber, Hochschule Mannheim

Prof. Kirstin Kohler, Hochschule Mannheim

Change Log

Table 1: Change log

Version	Date	Description	Author
0.1	18.12.2022	Setup of the initial document with table of contents	Marvin Karhan
0.2	20.12.2022	Add first key notes for the first chapter and modify the change log style	Joel Staubach
0.3	21.12.2022	Add non-functional requirement chapters and outlook	Jan Mayer
0.4	23.12.2022	Add project background, goals and solution	Joel Staubach
0.5	24.12.2022	Add stakeholders chapter, except personas	Joel Staubach
0.6	26.12.2022	Add Current Situation, Context Of The Work, Product Boundary, Use Case Table, Individual Product Use Cases, Functional Requirements, Personas	Joel Staubach
0.7	30.12.2022	Add Constraints and Relevant Facts and Assumptions	Marvin Karhan
0.8	02.01.2023	Add Security Requirements and Risks	Marvin Karhan
0.9	04.01.2023	Add chapter introduction Stakeholders, non-functional chapters	Jan Mayer
0.10	04.01.2023	Add chapters Performance Requirements, Open Issues, Off the Shelf Solutions	Jan Diekhoff
0.11	05.01.2023	Translate German texts into English	Jan Diekhoff
0.12	05.01.2023	Update chapters Scope of the Work, Scope of the Product and Functional Requirements	Jan Diekhoff
0.13	05.01.2023	Remove the Open Issues chapter and incorporate it into Risks	Marvin Karhan
0.14	06.01.2023	Added glossary	Jan Diekhoff
0.15	06.01.2023	Update URLs and add smaller text passages	Jan Mayer
1.0	06.01.2023	Prepare for peer review	All
1.1	18.01.2023	Update Chapter 3, 4 and 5 based on feedback	Marvin Karhan
1.2	18.01.2023	Update chapter 6, 8, 9 based on feedback	Jan Mayer
1.3	19.01.2023	Various changes based on feedback, replacing of pictures with english variants, colouring tables	Jan Diekhoff
1.4	20.01.2023	Aggregated non-functional requirements into a single chapter with snow cards	Jan Diekhoff, Jan Mayer
1.5	20.01.2023	Changed chapter 1, 2, 5, 6, 7 after feedback	Joel Staubach
2.0	21.01.2023	Prepare for final release	All

Each new version of this requirement specification is assigned a version number of the form X.Y. For each release, X is incremented by one and the version is given the

Change Log

version number X.0. For each version between releases, Y is incremented by one, with the number of the last release for X.

Contents

Change Log	i
Introduction	v
1 The Purpose of the Project	1
1.1 The Project Background	1
1.2 Goals of the Project	2
1.3 Overall Solution	3
2 The Stakeholders	4
2.1 Core Target Group	4
2.1.1 The Sales Employee	5
2.1.2 The Decision Maker	6
2.1.3 The Configurator	6
2.2 Other Stakeholders	7
2.2.1 Direct Stakeholders	7
2.2.2 Indirect Stakeholders	7
2.3 Personas	8
3 Constraints	11
3.1 Partner or Collaborative Application Constraints	11
3.2 Schedule Constraints	12
3.3 Budget Constraints	12
4 Relevant Facts and Assumptions	13
5 The Scope of the Work	15
5.1 The Current Situation	15
5.2 The Context of the Work	16
6 The Scope of the Product	18
6.1 The Product Boundary	18
6.2 Use Case Table	19
6.3 Individual Product Use Cases	20
6.3.1 The Decision Maker's View	21

Contents

6.3.2 The Sales Employee's View	24
7 Functional Requirements	32
8 Non-Functional Requirements	37
8.1 Look and Feel Requirements	37
8.2 Usability and Humanity Requirements	37
8.3 Performance Requirements	38
8.4 Security Requirements	39
9 Risks	41
10 Outlook	43
Glossary	vi
List of Tables	viii
List of Figures	ix

Introduction

This document is intended to reflect the requirements of the data appetiser of the client Caruso GmbH. The purpose of the data appetiser is to demonstrate the value of telematics data from cars to potential customers of Caruso.

The document is based on a scaled down version of the Requirements Specification Template Volere by James Robertson & Suzanne Robertson and is intended to discuss the requirements for a solution to the required problem.

Chapter 1

The Purpose of the Project

"How might we help non-technical stakeholders to understand the value of telematics data with visualizations / dashboards?". This question was posed to students of the Mannheim University of Applied Sciences by the company Caruso GmbH at the start of the winter semester 2022/23 as part of the course "Projektsemester Software Engineering (PSE)". Over the course of two semesters, an application will be developed which will convince Caruso's potential customers to buy their product with an easily understandable data visualisation. Caruso offers the Caruso API that allows customers to register their vehicles through their web platform called the Caruso dataplace.

1.1 The Project Background

The company Caruso has been producing a standardised interface for telematics data of connected cars from various manufacturers since 2017. Connected cars are vehicles which can share telematics data, physically measured data such as temperature or tire pressure, through an internet connection.

Caruso enters into contracts with car manufacturers (OEMs) such as Mercedes or BMW to buy their telematics data. This proprietary vehicle information is collected and standardised into a single interface, the Caruso API. For example, data items in the Caruso API include the position of a vehicle or its next service date. External customers can then subscribe to data items or packages of their vehicles to obtain useful live information that they can use for their own purposes and products. How they are billed depends on the data item, though it is often monthly. Some may be

billed per car per month, some per access per month and some incur a flat fee per month. Caruso sells these data items and packages to customers like auto repair shops, insurance companies or roadside assistance companies.

Many of these customers are medium-sized companies which need to be convinced of the value of this interface and the data before they are willing to invest in access to the Caruso dataplac. These customers are called decision makers. They are the representatives of a company which decide to buy the data. Usually they are executives without a technical background, meaning that they don't understand the value of raw data items alone. These decision makers are much more interested in their data being visualised in an easily understandable way that also shows its value. Especially important is live data of a vehicle such as its position changing as it is being driven.

Caruso currently does not offer an application with which live data can be explored by a non-technical user. Currently, scripts are used to gather data of a vehicle through the interface and accumulate it in an Excel or HTML report. These reports are manually created by multiple Caruso employees and have to be individually created for every customer.

1.2 Goals of the Project

The overarching goal of this project is as follows: Through an improved workflow, data items that are relevant to the decision maker can be visualised more quickly and comprehensively by the sales employee. The product being developed will aid the sales employee of Caruso to more quickly and efficiently develop presentations for potential customers and decision makers. This goal can be split into separate sub-goals:

- The product visualises live information of the vehicles. This increases the decision maker's trust in Caruso.
- The product shows the data items in a way that is comprehensible to non-technical decision makers. This makes the value of the data more readily apparent.
- The product is reusable for multiple decision makers. This reduces the time investment and manual work necessary for each data data appetiser.

- The product is easily configurable without technical knowledge. This will allow the non-technical employees of Caruso, such as a sales employee, to prepare a data appetiser without the help of a developer.

1.3 Overall Solution

Broadly speaking, the solution to the question posed by Caruso is a web-based application which hosts multiple dashboards. Each dashboard is configurable to fit the needs of individual decision makers. They include data items from the decision maker's vehicles which are connected in the Caruso dataplace, visualised into an easily understandable form, for both individual vehicles and groups of vehicles (fleets). The solution will be called Carvis in the following chapters.

Chapter 2

The Stakeholders

In this chapter, we will identify the key stakeholders of the project and describe their needs, expectations, and concerns as they relate to the project. By understanding the needs and expectations of our stakeholders, we can ensure that the project meets their requirements and delivers the desired outcomes. Figure 2.1 shows the stakeholders of the project. Stakeholders are separated into three categories: the core target group, direct stakeholders and indirect stakeholders. The core target group are the main beneficiaries of Carvis, the people who are intended to use the product. The direct stakeholders are people and organisations who are linked to the project. They either work on the project or provide critical information without which it could not succeed. The indirect stakeholders are people and organisations who also profit from the success of the project but have no direct impact on it.

2.1 Core Target Group

The core target group consists of three stakeholders: the Caruso sales employee, the Caruso configurator and the decision maker of a potential customer company. The following sections will present the obligations of each stakeholder and explain their relevance to the project.




Figure 2.1: Stakeholders map containing the prioritised stakeholders for the project

2.1.1 The Sales Employee

The Caruso sales employee is a representative of Caruso who negotiates and closes contracts with decision makers of other companies and sells them Caruso services. Their obligations include:

- the acquisition of customers,
- the preparation of sales pitches for decision makers,
- the presentation of the sales pitch to build the decision maker's trust in Caruso data,
- the answering of any remaining questions the decision maker may have,

- and the closing of contracts with decision makers.

The Caruso sales employee is essential both in the current and the planned future process of acquiring new customers. They were the main point of contact for questions during the design process.

2.1.2 The Decision Maker

Decision makers are potential customers of Caruso which are interested in the data provided. They are often the executives of medium-sized companies which hope to improve the workflow in their company or develop new applications using Caruso data. According to Caruso, the most profitable customers are insurance companies, roadside assistance companies and fleet management companies. During the design process, contact to the decision makers wasn't established directly but their wishes were expressed by the sales employee. Still, their interests are a core driver in the design of the product as it is ultimately intended to convince them to invest in Caruso services. They:

- decide whether or not to enter into contracts with Caruso on behalf of their companies,
- often have little technical know-how,
- and will only buy a product whose value they appreciate and which they trust.

2.1.3 The Configurator

The Caruso configurator is an employee which aggregates customer data into an Excel or HTML report. They have technological skill and will prepare the data for sales pitches at the request of the sales employee. Their obligations are:

- the aggregation of vehicle data,
- the creation of Excel or HTML reports,
- and the manual configuration of reports to accommodate a decision maker's individual requests and wishes.

After the successful conclusion of this project, the configurator will have a much smaller role or will not be needed at all as Carvis will automatically aggregate the

required data and will provide an interface for the sales employee to configure it without needing technical know-how. The configurator is still part of the core target group because they are currently responsible for creating all forms of visualisation for the decision maker.

2.2 Other Stakeholders

The other stakeholders of the project are the direct and indirect stakeholders. As they are not directly responsible for any requirements of the project, they will not be mentioned in the following chapters and will only briefly be described here.

2.2.1 Direct Stakeholders

- **The eight eyes Team:** The eight eyes team has identified Caruso's wishes and the requirements for an application to fulfil them. This resulting document will provide developers the basis for a successful project.
- **The Professors:** The professors established the first contact to Caruso and organised the central aspects of the project as part of the PSE course.
- **The OEMs:** The OEMs provide the raw vehicle data which Caruso buys and standardises. Without them, this project would not be possible.

2.2.2 Indirect Stakeholders

- **The Shareholders:** The shareholders invest in Caruso and thus profit from any new contracts that may be closed as a result of the success of this project.
- **The Competition:** The competition are companies which offer similar services to Caruso. They will be negatively impacted by this success of the project.
- **The Drivers:** The drivers are the customers of the decision makers. They will profit if the further use of Caruso data leads to better customer service or new applications they might use.

- **The Caruso Development Team** The development team will expand and maintain the Carvis system in the future.
- **The Data Security Officer:** Data security officers handle the security of Caruso data. Caruso cares about the security of their customer data, however according to Caruso it should not be a priority for the purposes of this project.

2.3 Personas

A representative persona has been created for each stakeholder of the core target group to better understand and gain deeper insight into their challenges. These personas include demographic information, a job description, goals, aspirations and challenges they face at work. It also describes how Carvis will support them to overcome their challenges and meet their goals.




Figure 2.2: Persona: Sales Employee

Figure 2.2 shows "Cornelius von Grünwald" who is representative of the sales employee. As such it is his job to acquire new customers and hold presentations to showcase Caruso data. He has little technical know-how and relies on developers (configurators) to prepare data for him. He prioritises building trust between himself and his customers and values their individual wishes.




Figure 2.3: Persona: Decision Maker

Figure 2.3 shows "Rüdiger Rube" who is representative of the decision maker of a fleet management company. He is the CEO of a medium-sized taxi company called EuroTaxi. He is interested in expanding his business with innovative technologies, however he needs to first be convinced of their use as every investment is a big risk in terms of time and resources spent. As he has little technical knowledge and little time, data items need to be presented in a simple and engaging way.

Figure 2.4 shows "Annie Ainsley" who is representative of the configurator. She is a senior Caruso developer who is intimately familiar with the Caruso API and data items. She is often asked by Cornelius to prepare data for him which takes time away for other tasks. She is also not familiar with Rüdiger or other decision makers

2 The Stakeholders




Figure 2.4: Persona: Configurator

and can't cater to their wishes well, so she has to be in close contact with Cornelius while she prepares the data for him.

Chapter 3

Constraints

In this chapter, we will explore the constraints that must be considered in the design of our product. These constraints represent limitations that apply to the entire product, and must be taken into account no matter how we choose to solve the problem at hand. In this section, we will discuss the description, rationale, and fit criterion for each constraint.

3.1 Partner or Collaborative Application Constraints

This chapter explores applications that the product will collaborate with, namely the Caruso dataplace. By examining these partner applications, we can identify potential integration issues and design constraints. The dataplace can be found *here*¹.

The Caruso dataplace provides a data catalogue and a Caruso API documentation. The data catalogue provides a list of all available data items and their description. The Caruso API documentation provides a list of all available Caruso API endpoints and their description and examples. The data catalogue and the Caruso API documentation is available on the Caruso dataplace developer zone. The data provided by Caruso is only available for cars that are supported by Caruso. The list of supported cars is available on the Caruso dataplace.

As Carvis is a data appetiser for connected car data provided by Caruso, this constraint affects the data sources and the type of data that can be used. As the data

¹<https://www.caruso-dataplace.com/developer-zone/>

provided by Caruso is ever evolving it is best to check the available data items on the Caruso dataplace platform.

3.2 Schedule Constraints

Time is a constraint imposed by the nature of this project as a student project. This constraint largely affects the content of the application, as it limits the resources we have. In order to manage this constraint, we have focused on the fleet management use case.

By focusing on the fleet management use case, we have been able to maximize the resources we have within the given time frame and create a product that meets the needs of our stakeholders to the best of our ability. This enables us to deliver a product that can be used in a production environment.

3.3 Budget Constraints

One constraint that we will not need to consider in the design of our product is budget constraints. Because this is a demo application that will only be used for a short time frame per user. As such, we do not need to worry about staying within a specific budget.

Chapter 4

Relevant Facts and Assumptions

This chapter covers the relevant facts and assumptions that were made during the development of this project. It describes the customer base of Caruso and their needs. It also covers the topic of the development time on the side of Caruso.

There are a wide variety of customers that Caruso is looking to acquire. Figure 4.1 shows which of them are the most valuable. Carvis should mainly focus on those in the top right corner, as they are the best prepared and represent the highest yield opportunity.




Figure 4.1: Graph of different Caruso customers ordered by revenue potential and market maturity.

A possible conclusion to the aforementioned statement could be that only large companies are compelling customers, which is not the case. Large companies have a lot of resources to invest in innovative technologies, so the demand for a data appetiser is lower. On the other hand, medium-sized companies typically want to

4 Relevant Facts and Assumptions

know what they are investing their money and time into before allocating resources. This is where Carvis helps to highlight areas where Caruso data items can be used.

The goal of this project is to deliver a finished product that meets the needs of our stakeholders, including Caruso. We understand that Caruso may not want to invest additional development time of their team to make adjustments to the application. As such, a modular system is the best solution for this project.

Chapter 5

The Scope of the Work

This chapter describes important aspects to consider when building a new product. It determines the boundaries of the business area to be studied and outlines how it fits into its environment. Understanding the scope of the work and its constraints allows us to establish the scope of the product and ensure that it will fit seamlessly into its intended environment. We will delve into the current situation and the context of the work in order to fully understand the scope of the project.

5.1 The Current Situation

The current way of acquiring new customers is shown in figure 5.1.




Figure 5.1: Stakeholders

Entry into a new contract currently requires three stakeholders: a decision maker, a Caruso sales employee and a Caruso configurator. The process can be split into

four steps: first contact, persuasion, testing and conclusion. During first contact, the decision maker and sales employee enter into contact with each other. The sales employee gauges a decision makers interest in Caruso services or a decision maker becomes aware of Caruso through advertising, word of mouth or other means.

After contact is established, the sales employee of Caruso holds a meeting with one or multiple decision makers. Here, data items of publicly accessible cars, Caruso vehicles or dummy cars are presented. For this purpose, a manually created HTML or Excel report of aggregated vehicle data of past rides is used. These include data such as distance driven per day of the week for an entire fleet of cars.

After the sales pitch, the decision maker trusts and wants to use Caruso's services. They can then create an account in the Caruso dataplace and receive the aggregated data shown during the presentation to look at for themselves. This data usually isn't live.

After the decision makers are convinced of the value of the data, a final meeting is held where any open questions can be discussed with the sales employee. Finally, a contract is entered by the two parties.

5.2 The Context of the Work

This section will explain how Carvis fits into the current system architecture of Caruso.

Figure 5.2 shows the communication between the core target group, the Carvis and the neighbouring systems in the form of a context diagram.

The decision maker has access to both the Caruso dataplace and Carvis. Access to the Caruso dataplace is required as the decision maker needs to create an account and register vehicles before they can access Carvis.

The sales employee uses Carvis to present Caruso data to the decision maker. They are not allowed to access the decision maker's data but can use placeholder cars publicly accessible in the Caruso dataplace. He also uses Carvis to configure projects for different decision makers. The configurator has no part in this proposed system because the sales employee will handle all forms of configuration without requiring much technical knowledge.




Figure 5.2: Context Diagram

Chapter 6

The Scope of the Product

This chapter will present the use cases of Carvis under consideration of the decision maker, the sales employee and the configurator. The use cases will be given a description and a walkthrough in the form of a high fidelity prototype.

6.1 The Product Boundary

Figure 6.1 shows a use case diagram for the stakeholders of the core target group and their use cases for Carvis. All use cases are given an id which will be referenced in future chapters.

In order to understand the use cases of the sales employee in terms of project and template, we will start with the basic idea of the application for the sales employee. The sales employee can create a project for each customer, in which the dashboard with the respective widget can be built individually. Widgets are self-contained elements that are easy to replace and facilitate modularity. To speed up the creation of the dashboard, templates are introduced, which contains prefabricated dashboards and can be used initially for a project. Projects can be reset to a template state or a project can be saved as a template.



Figure 6.1: Use Case Diagram

6.2 Use Case Table

Table 6.1: Use Case Table

UC ID	UC Name	Actors	Description
UC_1	View vehicles	Decision maker, sales employee	The decision maker or sales employee views all vehicles of their project in a list.
UC_2	View vehicle information	Decision maker, sales employee	The decision maker or sales employee chooses a vehicle and views its given widgets.
UC_3	View fleet information	Decision maker, sales employee	The decision maker or sales employee views statistics for all vehicles in a fleet.
UC_4	View projects	Sales employee	The sales employee views the projects which they want to configure.

6 The Scope of the Product

UC_5	Create project	Sales employee	The sales employee creates a project for a new decision maker.
UC_6	Edit project	Sales employee	The sales employee edits a project.
UC_7	Delete project	Sales employee	The sales employee deletes a project.
UC_8	Reset project	Sales employee	The sales employee reverts a project to its template, resetting all changes.
UC_9	Create template	Sales employee	The sales employee creates a template by taking a snapshot of a project.
UC_10	Edit table	Sales employee	The sales employee edits the table in which all vehicles are shown.
UC_11	Add widget	Sales employee	The sales employee adds a widget visualising a data item of a vehicle or fleet to a project.
UC_12	Delete widget	Sales employee	The sales employee removes a widget visualising a data item of a vehicle or fleet from a project.
UC_13	Move widget	Sales employee	The sales employee edits the position of a widget visualising a data item of a vehicle or fleet in a project.

6.3 Individual Product Use Cases

This chapter presents a variety of scenarios that demonstrate the various ways in which our application can be used. These scenarios will be broken down into reproducible steps and illustrated using our prototype as a reference point. The use cases are grouped into two main perspectives: the decision maker and the sales employee. The purpose of this chapter is to provide a clear and thorough understanding of how our application can be utilised in a variety of different situations. By walking through these use cases, we hope to give a sense of the flow and functionality of the application and how it can help decision makers and sales employees achieve their goals. The clickable prototype is available *here*².

²<https://www.figma.com/proto/QnshySDvR2A5jazPugjKq7/Carvis?scaling=scale-down&show-prototype-sidebar=1&node-id=560%3A2807&starting-point-node-id=709%3A5104>

6.3.1 The Decision Maker's View

The screenshot shows the 'EURO TAXI' interface. At the top, there is a search bar and a user profile icon labeled 'Rübe'. Below these are four filter dropdowns: 'Filter by manufacturer', 'Filter by status', 'Filter by events', and 'Filter by mileage'. The main content area is divided into two tabs: 'Fleet overview' (active) and 'Fleet statistics'. Under 'Fleet overview', it says '9 vehicles' and has an 'Export' button. Below this is a table with the following data:

VIN	Manufacturer	Status	Mileage	Next event
AH4KA3160KC018606	Mercedes-Benz	Driving for 3 hours	152.000 km	Oil change in 12 days
BN6AA06B74N530577	Audi	Idle for 2 weeks	200 km	Inspection in 6 months
CFTJW36M6LCA90573	Ford	Driving for 1 hour	5.000 km	Oil change required
DH4DA1844GS001970	BMW	Driving for 3 hour	152.000 km	Tank level critical
EI4KA3160LC017215	Fiat	Idle for 1 day	169.000 km	Oil change in 3 days
FN1CA21DXXT805880	Ford	Idle for 3 hours	13.370 km	Service in 6 months
GH4KA3269HC010561	BMW	Driving for 1 hour	42.000 km	Inspection in 3 months

Figure 6.2: Decision maker's view: home page

Figure 6.2 shows the initial view from which the decision maker always starts after logging into Carvis. Use case UC_2 is carried out on this page and use cases UC_1 and UC_3 are facilitated as well. The login is not shown because it is supposed to be a simple view which requires a username and password for the Caruso dataplace account.

Use Case 1: View Vehicles

The scenario begins in the initial view seen in figure 6.2. On this page, the decision maker or sales employee can view a table of all vehicles linked to their Caruso dataplace account. This table consists of columns to identify vehicles, for example listing the manufacturer or its current status. The vehicles can be sorted by column in ascending or descending order by clicking on the label. Vehicles can also be filtered by these categories, for example only showing vehicles from one manufacturer, or be searched directly through the search bar.

Use Case 2: View Vehicle Information

This scenario begins in the initial view seen in figure 6.2. The decision maker or sales employee chooses a vehicle which they wish to view in the table. Optionally,

filters can be applied to find the desired vehicle. By clicking on it, the user reaches the vehicle page seen in figure 6.3.




Figure 6.3: Decision maker's view: vehicle page

This page contains all of the information relating to the selected vehicle. The data items which are made available by Caruso are grouped into white boxes called widgets. An example is the general information widget which includes the VIN and manufacturer. Every widget shows when the data was last updated so that the decision maker can see how current it is. In the case that a data item is not available either due to error or lack of support from the OEM, a text notifying the user is shown instead, as can be seen in figure 6.4. If multiple data items are required for a widget, it will indicate that that particular data item is not supported.




Figure 6.4: Decision maker's view: unsupported data item

Use Case 3: View fleet information

This scenario begins in the initial view seen in figure 6.2. The decision maker or sales employee can click on the tab "Fleet statistics". This opens the page seen in figure 6.5.

6 The Scope of the Product




Figure 6.5: Decision maker's view: fleet statistics page

This page shows widgets of fleet-specific data where the fleet consists of all vehicles registered to the user. Like the main table, this view can be filtered and searched.

Widgets include a map showing the position of all vehicles, a chart showing the distribution of manufacturers in the fleet or a list of all past events.

These widgets not only show the last update but also how many cars support the data item. Knowing the exact number of cars aides in the interpretation of the presented data and prevents misunderstandings.

6.3.2 The Sales Employee's View

Figure 6.6 shows the initial view from which the sales employee starts their work once they have logged in.




Figure 6.6: Sales employee's view: project selection page

Use Case 4: View Project

This scenario begins in the initial view seen in figure 6.6. The sales employee sees the available projects shown in white tiles. These include information such as the company name, logo, as well as metadata such as when the project was last viewed or edited. The sales employee can filter the list of projects through the search bar to only see the projects in which they are currently interested.

Use Case 5: Create Project

This scenario begins in the initial view seen in figure 6.6. The sales employee clicks the button labelled “New project”. This opens a popup as seen in figure 6.7.

6 The Scope of the Product

The 'Create project' form contains the following sections:

- Create project**: Section header.
- Connect dataplace account**: A dropdown menu showing 'rübe@wagen24.de'.
- Add viewers**: A text area containing 'mayer@wagen24.de' and 'sabrina@wagen24.de', with a '+' button to add more.
- Add logo**: A placeholder image showing the 'WAGEN24' logo.
- Primary Colour**: A color selection button showing a dark grey color.
- Accent Colour**: A color selection button showing an orange color.
- Buttons**: 'Cancel' and 'Save' buttons at the bottom right.

Figure 6.7: Sales employee's view: project details

The sales employee inputs a Caruso dataplace account to be linked to the project, as well as any further accounts which should be allowed to view the project. They then input a logo, company name, and two primary colours which the company uses in their branding. Next, the sales employee clicks “Save”, which opens the template view seen in figure 6.8 to begin work on the configuration.




Figure 6.8: Sales employee's view: template page

This list can also be filtered via the search bar. Each template shows a preview so the sales employee can see which one best fits the new project. On clicking a new template, the new project is created.

Use Case 6: Edit Project

This scenario begins in the view seen in figure 6.6. The sales employee clicks the vertical dots in the top right corner of the project box. This alters the project box as seen in figure 6.9.




Figure 6.9: Sales employee's view: edit project

The sales employee clicks “Edit” which opens a popup similar to figure 6.7 in which the project information can be edited. Once done, the sales employee clicks “Save” and the project is successfully edited.

Use Case 7: Delete Project

This scenario begins in the view seen in figure 6.6. The sales employee clicks the vertical dots in the top right corner of the project box. This alters the project box as seen in figure 6.9. The sales employee clicks “Delete”. After confirmation by the sales employee, the project is deleted and removed from the list of available projects.

Use Case 8: Reset project

This scenario begins in the view seen in figure 6.6. The sales employee clicks the vertical dots in the top right corner of the project box. This alters the project box as seen in figure 6.9. The sales employee clicks “Reset”. This opens a view of


available templates as seen in figure 6.8. The sales employee chooses and clicks a template which resets the project to that template.

Use Case 9: Create Template

This scenario begins in the view seen in figure 6.6. The sales employee clicks the vertical dots in the top right corner of the project box. This alters the project box as seen in figure 6.9. The sales employee clicks “Save as template”. This offers the option to name the new template. Finally, the template is saved and available in the list of templates.

Use Case 10: Edit Table

This scenario begins in the view seen in figure 6.6. The sales employee clicks a project which they want to edit. This opens the project to the page seen in 6.10.



VIN	Manufacturer	Status	Mileage	Next event
V1RTUALV1N0000001	VirtualOEM	Driving for 1 hour	300.022 km	Inspection in 3 months
V1RTUALV1N0000002	VirtualOEM	Driving for 2 hours	250 km	Inspection in 6 months
V1RTUALV1N0000003	VirtualOEM	Idle for 1 week	7.030 km	Oil change required
V1RTUALV1N0000004	VirtualOEM	Driving for 3 hours	152.000 km	Tank level critical

Figure 6.10: Sales employee's view: home page

This view is similar to the decision maker's view seen in figure 6.2, however it also includes the option to edit the vehicle table. The sales employee clicks “Edit columns”. This opens a popup as seen in figure 6.11. The sales employee can only see demo cars to configure the project as they have no access to the decision maker's vehicles.

Edit columns

Available elements		Displayed elements
Model	<	VIN
Fuel gauge	>	Manufacturer
	^	Status
	v	Mileage
		Last event

Cancel Save

Figure 6.11: Sales employee's view: edit vehicle table

In this view, the sales employee can add or remove columns and change their order. For example, they can choose the vehicle model and add it to the shown elements. Then they click “Save” and the table includes the new column with the data for each vehicle.

Use Case 11: Add Widget

This scenario begins in the view seen in figure 6.6. The sales employee clicks a project they want to edit. This opens the page seen in figure 6.10. The sales employee clicks on a vehicle to open the vehicle information seen in figure 6.12 or the “Fleet statistics” tab, depending on which widgets they want to add.

This view is similar to the decision maker’s view seen in figure 6.3, however it also includes the option to add or delete widgets, as well as to undo and redo actions.

The sales employee clicks “Add” which opens a list of widgets to choose from. This can be seen in figure 6.13.




Figure 6.12: Sales employee's view: vehicle page




Figure 6.13: Sales employee's view: add vehicle data item

The sales employee chooses a widget and can see a preview of it. They then click “Save” and the widget is added to the vehicle page.

This process is identical for the fleet statistics page and thus not considered a separate use case. Clicking “Fleet statistics” from the vehicle page in figure 6.10 takes them to the fleet statistics page seen in figure 6.14.

Like in figure 6.12, this view has the option to add new widgets. The sale employee clicks “Add” which opens a list of available widgets like in figure 6.15.




Figure 6.14: Sales employee's view: fleet statistics page

The 'Add vehicle information' dialog box shows a list of available information: 'Mileage' (checked), 'Fuel consumption', and 'Driver scoring'. A 'Preview' section displays the 'Mileage' data: '2 600 000 km total' and '300 000 km on average', updated 2 minutes ago. The dialog has 'Cancel' and 'Save' buttons.

Figure 6.15: Sales employee's view: add fleet data item

This view is similar to the vehicle widget list from figure 6.13. Only the widgets which can be added are different as they are for fleet data, not individual vehicle data. Once the sales employee has chosen a widget and has clicked “Save”, the widget is added to the fleet statistics page.

Use Case 12: Delete Widget

This scenario begins in the view seen in figure 6.6. The sales employee chooses the project in which they want to delete a widget. This leads to the page seen in

figure 6.10. As in the previous use case, widgets can be deleted both in the fleet statistics page and the vehicle page. In figure 6.12 and figure 6.14, each widget has a trashcan icon in the top right corner. Once the sales employee clicks it and confirms the decision, the widget is removed from the corresponding page.

Use Case 13: Move Widget

This scenario begins in the view seen in figure 6.6. The sales employee chooses the project in which they want to move a widget. This leads to the page seen in figure 6.10. As in the previous use case, widgets can be moved both in the fleet statistics page and the vehicle page. Figure 6.12 and 6.14 show widgets. If the sales employee clicks and holds on a widget, they can move the widget with their mouse along an invisible grid. When releasing the mouse, the widget clicks into place on the grid.

Chapter 7

Functional Requirements

User stories were created to collect the requirements of Carvis. They consist of a stakeholder of the core target group and their wishes and goals. The following tables include the requirements grouped by their stakeholder. Every user story has an id and a reference to associated use cases. They also have descriptions to present any details that are relevant. The user stories are prioritised according to the MoSCoW method into “must have”, “should have”, “could have” and “will not have” stories. “Must” stories are required for the success of the project, allowing the presentation of visualised data items for the decision maker. “Should” stories improve the workflow and further assist the presentation of data items, but are not required. “Could” criteria are nice-to-have features. “Will not” criteria have been considered and actively decided against.

Table 7.1: User stories of the decision maker and sales employee

US ID	UC	Description	Criteria
US_01	UC_01	As a decision maker or sales employee, I want to see a list of all of my vehicles to see which vehicles are in my fleet.	Must
US_02	UC_01	As a decision maker or sales employee, I want to see the number of vehicles connected to my Caruso dataplace account to see how many vehicles I have.	Should
US_03	UC_01	As a decision maker or sales employee, I want to search for a vehicle to quickly find it in the table. <i>The search criteria correlate to the information which is shown in the vehicle table. This means that vehicles can be hidden or shown if the search text corresponds to the vehicle table entry.</i>	Should
US_04	UC_01	As a decision maker or sales employee, I want to filter vehicles in the vehicle table to only see the vehicles which fit my current criteria. <i>The filter criteria correlate to the information which is shown in the vehicle table.</i>	Should

7 Functional Requirements

US_05	UC_01	As a decision maker or sales employee, I want to sort vehicles in the vehicle table to group them according to different criteria. <i>Sorting should be available in ascending and descending order for all columns of the vehicle table.</i>	Should
US_06	UC_01, UC_02, UC_03	As a decision maker or sales employee, I want to export and download a list of my vehicles, vehicle specific data and data for my whole fleet as a PDF to show my coworkers.	Could
US_07	UC_02	As a decision maker or sales employee, I want to view statistics and current information of a vehicle to gain a better understanding of Caruso data. <i>The shown data items are set by the sales employee in form of widgets. A list of all possible widgets can be found in table 7.3. This reduces user story redundancy, as they don't have to be repeated for the decision maker.</i>	Must
US_08	UC_02	As a decision maker or sales employee, I want to see if a vehicle supports a vehicle-specific widget to know which data items are available for that vehicle.	Must
US_09	UC_02, UC_03	As a decision maker or sales employee, I want to know when the data shown by widgets was last updated to be convinced of their recency.	Must
US_10	UC_03	As a decision maker or sales employee, I want to view statistics and current information of my whole fleet to gain an overview of my fleet and its status. <i>The shown data items are set by the sales employee in form of widgets. A list of all possible widgets can be found in table 7.4. This reduces user story redundancy, as they don't have to be repeated for the decision maker.</i>	Must
US_11	UC_03	As a decision maker or sales employee, I want to see how many of my vehicles provide data to a fleet-specific widget to know which proportion of my fleet supports the data item.	Must
US_12	UC_03	As a decision maker or sales employee, I want to filter the contents of fleet-specific widgets to only see the data of vehicles which currently interest me. <i>The filter criteria correspond to the columns of the vehicle table. This means that information presented in the vehicle table can be used to show or hide vehicles.</i>	Should

Table 7.2: User stories of the sales employee

US ID	UC	Description	Criteria
US_13	UC_04	As a sales employee, I want to see all projects to know which ones exist.	Must
US_14	UC_04	As a sales employee, I want to search for projects by name to find a specific project.	Should
US_15	UC_04	As a sales employee, I want to see the amount of projects to know how many projects exist	Should
US_16	UC_04	As a sales employee, I want to see who last changed the project and when to know when it was last updated.	Must

7 Functional Requirements

US_17	UC_04	As a sales employee, I want to see who last viewed the project and when to know if it is still being used. <i>It is considered still in use when the decision maker has opened the project in the application, regardless of whether they are editing something or not.</i>	Must
US_18	UC_05	As a sales employee, I want to create a project to prepare a new presentation for a decision maker.	Must
US_19	UC_06	As a sales employee, I want to edit a project to change project information when needed.	Must
US_20	UC_05, UC_06	As a sales employee, I want to connect a Caruso dataplace account to a project to connect the account's cars to Carvis.	Must
US_21	UC_05, UC_06	As a sales employee, I want to add multiple Caruso dataplace accounts to a project to allow multiple employees to view it.	Should
US_22	UC_05, UC_06	As a sales employee, I want to add a company logo to the project to incorporate the customer's corporate identity (CI). <i>The logo should be visible while using Carvis.</i>	Should
US_23	UC_05, UC_06	As a sales employee, I want to choose a main and accent colour for a project to incorporate the customer's CI.	Should
US_24	UC_05, UC_08	As a sales employee, I want to see a list of all templates to know which are available for creating a new project.	Must
US_25	UC_05, UC_08	As a sales employee, I want to see a preview of the templates to see which template is appropriate for a new project.	Should
US_26	UC_05, UC_08	As a sales employee, I want to search a template by its name to quickly find it in the list.	Should
US_27	UC_07	As a sales employee, I want to delete a project to remove it when it is no longer needed.	Must
US_28	UC_08	As a sales employee, I want to reset a project to start the configuration anew. <i>A project reset only allows changing the original template for the fleet statistic, vehicle table and details view. It does not reset project information such as users, name, colours or logo.</i>	Should
US_29	UC_09	As a sales employee, I want to save a project as a template to be able to use it for future projects.	Must
US_30	UC_10	As a sales employee, I want to add new columns to the vehicle table to show the decision maker relevant vehicle data on the home page. <i>Relevant data that can be shown in the table is the VIN, manufacturer, status, mileage, next event, model and fuel gauge.</i>	Must
US_31	UC_10	As a sales employee, I want to remove information from the vehicle table to show the decision maker only relevant information on the home page.	Must
US_32	UC_10	As a sales employee, I want to change the order of information in the vehicle table to prioritise the information for the decision maker.	Should
US_33	UC_11	As a sales employee, I want to see a preview for a widget that I want to add to know how it will look before I add it.	Should
US_34	UC_12	As a sales employee, I want to delete a widget to remove information that is not interesting for the decision maker.	Must
US_35	UC_13	As a sales employee, I want to move a widget to prioritise their order for the decision maker.	Should

7 Functional Requirements

US_36	UC_11, UC_12, UC_13	As a sales employee, I want to undo my last action to correct mistakes I have made.	Should
US_37	UC_11, UC_12, UC_13	As a sales employee, I want to redo my last action to correct an accidentally undone action.	Should

Table 7.3: User stories of the sales employee for vehicle-specific widgets

US ID	UC	Description	Criteria
US_38	UC_11	As a sales employee, I want to add a widget to the decision maker's project which includes the VIN, manufacturer and mileage of a vehicle so that they know which vehicle is currently being viewed.	Should
US_39	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows the current fuel gauge and remaining drivable distance in kilometres of a vehicle to know if the vehicle needs to be refuelled.	Should
US_40	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows upcoming events of a vehicle to know if it will be out of commission soon. <i>Events are service appointments, general inspections or oil changes.</i>	Should
US_41	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows the current position and speed of a vehicle on a map to see where it is and if it is driving.	Should
US_42	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows past rides and stops of a vehicle on a map to know how the vehicle was used in the past.	Should
US_43	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows a statistic of driven kilometres per week day to know when it is being used.	Should
US_44	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows a chronological list of vehicle events to know when something has happened to the vehicle. <i>Vehicle events refers to accidents or indicator lamps. Accidents should be highlighted to alert the decision maker of possible damage to the vehicle.</i>	Should
US_45	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows a history of driven speeds to know how safely the vehicle is being driven.	Should
US_46	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows the current indicator lamps of a vehicle to know if something is wrong and needs attention.	Should
US_47	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows information about the current ride to know where the vehicle is and what it is doing. <i>Current information about rides includes the start time and which street it has last stopped in.</i>	Should

7 Functional Requirements

US_48	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows the current fuel consumption per 100 kilometres to know how high it is.	Should
-------	-------	---	--------

Table 7.4: User stories of the sales employee for fleet-specific widgets

US ID	UC	Description	Criteria
US_49	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows the distribution of vehicles from different manufacturers to know how many of the vehicles are from which one.	Should
US_50	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows a chronological list of all vehicle events to know which vehicle recently had an event. <i>Vehicle events refers to accidents or indicator lamps. Accidents should be highlighted to alert the decision maker of possible damage to the vehicle.</i>	Should
US_51	UC_11	As a sales employee, I want add a widget which shows the distribution of engine types to know how many vehicles have which type. <i>Engine types are fuel, electric or hybrid.</i>	Should
US_52	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows a statistic of driven kilometres per week day of all vehicles to know when they are being used.	Should
US_53	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows a map of all vehicle positions to know where they are.	Should
US_54	UC_11	As a sales employee, I want to add a widget to the decision maker's project which shows the total mileage of all vehicles as well as the average mileage to know how high it is.	Should

Chapter 8

Non-Functional Requirements

This chapter will introduce all non-functional requirements of the project. They are grouped according to the Volere template³ and presented as snowcards, including an id, a name, a type, description, fit criterion and a priority. Like the functional requirements, they are prioritised according to the MoSCoW method.

8.1 Look and Feel Requirements

The following section will discuss the visual and tactile aspects of Carvis to ensure that it meets the desired standards for aesthetics and usability.

Table 8.1: Requirement NFR_1 – Simple and understandable

#	NFR_1	Type	Appearance Requirements	Prio	Should
	Title	Simple and understandable			
	Description	Carvis should have a simple, easily understandable interface for non-technical users to not overwhelm them. It should feel “live”, using data items that are as recent as possible.			
	Fit Criterion	A survey is launched which asks respondents to rate how easy the UI is to use based on looks alone.			

8.2 Usability and Humanity Requirements

This section describes the requirements for how easy Carvis should be to use and how well it should meet the needs and expectations of its users.

³<https://www.volere.org/>

8 Non-Functional Requirements

Table 8.2: Requirement NFR_2 – Quick and easy

#	NFR_2	Type	Style Requirements	Prio	Could
Title Quick and easy					
Description The UI should be easy and quick to use, but still bring added value to the user.					
Fit Criterion A user can navigate to specific pages within 5 seconds.					

Table 8.3: Requirement NFR_3 – Fast creation of a data appetiser

#	NFR_3	Type	Usability and Humanity Requirements	Prio	Must
Title Fast creation of a data appetiser					
Description For a sales employee, a data appetiser should be able to be created for the decision maker in under one hour.					
Fit Criterion The tester creates a defined data appetiser from a real case in under one hour from scratch.					

Table 8.4: Requirement NFR_4 – Quick recognisability

#	NFR_4	Type	Usability and Humanity Requirements	Prio	Should
Title Quick recognisability					
Description Ease of use is a prerequisite for the customers. Information should be limited to the most necessary for the home page and be quickly available at a glance. It is not assumed that customers already have some experience with the digital world. Basic terms from the automotive industry such as VIN, on the other hand, should be known to all customers.					
Fit Criterion The decision maker can use Carvis after watching the sales employee give their sales pitch.					

Table 8.5: Requirement NFR_5 – Language

#	NFR_5	Type	Personalisation and Internationalisation Requirements	Prio	Should
Title Language					
Description For the sales employee, English is set as the default language. Since configurations are only created by Caruso where English is being spoken. I18n is therefore not necessary.					
Fit Criterion All texts are in English					

8.3 Performance Requirements

This section covers the performance requirements of the product, including availability, capacity and scalability.

8 Non-Functional Requirements

Table 8.6: Requirement NFR_6 – Learning Phase

#	NFR_6	Type	Learning Requirements	Prio	Should
Title Learning Phase					
Description The decision maker will receive a short presentation using Carvis from the sales employee, but will also be able to use it alone. Customers will only spend a short time on Carvis, so learning should be kept to a minimum. The customer's view should be very understandable and easy to use. The sales employee will repeatedly use Carvis, thus a longer learning curve is to be expected.					
Fit Criterion A task catalog in the decision maker view should be created, which should be completed by several testers within a given time.					

Table 8.7: Requirement NFR_7 – Adding New Content

#	NFR_7	Type	Scalability and Extensibility Requirement	Prio	Should
Title Adding New Content					
Description As it is intended to service a wide range of customers with different interests, the ability to add new templates and widgets quickly is crucial.					
Fit Criterion Most new widgets and templates can be created in less than a work day and will appear in their respective lists automatically. Widgets that are more complicated, such as driver scoring, may take longer.					

Table 8.8: Requirement NFR_8 – Data Availability

#	NFR_8	Type	Reliability and Availability Requirement	Prio	Must
Title Data Availability					
Description Limitations in the availability of the data items are completely on the side of the Caruso API and OEMs. Only a steady connection to the Caruso API must be insured.					
Fit Criterion An error message is displayed if the Caruso API is unavailable.					

Table 8.9: Requirement NFR_9 – Uptime

#	NFR_9	Type	Reliability and Availability Requirement	Prio	Should
Title Uptime					
Description Decision makers are unlikely to spend much time on Carvis by themselves, and likely only in short windows. This makes it all the more important that when they decide to use it that it is running and available.					
Fit Criterion Carvis should be running and available 99% of the time.					

8.4 Security Requirements

This section covers the access and privacy requirements for the product.

8 Non-Functional Requirements

Table 8.10: Requirement NFR_10 – Multiple Viewers

#	NFR_10	Type	Access Requirement	Prio	Will not
	Title	Multiple Viewers			
	Description	Decision makers should have access to their cars that are connected via the Caruso dataplace and should also be able to delegate access to other employees within their company. The decision maker should be able to decide who has access sensitive information and can perform certain actions. This functionality is already given within the Caruso dataplace.			
	Fit Criterion				

Table 8.11: Requirement NFR_11 – Configurator Vehicles

#	NFR_11	Type	Privacy Requirement	Prio	Must
	Title	Configurator Vehicles			
	Description	It is important to keep in mind that configurators do not have access to the cars registered to a decision maker. They can only access the cars that they are specifically assigned to. This should be considered when designing the configurator's view, as it may be necessary to include some example cars that can be used for testing purposes.			
	Fit Criterion	The configurator uses VirtualOEM from Caruso, which provides a set of sample cars that can be used for testing and development. This will help to ensure that configurators are able to effectively test and debug their configurations without needing access to actual cars.			

Table 8.12: Requirement NFR_12 – Consent Management

#	NFR_12	Type	Privacy Requirement	Prio	Will Not
	Title	Consent Management			
	Description	One important aspect of the privacy requirements in an application concerning connected cars is consent management. Consent management refers to the processes and systems in place for obtaining and documenting an individual's consent for the collection, use, and sharing of their personal data. In the case of Carvis, consent management is handled by Caruso and is therefore not subject of this project.			
	Fit Criterion				

Chapter 9

Risks

In this section of the specification, a list of the most likely and most serious risks for the project will be provided, along with the probability of them becoming a problem and any contingency plans in place. The probability of a risk becoming a problem is rated low, medium or high, with low being the least likely and high being the most likely. Risk management involves identifying, developing contingency plans in case they do become problems, and monitoring the project to give early warnings of potential risks.

One potential risk for this project is the possibility of widgets being unsuitable, due to the focus on one use case and the widgets not being created in consultation with the relevant decision makers. This risk is medium as it has the potential to significantly impact the overall success of the project. If the wrong widgets are developed, it could lead to delays and additional costs. To mitigate this issue the sales employee has been consulted to ensure that the widgets are relevant to the use cases. As a contingency, the decision makers have to be consulted to ensure that the widgets are relevant to the use cases.

A potential risk for this project is that the feasibility of the widgets was not checked in practice. This risk is medium as it could have some impact on the project. If widget are unsuitable, the use of the application will suffer. To reduce the impact of this issue, all widgets were designed with the capabilities of the Caruso dataplace in mind, specifically their data catalogue. In case of any issues, the widgets can be adjusted to fit the capabilities of the Caruso dataplace or be discarded.

There is a low risk that the configuration may not be easy to understand. To mitigate this issue, the configuration has been designed in cooperation with the sales

employee. This ensures that the configuration is clear and easy to follow, reducing the probability of it becoming a problem. If the configuration does happen to be confusing, a contingency plan should be put in place to provide additional support and assistance to those who may be struggling to understand it. This includes providing additional resources and guidance to help individuals navigate the configuration more effectively or even providing additional training to help them understand the configuration.

Caruso may not invest their own development time into this project. While this could potentially be a problem, there is no hard requirement for a specific set of functionality, so the risk of this becoming a real issue is relatively low. However, it is important to note that this risk could only become a problem after the timeline of this project has been completed. As such, a contingency plan is not currently within the scope of this project. If Caruso does not invest their own development time into the project, it may be necessary to reassess the situation and consider potential alternative solutions or approaches.

Chapter 10

Outlook

This additional chapter briefly addresses the future of the application, which is not currently part of the scope but can still be kept in mind as information. According to Caruso's CEO, the future of the application can be divided into three phases: The bronze, silver and gold phase. The three phases represents the development of the application from a data appetiser to a productive system.

After the first development phase is completed and the application proves to be useful, in the bronze phase the project will be taken up again by internal development and set up again on a larger scale.

In the silver phase, the application should also be able to be used productively for customers and exceed the scope of data appetiser. In the gold phase, the intention is to sell the application as a productive system to customers.

Glossary

Caruso API

The Caruso interface through which vehicle data is received from the OEMs and vehicles can be registered.

Caruso dataplace

A digital marketplace where Caruso sells subscriptions to data items.

CI

Corporate identity. The manner in which a company presents itself and its products to the public, for example logos, colours or brands.

data appetiser

A presentation showcasing Caruso data items.

data item

A single standardised point of data sold in the Caruso dataplace.

MoSCoW method

A prioritisation method for requirements. Stands for Must have, Should have, Could have and Won't have.

non-technical

A person who uses or otherwise interacts with Caruso data items without deeper knowledge or understanding of the technology behind them.

OEM

Original equipment manufacturer. The car manufacturers who sell the raw vehicle data to Caruso.

persona

A fictional person representative of a stakeholder in the project.

stakeholder

A person, group, company or other entity who is impacted by the success of the project. Can be separated into the core target group, direct stakeholders and indirect stakeholders.

telematics data

Data that is automatically gathered and transmitted during the use of a vehicle such as position, fuel gauge or indicator lamps.

use case

A standalone action the user wants to take with the help of the application to achieve a specific goal.

user story

A requirement in the form “as a *role* I want to *action* to achieve *goal*”

VIN

Vehicle identification number. A unique identifier for a vehicle. Used to register vehicles in the Caruso dataplace. Used by both technical and non-technical people.

widget

A small, standalone piece of the user interface built for a single purpose.

List of Tables

1	Change log	i
6.1	Use Case Table	19
7.1	User stories of the decision maker and sales employee	32
7.2	User stories of the sales employee	33
7.3	User stories of the sales employee for vehicle-specific widgets	35
7.4	User stories of the sales employee for fleet-specific widgets	36
8.1	Requirement NFR_1 – Simple and understandable	37
8.2	Requirement NFR_2 – Quick and easy	38
8.3	Requirement NFR_3 – Fast creation of a data appetiser	38
8.4	Requirement NFR_4 – Quick recognisability	38
8.5	Requirement NFR_5 – Language	38
8.6	Requirement NFR_6 – Learning Phase	39
8.7	Requirement NFR_7 – Adding New Content	39
8.8	Requirement NFR_8 – Data Availability	39
8.9	Requirement NFR_9 – Uptime	39
8.10	Requirement NFR_10 – Multiple Viewers	40
8.11	Requirement NFR_11 – Configurator Vehicles	40
8.12	Requirement NFR_12 – Consent Management	40

List of Figures

2.1	Stakeholders map containing the prioritised stakeholders for the project	5
2.2	Persona: Sales Employee	8
2.3	Persona: Decision Maker	9
2.4	Persona: Configurator	10
4.1	Graph of different Caruso customers ordered by revenue potential and market maturity.	13
5.1	Stakeholders	15
5.2	Context Diagram	17
6.1	Use Case Diagram	19
6.2	Decision maker's view: home page	21
6.3	Decision maker's view: vehicle page	22
6.4	Decision maker's view: unsupported data item	22
6.5	Decision maker's view: fleet statistics page	23
6.6	Sales employee's view: project selection page	24
6.7	Sales employee's view: project details	25
6.8	Sales employee's view: template page	25
6.9	Sales employee's view: edit project	26
6.10	Sales employee's view: home page	27
6.11	Sales employee's view: edit vehicle table	28
6.12	Sales employee's view: vehicle page	29
6.13	Sales employee's view: add vehicle data item	29
6.14	Sales employee's view: fleet statistics page	30
6.15	Sales employee's view: add fleet data item	30