

# Problem Set 4

Mark Xavier (xaviem01)

April 28, 2019

## 1. Problem 1

- (a) This is the probability of choosing a coin in category 1 and getting heads plus choosing a coin in category 2 and getting heads plus choosing a coin in category 3 and getting heads, which translates to:

$$P(F = H) = \left(\frac{1}{5} * 0.2\right) + \left(\frac{2}{5} * 0.3\right) + \left(\frac{2}{5} * 0.9\right) = 0.52$$

- (b) Then we get:

$$E(C = x) = \#flips * p(heads)$$

$$E(C = 1) = 0.2 * 10 = 2$$

$$E(C = 2) = 0.3 * 10 = 3$$

$$E(C = 3) = 0.9 * 10 = 9$$

$$E(Choose = 3, Flip = 10) = \sum_{i=1}^3 P(C = i) * E(C = i) = \frac{1}{5} * 2 + \frac{2}{5} * 3 + \frac{2}{5} * 9 = 5.2$$

- (c) Assuming  $C$  is the category and  $F$  represents the flip (Either  $H$  or  $T$ ) then we are asked to find  $P(C = 1|F = H)$ ,  $P(C = 2|F = H)$ ,  $P(C = 3|F = H)$ . The overall formula for any category  $c$  is:

$$P(C = c|F = H) = \frac{P(F = H|C = c) * P(C = c)}{P(F = H)}$$

The denominator is calculated in (a),  $P(C = c)$  is simply the number of coins in category  $c$  divided by 5, and  $P(F = H|C = c)$  is given in the problem prompt, so we have:

$$P(C = 1|F = H) = \frac{\frac{1}{5} * 0.2}{0.52} = 0.077$$

$$P(C = 2|F = H) = \frac{\frac{2}{5} * 0.3}{0.52} = 0.230$$

$$P(C = 3|F = H) = \frac{\frac{2}{5} * 0.9}{0.52} = 0.692$$

$$P(F2 = H|F1 = H) = \sum_{i=1}^3 P(C = i) * P(F = H|C = i)^2 = 0.36$$

- (d)

$$P(C = x|F1 = H, F2 = H) = \frac{P(F1 = H, F2 = H|C = x) * P(C = x)}{P(F1 = H, F2 = H)}$$

We've already calculated the denominator in the previous question, so we just have to worry about the numerators.

$$\sum_{i=1}^3 P(C = i|F1 = H, F2 = H) = 0.395$$

- (e) The probability of getting heads is part (a) of this assignment, which is 0.52. This means it's a little over a 50/50 chance that you will get heads. If you bet heads, the expected payout is  $E(X) = (0.52 * 10) + (0.48 * -10) = 0.4$ . This means on average over a large number of plays, we expect a payout of \$0.40, so you should bet Heads and expect to win 40 cents over the long term.
- (f) The proper bet is clearly to bet on the outcome of the first flip. Since none of the coins are fair, they all tend to lean toward either Heads or Tails, meaning that your first flip is more likely land on the side with the higher probability. You can of course change your strategy if it turns out you get more of one side than the other, the first flip may be a fluke, resulting in the side with the lower probability. Now we change our base probability, so we calculate  $P(Win) = P(C = i) * \max(P(F = H|C = i), P(F = T|C = i))$  and we use  $P(Win)$  in our previous formula. So, given the definition above,  $P(Win) = 0.8$  and our expected value is 6.

2. Problem 2, expected values are:

- 1 Reviewer: In this case, we have an expected value of 420, since the reviewer chooses to publish with a probability of 0.46, which is  $P(R = Y|S = T)P(S = T) + P(R = Y|S = F)P(S = F)$  where  $S$  is whether it is True or False that the publishing is successful, and  $R$  is the reviewer response (Yes or No to publishing). Success leads to a payoff of 49,500, failure leads to a payout of -500, and each of these occur with probability 0.46 and 0.54 respectively, leading to 420.
- Expected value here is -306.8.
- Expected value is -80.

3. Problem 3