

CL=CSCI 160

CLASS 8

GIVE ANSWERS IN THE SPACED INDICATED BELOW.
BE CAREFUL WITH, AND JUSTIFY YOUR ANSWERS!
DO WELL!!!

Simplify as much as possible the following Boolean expression:

$$x'yz + x'yz' + xy + x'y + xyz + y'z =$$

Solution

$$\begin{aligned} x'yz + x'yz' + \underline{xy} + \underline{x'y} + xyz + y'z &= x'yz + x'yz' + (x + x')y + xyz + y'z = & (4) & (5) \\ &= \underline{x'yz} + \underline{x'yz'} + y + xyz + y'z = x'y(z + z') + y + xyz + y'z = & (4) & (5) \\ &= x'y + \underline{y} + \underline{xyz} + y'z = \underline{x'y} + \underline{y} + y'z = y + y'z = (y + y')(y + z) = \boxed{y + z} & (12) & (12) & (4) & (5) & (2) \end{aligned}$$

Note: I could have applied (12) sooner, and finished quicker!

HW 7.2

Prove:

$$(x+y)(y+z)(z+x') = (x+y)(z+x')$$

Solution

$$\underbrace{(X+Y)(Y+Z)(Z+X')}_{\text{LS}} = \underbrace{(X+Y)(Z+X')}_{\text{RS}}$$

Note: (12) Absorption: $X + XY = X$

$$\begin{aligned} \text{LS} &= \overset{(4)}{(XY + XZ + Y + YZ)} \overset{(4)}{(Z + X')} \overset{(7)}{=} \overset{(12)}{XZ} \overset{(7)}{+} \overset{(7)}{YZ} + \overset{(12)}{XZ} \overset{(7)}{+} \overset{(7)}{YZ} + \underbrace{XX'Y}_{0 \text{ (5)}} + \underbrace{XX'Z}_{0 \text{ (8)}} + \overset{(12)}{X'Y} + \overset{(12)}{X'YZ} = \boxed{XZ + YZ + X'Y} \end{aligned}$$

$$\text{RS} = XZ + \underbrace{XX'}_{0 \text{ (5)}} + YZ + X'Y \overset{(5)}{=} \boxed{XZ + YZ + X'Y} \overset{(2)}{=} \text{LS}$$

HW 7.3

2-2 (a) $\overline{X}\overline{Y} + \overline{X}Y + XY = \overline{X} + Y$ equality to prove

Solution

$$\text{LS} = \overline{X}(\overline{Y} + Y) + XY \overset{(5)}{=} \overline{X} + XY \overset{(4)}{=} \underbrace{(\overline{X} + X)}_1 (\overline{X} + Y) \overset{(5)}{=} \overline{X} + Y = \text{RS}$$

HW 7.3 (continuation)

2-2 (cont.) b) Prove: $\underline{\bar{A} B} + \underline{\bar{B} C} + \underline{A B} + \underline{\bar{B} C} = 1$ Solution

$$(4) \quad \underbrace{(\bar{A} + A)}_{(2)} B = B \quad (5)$$

$$\begin{aligned} \text{LS} &= \underbrace{B + \bar{B} \bar{C} + \bar{B} C}_{(5)} = \underbrace{B + \bar{B}(\bar{C} + C)}_{(4)} = \underbrace{B + \bar{B}}_{(2)} = 1 = \text{RS} \quad (5) \end{aligned}$$

c) Prove: $Y + \bar{X}Z + X\bar{Y} = X + Y + Z$ Solution

To prove: $\text{LS} = \underline{Y + \bar{X}Z} + \underline{X\bar{Y}} = X + Y + Z = \text{RS}$

$$\text{LS} = (Y + X)(Y + \bar{Y}) + \bar{X}Z \stackrel{(4)}{=} \underbrace{(X + Y)}_{(2)} + \bar{X}Z \stackrel{(4)}{=} (X + Y + \bar{X})(X + Y + Z) \stackrel{(5)}{=} \underbrace{(X + Y + Z)}_{(8)} = \text{RS}$$

d) Prove: $\bar{X}\bar{Y} + \bar{Y}Z + XZ + X\bar{Y} + Y\bar{Z} = \bar{X}\bar{Y} + XZ + Y\bar{Z}$ Solution 1 Expand both sides, s.t. each term

contains all 3 variables: $\text{LS} \stackrel{(2)}{=} \bar{X}\bar{Y} \underbrace{(Z + \bar{Z})}_1 + \underbrace{(X + \bar{X})}_{(5)} \bar{Y}Z + XZ \underbrace{(Y + \bar{Y})}_1 + X\bar{Y} \underbrace{(Z + \bar{Z})}_1 + \underbrace{(X + \bar{X})}_{(4)} Y\bar{Z} =$

$$= \bar{X}\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + \cancel{X\bar{Y}Z} + \cancel{\bar{X}\bar{Y}\bar{Z}} + X\bar{Y}Z + \cancel{X\bar{Y}\bar{Z}} + \cancel{X\bar{Y}Z} + X\bar{Y}\bar{Z} + \cancel{X\bar{Y}\bar{Z}} + \cancel{\bar{X}\bar{Y}\bar{Z}} \stackrel{(7)}{=}$$

$$= \bar{X}\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + X\bar{Y}Z + X\bar{Y}\bar{Z} + X\bar{Y}\bar{Z} + \bar{X}\bar{Y}\bar{Z}$$

$$\text{RS} \stackrel{(2)}{=} \bar{X}\bar{Y} \underbrace{(Z + \bar{Z})}_{(5)} + X \underbrace{(Y + \bar{Y})}_{(4)} Z + (X + \bar{X}) Y \bar{Z} = \bar{X}\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + X\bar{Y}Z + X\bar{Y}\bar{Z} + X\bar{Y}\bar{Z} + \bar{X}\bar{Y}\bar{Z} = \text{LS}$$

Solution 2 - Hint

d) Prove: $\bar{X}\bar{Y} + \bar{Y}Z + XZ + XY + Y\bar{Z} = \bar{X}\bar{Y} + XZ + Y\bar{Z}$

Consider only the terms in LS that are not in RS, and expand only those.

$$\bar{Y}Z + XY = (X + \bar{X})\bar{Y}Z + XY(Z + \bar{Z}) = \underbrace{X\bar{Y}Z}_{\text{absorbed by } XZ \in \text{LS}} + \underbrace{\bar{X}\bar{Y}Z}_{\text{absorbed by } \bar{X}\bar{Y} \in \text{LS}} + \underbrace{XYZ}_{\text{absorbed by } XZ \in \text{LS}} + \underbrace{XY\bar{Z}}_{\text{absorbed by } Y\bar{Z} \in \text{LS}}$$

Notice how all these terms get absorbed according to (12) by other terms on the LS...

... and they all disappear!

HW 7.3 (continuation)

2-4 +Given that $A \cdot B = 0$ and $A + B = 1$, use algebraic manipulation to prove that

$$(A + C) \cdot (\bar{A} + B) \cdot (B + C) = B \cdot C$$

Hint

I Note that by (5) $A = \bar{B}$, which is equivalent with $B = \bar{A}$

II Multiply out.

2-8 Using DeMorgan's theorem, express the function

$$F = A\bar{B}C + \bar{A}\bar{C} + AB$$

(a) with only OR and complement operations

(b) with only AND and complement operations.

Hint Use De Morgan's (10):

for (a):

$$x \cdot y \stackrel{(9)}{=} ((x \cdot y)')' \stackrel{(10)}{=} (x' + y')'$$

for (b):

$$x + y = ((x + y)')' = (x' \cdot y')'$$

2-9 Complement the following expressions:

a) $A\bar{B} + \bar{A}B$

We perform a) --> the rest still as HW 8.0 (if not done yet)

$$\overline{(A\bar{B} + \bar{A}B)} \stackrel{(10)}{=} \overline{(A\bar{B})} \cdot \overline{(\bar{A}B)} \stackrel{(10)}{=} (\bar{A} + B)(A + \bar{B}) \stackrel{(4)}{=} A\bar{B} + \bar{A}B \stackrel{(5)}{=}$$

Table

Boolean Expressions for the 16 Functions of Two Variables

Boolean functions	Operator symbol	Name	Comments
$F_0 = 0$		Null	Binary constant 0
$F_1 = xy$	$x \cdot y$	AND	x and y
$F_2 = xy'$	x/y	Inhibition	x , but not y
$F_3 = x$		Transfer	x'
$F_4 = x'y$	y/x	Inhibition	y , but not x
$F_5 = y$		Transfer	y
$F_6 = xy' + x'y$	$x \oplus y$	Exclusive-OR	x or y , but not both
$F_7 = x + y$	$x + y$	OR	x or y
$F_8 = (x + y)'$	$x \downarrow y$	NOR	Not-OR
$F_9 = xy + x'y'$	$(x \oplus y)'$	Equivalence	x equals y
$F_{10} = y'$	y'	Complement	Not y
$F_{11} = x + y'$	$x \subset y$	Implication	If y , then x
$F_{12} = x'$	x'	Complement	Not x
$F_{13} = x' + y$	$x \supset y$	Implication	If x , then y
$F_{14} = (xy)'$	$x \uparrow y$	NAND	Not-AND
$F_{15} = 1$		Identity	Binary constant 1

HW 8.1 - assigned

By substitution the Boolean expression equivalent of the binary operation as defined in **Table of 16 functions on 2 variables**, show the following:

- (a) The inhibition operation is neither commutative nor associative.
- (b) The exclusive-OR operation is commutative and associative.