



Building Tiny Private openSUSE Cloud

@openSUSE.Asia Summit 2018

Masayuki Igawa

masayuki@igawa.io

[masayukig](#) on Freenode, GitHub,
Twitter, LinkedIn

June 23, 2018

@openSUSE.Asia Summit 2018
<https://github.com/masayukig/cheap-cloud>



Agenda

- ▶ Who I am?
- ▶ What is “the OpenStack”?
- ▶ What I did
- ▶ Why do I need it?
- ▶ How to build it?
- ▶ Benefits
- ▶ Issues
- ▶ Demo
- ▶ Future Work
- ▶ Conclusion

DISCLAIMER


These slides are my own opinion

Who I am?

- ▶ Company : 2017.3- SUSE/Novell Japan -> 2019 ??? ("Further Independence for SUSE")
 - ▶ SUSE OpenStack Cloud QE(Quality Engineering) Team (I'm the only one person who are in Japan and Japanese)
["SUSE Acquires OpenStack IaaS and CF PaaS Talent and Tech Assets from HPE ..."](#)
- ▶ Job: Senior Software Engineer/Open Source Programmer
 - ▶ [OpenStack QA](#) Up/Downstream development, Core Reviewer
(Tempest, OpenStack-Health, Subunit2SQL, Stackviz)
 - ▶ stackalytics.com/?user_id=igawa, github.com/masayukig
- ▶ Books
 - ▶ [OpenStack Cloud Integration \(OpenStack クラウドインテグレーション\)](#)
 - ▶ [Infra CI Pragmatic Guide - Ansible/GitLab \(インフラ CI 実践ガイド\)](#) (as a reviewer)
- ▶ Hobby
 - ▶ Bike, Diet, etc.

What is the “OpenStack”?

- Open Source Cloud OS Software: Apache License Version 2.0
- Written in Python
- There are a lot of ‘OpenStack’ projects: [65 projects\(2018-06-18\)](https://www.openstack.org/user-stories/)
- Released every 6 month: Latest version is called ‘Queens’
- Users: AT&T, AA, BBVA, Bloomberg, CERN, China Mobile, Gap, VEXXHOST, Volkswagen, WALMART, etc.. <https://www.openstack.org/user-stories/>



What I did

- ▶ Got 1U servers * 3
- ▶ Set up the servers
- ▶ Installed openSUSE
- ▶ Installed OpenStack
- ▶ Using VMs

Why do I need the private Cloud?

- ▶ Very Good Exercise to learn Computer, Network, Storage
- ▶ Understand the Cloud architecture
- ▶ Use VMs for sandboxes such as k8s, mesos, etc.
- ▶ **FUN!!**

How to get cheap servers?

Yahoo! Auction (similar to ebay)

ログイン
IDでもっと便利に新規取得

フリマ オークション すべて

lu

すべてのカテゴリ > コンピュータ > サーバー

検索条件 この条件を保存

▼ カテゴリ 解除

コンピュータ
サーバー (145)
サーバー本体 (134)
サーバーラック (7)
その他 (4)

検索結果 約145件

検索対象：タイトル キーワード：lu X

lu ラック luxman p-lu p-lu wh-f1u で検索

落札相場を調べる おすすめ順とは？

おおまかに ▼

Get 1U servers * 3

► Yahoo! Auction!!

Dell PowerEdge R410 * 3: 59.58k JPY (1.64k TWD/538 USD)

☆Dell PowerEdge R410 [2*X L5640-2.27GHz(6C)/32GB/2*250GB] !

落札価格: **18,520 円**

入札件数: **18** (入札履歴)

| | |
|------|-------------------|
| 残り時間 | 終了 |
| 入札単位 | 500円 |
| 商品状態 | 中古 |
| 終了日時 | 2017年9月18日 22時59分 |

1U, Xeon L5640(6cores * 2CPU HT), 32GB RAM, 250GB HDD*2
(Cost: 18.52k JPY * 3 servers = 55.56k, 4.02k (for a rental car))

Install the servers

Problem - Where should I put them?

- ▶ Stack on the floor? -> Hard to move
- ▶ Rack? -> Too expensive

Solution: LackRack - <https://wiki.eth0.nl/index.php/LackRack>




Implemented



Install openSUSE


No automation such as autoyast, ansible, puppet, etc

- ▶ Download image and burn it to a USB stick
(<https://software.opensuse.org/distributions/leap>)
- ▶ Install from that media
- ▶ Update it to the latest: \$ sudo zypper dup




Install OpenStack: Use openSUSE rpm packages

- ▶ Read the Doc (e.g. <https://docs.openstack.org/install-guide/>)
- ▶ Install from the openSUSE repo
- ▶ Configure




My Cloud Network



Update OpenStack

- ▶ Update the repo and just zypper update
- ▶ **No configuration change!**

Use VMs: Mesos DC/OS



Use VMs: Rancher

The screenshot shows the Rancher interface with two hosts listed:

- Host 1: cow01.novalocal**
 - IP: 172.17.0.1 | Version: 17.09.1-ce
 - OS: RancherOSv1.3.0-rc1 (4.15.9)
 - CPU: 4x3.4 GHz | RAM: 3.85 GiB | Storage: 7.43 GiB
 - Stack: healthcheck**
 - ..healthcheck-1 IP: 10.42.177.204
 - Stack: ipsec**
 - ..cni-driver-1 None
 - ..ipsec-1 IP: 10.42.101.159
 - Sidekicks**: ..cni-driver-2 (None), ..ipsec-2 IP: 10.42.59.40
- Host 2: cow02.novalocal**
 - IP: 10.0.0.63 | Version: 17.09.1-ce
 - OS: RancherOSv1.3.0-rc1 (4.15.9)
 - CPU: 4x3.4 GHz | RAM: 3.85 GiB | Storage: 7.43 GiB
 - Stack: ipsec**
 - ..cni-driver-2 None
 - ..ipsec-2 IP: 10.42.59.40
 - Sidekicks**: ..cni-driver-2 (None), ..ipsec-2 IP: 10.42.59.40
 - Namespace: kube-system**
 - tiller-deploy-cc9... Failed to find lab...
 - Containers**: ..tiller-deploy-cc9... (Warning)

Benefits

- ▶ Free to use!!!
- ▶ Low Cost to start
- ▶ Powerful
- ▶ Low Network Latency
- ▶ Warm (in winter)

Issues

- ▶ Electricity cost: 10,000 JPY/month (Expensive)
- ▶ Noise (Imagin a server room)
- ▶ Space (Expensive in Tokyo)
- ▶ Failures (HDD, Power Unit... Expensive)
 - > Replaced the broken HDD to SSD
- ▶ Abandonment (Expensive)

Demo (if possible...)

- ▶ Boot an Instance

Future work

- ▶ Upgrade openSUSE to Leap 15.0 (WIP)
- ▶ Use a Raspberry Pi3 model B+ as a controller node
- ▶ Use more k8s things
- ▶ Automation (Bash, Ansible, etc.)

Conclusion

- ▶ Initial cost can be low but **EXPENSIVE** to maintain and **NOISY**
- ▶ Freedom of cloud usage
- ▶ Own physical servers and play with it is super **FUN!**