

A First Course In Statistics

Andrea Mascaretti

2020-02-05

Contents

| | | |
|----------|----------------------------------|-----------|
| 1 | Prerequisites | 5 |
| 1.1 | Installing the package | 5 |
| 1.2 | Some useful links | 5 |
| 1.3 | Licence | 6 |
| 2 | Introduction | 7 |
| 3 | Literature | 9 |
| 4 | Methods | 11 |
| 5 | Applications | 13 |
| 5.1 | Example one | 13 |
| 5.2 | Example two | 13 |
| 6 | Final Words | 15 |

Chapter 1

Prerequisites

UNDER CONSTRUCTION!

Welcome to this introductory course in statistics with R! This book will help you get started and will guide you through the material of the course.

The material of this course is based on the **moxier** package. It consists of a series of learnr notebooks that will guide through your first steps into the wonderful world of statistics and statistical computing!

1.1 Installing the package

1.1.1 Install the remote package

To install **moxier**, first of all you need to download the **remotes** package. To do so, simply type into your console

```
if (!requireNamespace("remotes", quietly = TRUE))  
  install.packages("remotes")
```

1.1.2 Install **moxier**

You are now ready to install **moxier**! Type into your console

```
remotes::install_github("mascaretti/moxier")
```

Voilà! You are good to go!

1.2 Some useful links

You can browse the source code at <https://github.com/mascaretti/moxier>. If you need to report a bug, do it at <https://github.com/mascaretti/moxier/issues>.

1.3 Licence

The **moxier** package is subject to the GPL-3 licence.

Chapter 2

Introduction

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter 2. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 4.

Figures and tables with captions will be placed in `figure` and `table` environments, respectively.

```
par(mar = c(4, 4, .1, .1))  
plot(pressure, type = 'b', pch = 19)
```



Figure 2.1: Here is a nice figure!

Table 2.1: Here is a nice table!

| Sepal.Length | Sepal.Width | Petal.Length | Petal.Width | Species |
|--------------|-------------|--------------|-------------|---------|
| 5.1 | 3.5 | 1.4 | 0.2 | setosa |
| 4.9 | 3.0 | 1.4 | 0.2 | setosa |
| 4.7 | 3.2 | 1.3 | 0.2 | setosa |
| 4.6 | 3.1 | 1.5 | 0.2 | setosa |
| 5.0 | 3.6 | 1.4 | 0.2 | setosa |
| 5.4 | 3.9 | 1.7 | 0.4 | setosa |
| 4.6 | 3.4 | 1.4 | 0.3 | setosa |
| 5.0 | 3.4 | 1.5 | 0.2 | setosa |
| 4.4 | 2.9 | 1.4 | 0.2 | setosa |
| 4.9 | 3.1 | 1.5 | 0.1 | setosa |
| 5.4 | 3.7 | 1.5 | 0.2 | setosa |
| 4.8 | 3.4 | 1.6 | 0.2 | setosa |
| 4.8 | 3.0 | 1.4 | 0.1 | setosa |
| 4.3 | 3.0 | 1.1 | 0.1 | setosa |
| 5.8 | 4.0 | 1.2 | 0.2 | setosa |
| 5.7 | 4.4 | 1.5 | 0.4 | setosa |
| 5.4 | 3.9 | 1.3 | 0.4 | setosa |
| 5.1 | 3.5 | 1.4 | 0.3 | setosa |
| 5.7 | 3.8 | 1.7 | 0.3 | setosa |
| 5.1 | 3.8 | 1.5 | 0.3 | setosa |

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 2.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 2.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2020) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).

Chapter 3

Literature

Here is a review of existing methods.

Chapter 4

Methods

We describe our methods in this chapter.

Chapter 5

Applications

Some *significant* applications are demonstrated in this chapter.

5.1 Example one

5.2 Example two

Chapter 6

Final Words

We have finished a nice book.

Bibliography

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2020). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.17.