



## ALTRES PUBLICACIONS OTRAS PUBLICACIONES OTHER PUBLICATIONS

• Rat Genome Sequencing and Mapping Consortium, Baud A, Hermsen R, Guryev V, Stridh P, Graham D, McBride MW, Foroud T, Calderari S, Diez M, Ockinger J, Beyeen AD, Gillett A, Abdelmagid N, Guerreiro-Cacais AO, Jagodic M, Tuncel J, Norin U, Beattie E, Huynh N, Miller WH, Koller DL, Alam I, Falak S, Osborne-Pellegrin M, Martinez-Membrives E, Canete T, Blazquez G, Vicens-Costa E, Mont-Cardona C, Diaz-Moran S, Tobena A, Hummel O, Zelenika D, Saar K, Patone G, Bauerfeind A, Bihoreau MT, Heinig M, Lee YA, Rintisch C, Schulz H, Wheeler DA, Worley KC, Muzny DM, Gibbs RA, Lathrop M, Lansu N, Toonen P, Ruzius FP, de Bruijn E, Hauser H, Adams DJ, Keane T, Atanur SS, Aitman TJ, Flicek P, Malinauskas T, Jones EY, Ekman D, Lopez-Aumatell R, Dominiczak AF, Johannesson M, Holmdahl R, Olsson T, Gauguier D, Hubner N, Fernandez-Teruel A, Cuppen E, Mott R, Flint J.

Combined sequence-based and genetic mapping analysis of complex traits in outbred rats. Nature Genetics **2013**;45(7):767-75.

• Díaz-Morán S, Palència M, Mont-Cardona C, Cañete T, Blázquez G, Martínez-Membrives E, López-Aumatell R, Sabariego M, Donaire R, Morón I, Torres C, Martínez-Conejero JA, Tobeña A, Esteban FJ, Fernández-Teruel A. Gene expression in amygdala as a function of differential trait anxiety levels in genetically

heterogeneous NIH-HS rats.

Behavioural Brain Research 2013

• Díaz-Morán S., Fernández-Teruel A. Integración e interacciones entre los tratamientos farmacológicos y psicológicos de las adicciones: una revisión.

Anales de Psicología (Annals of Psychology), 29: 54-65, 2013

• Díaz-Morán S., Martínez-Membrives E., López-Aumatell R., Cañete A., Blázquez G., Palencia M., Mont.-Cardona C., Estanislau C., Tobeña A., Fernández-Teruel A. What can we learn on roden fearfulness/anxiety from the genetically heterogeneous NIH-HS rat stock?

Open Journal of Psychiatry, 2013, 3, 238-250.





• Andión O., Caseras X., Àngel Fullana M., Fernández-Teruel A., Ferrer M., Casas M., Torrubia R.

Cued aversive classical conditioning in humans: The role of trait- anxiety. Open Journal of Psychiatry, **2013**, 3, 230-237- Published Online

- Palencia M., Díaz-Morán S., Mont.-Cardona C., Cañete A., Blázquez G., Martínez-Membrives E., López-Aumatell R., Tobeña A., Fernández-Teruel A. Helplessness-like escape deficits of NIH-HS rats predict passive behavior in the forced swimming test: Relevance for the concurrent validity of rat models of depression. World Journal of Neuroscience, **2013**, 3, 83-92- Published Online
- Hoekzema E, Carmona S, Ramos-Quiroga JA, Richarte Fernández V, Bosch R, Soliva JC, Rovira M, Bulbena A, Tobeña A, Casas M, Vilarroya O.
   An independent components and functional connectivity analysis of resting state fMRI data points to neural network dysregulation in adult ADHD.
   Human Brain Mapp 2013
- Garcia-Falgueras A, Castillo-Ruiz MM, Put T, Tobeña A, Fernández-Teruel A. Differential hippocampal neuron density between inbred Roman high- (low anxious) and low-avoidance (high anxious) rats.

Neurosci Lett. 2012

• Cuenya L, Sabariego M, Donaire R, Fernández-Teruel A, Tobeña A, Gómez MJ, Mustaca A. Torres C.

The effect of partial reinforcement on instrumental successive negative contrast in inbred Roman High- (RHA-I) and Low- (RLA-I) Avoidance rats.

Physiol Behav. **2012** 

• Díaz-Morán S, Palència M, Mont-Cardona C, Cañete T, Blázquez G, Martínez-Membrives E, López-Aumatell R, Tobeña A, Fernández-Teruel A. Coping style and stress hormone responses in genetically heterogeneous rats: comparison with the Roman rat strains.

Behav Brain Res. 2012





• Hoekzema E, Carmona S, Ramos-Quiroga JA, Richarte Fernández V, Picado M, Bosch R, Soliva JC, Rovira M, Vives Y, Bulbena A, Tobeña A, Casas M, Vilarroya O. Laminar thickness alterations in the fronto-parietal cortical mantle of patients with attention-deficit/hyperactivity disorder.

PLoS One. **2012** 

- Hoekzema E, Carmona S, Ramos-Quiroga JA, Canals C, Moreno A, Fernández VR, Picado M, Bosch R, Duñó L, Soliva JC, Rovira M, Bulbena A, Tobeña A, Casas M, Vilarroya O. Stimulant drugs trigger transient volumetric changes in the human ventral striatum. Brain Struct Funct. **2012**
- Carmona S, Hoekzema E, Ramos-Quiroga JA, Richarte V, Canals C, Bosch R, Rovira M, Soliva JC, Bulbena A, Tobeña A, Casas M, Vilarroya O. Response inhibition and reward anticipation in medication-naïve adults with attention-deficit/hyperactivity disorder: a within-subject case-control neuroimaging study. Hum Brain Mapp. **2012**
- Manzo L, Gómez MJ, Callejas-Aguilera JE, Fernández-Teruel A, Papini MR, Torres C. Oral ethanol self-administration in inbred Roman high- and low-avoidance rats: gradual versus abrupt ethanol presentation.

  Physiol Behav. **2012**
- Díaz-Morán S, Torrubia R, Fernández-Teruel A, Molinuevo B, Tobeña A. Religious upbringing and current religiosity in Spanish nursing and medicine students. Mental Health, Religion & Culture, **2012**
- López-Aumatell R, Martínez-Membrives E, Vicens-Costa E, Cañete T, Blázquez G, Mont-Cardonab C, Johannesson M, Flint J, Tobeña A, Fernández-Teruel A. Effects of environmental and physiological covariates on sex differences in unconditioned and conditioned anxiety and fear in a large sample of genetically heterogeneous (N/Nih-HS) rats.

Behav Brain Funct. **2011** ;7(1):48.

• Alam I, Koller DL, Sun Q, Roeder RK, Cañete T, Blázquez G, López-Aumatell R, Martínez-Membrives E, Vicens-Costa E, Mont C, Díaz S, Tobeña A, Fernández-Teruel A, Whitley A, Strid P, Diez M, Johannesson M, Flint J, Econs MJ, Turner CH, Foroud T. Heterogeneous stock rat: A unique animal model for mapping genes influencing bone fragility

Bone. 2011; 48(5):1169-77.





• Sabariego M, Gómez MJ, Morón I, Torres C, Fernández-Teruel A, Tobeña A, Cañete T, Martínez-Conejero JA, Horcajadas JA, Esteban FJ.

Differential gene expression between in bred Roman high- (RHA-I) and low- (RLA-I) avoidance rats.

Neurosci Lett. 2011; 504(3):265-70.

- Molinuevo B, Escorihuela RM, Fernández-Teruel A, Tobeña A, Torrubia R. How we train undergraduate medical students in decoding patients' nonverbal clues Med Teach. **2011**; 33(10):804-7.
- Sánchez L, Díaz-Morán S, Grau-López L, Moreno A, Eiroa-Orosa FJ, Roncero C, Gonzalvo B, Colom J, Casas M.

Ambulatory group treatment for cocaine dependent patients combining cognitive behavioral therapy and motivational interviewing Psicothema. **2011**; 23(1):107-13.

• Díaz-Morán S, Tobeña A.

Research contributions of Spanish Psychiatry (2004-2009): a bibliometric analysis of a university department

Actas Esp Psiquiatr. **2011**; 39(5):294-301.

• Hoekzema E, Carmona S, Ramos-Quiroga JA, Barba E, Bielsa A, Tremols V, Rovira M, Soliva JC, Casas M, Bulbena A, Tobeña A, Vilarroya O. Training-induced neuroanatomical plasticity in ADHD: a tensor-based morphometric study.

Hum Brain Mapp.**2011**;32(10):1741-9.

• Carmona S, Hoekzema E, Ramos-Quiroga JA, Richarte V, Canals C, Bosch R, Rovira M, Carlos Soliva J, Bulbena A, Tobeña A, Casas M, Vilarroya O.

Response inhibition and reward anticipation in medication-naïve adults with attention-deficit/hyperactivity disorder: A within-subject case-control neuroimaging study.

Hum Brain Mapp. 2011





- Hoekzema E, Carmona S, Tremols V, Gispert JD, Guitart M, Fauquet J, Rovira M, Bielsa A, Soliva JC, Tomas X, Bulbena A, Ramos-Quiroga A, Casas M, Tobeña A, Vilarroya O. Enhanced Neural Activity in Frontal and Cerebellar Circuits After Cognitive Training in Children with Attention-Deficit/Hyperactivity Disorder

  Hum Brain Mapp. **2010**;31(12):1942-50.
- Morón I, Gómez MA, Escarabajal MA, de la Torre L, Cándido A, Maldonado A, Tobeña A, Fernández-Teruel A, Torres C.
   One-way avoidance learning in female inbred Roman high- and low-avoidance rats: effects

Neurosci Lett. 2010;474(1):32-6.

of bilateral electrolytic central amygdala lesions.

- Moreno M, Cardona D, Gómez MJ, Sánchez-Santed F, Tobeña A, Fernández-Teruel A, Campa L, Suñol C, Escarabajal MD, Torres C, Flores P.
   Impulsivity Characterization in the Roman High- and Low-Avoidance Rat Strains:
   Behavioral and Neurochemical Differences
   Neuropsychopharmacology. 2010;35(5):1198-208.
- López-Aumatell R, Vicens-Costa E, Guitart-Masip M, Martínez-Membrives E, Valdar W, Johannesson M, Cañete T, Blázquez G, Driscoll P, Flint J, Tobeña A, Fernández-Teruel A. *Unlearned anxiety predicts learned fear: a comparison among heterogeneous rats and the Roman rat strains.*

Behav Brain Res. 2009;202(1):92-101.

- Gómez MJ, Escarabajal MD, de la Torre L, Tobeña A, Fernández-Teruel A, Torres C. *Consummatory successive negative and anticipatory contrast effects in inbred Roman rats.* Physiol Behav. **2009**;97(3-4):374-80.
- López-Aumatell R, Blázquez G, Gil L, Aguilar R, Cañete T, Giménez-Llort L, Tobeña A, Fernández-Teruel A.

The Roman High- and Low-Avoidance rat strains differ in fear-potentiated startle and classical aversive conditioning.

Psicothema. 2009;21(1):27-32.





• Gómez MJ, Morón I, Torres C, Esteban FJ, de la Torre L, Cándido A, Maldonado A, Fernández-Teruel A, Tobeña A, Escarabajal MD.

One-way avoidance acquisition and cellular density in the basolateral amygdala: strain differences in Roman high- and low-avoidance rats.

Neurosci Lett. 2009;450(3):317-20.

• Johannesson M, Lopez-Aumatell R, Stridh P, Diez M, Tuncel J, Blázquez G, Martinez-Membrives E, Cañete T, Vicens-Costa E, Graham D, Copley RR, Hernandez-Pliego P, Beyeen AD, Ockinger J, Fernández-Santamaría C, Gulko PS, Brenner M, Tobeña A, Guitart-Masip M, Giménez-Llort L, Dominiczak A, Holmdahl R, Gauguier D, Olsson T, Mott R, Valdar W, Redei EE, Fernández-Teruel A, Flint J.

A resource for the simultaneous high-resolution mapping of multiple quantitative trait loci in rats: the NIH heterogeneous stock.

Genome Res. 2009;19(1):150-8.

• Guitart-Masip M, Johansson B, Fernández-Teruel A, Tobeña A, Giménez-Llort L. Divergent effect of the selective D3 receptor agonist pd-128,907 on locomotor activity in Roman high- and low-avoidance rats: relationship to NGFI-A gene expression in the Calleja islands.

Psychopharmacology (Berl). 2008;196(1):39-49.

- Lopez-Aumatell R, Guitart-Masip M, Vicens-Costa E, Gimenez-Llort L, Valdar W, Johannesson M, Flint J, Tobeña A, Fernández-Teruel A. Fearfulness in a large N/Nih genetically heterogeneous rat stock: differential profiles of timidity and defensive flight in males and females.

  Behav Brain Res. 2008;188(1):41-55.
- Guitart-Masip M, Johansson B, Cañete T, Fernández-Teruel A, Tobeña A, Terenius L, Giménez-Llort L.

Regional adaptations in PSD-95, NGFI-A and secretogranin gene transcripts related to vulnerability to behavioral sensitization to amphetamine in the Roman rat strains. Neuroscience. **2008**;151(1):195-208.





• Carrasco J, Márquez C, Nadal R, Tobeña A, Fernández-Teruel A, Armario A. Characterization of central and peripheral components of the hypothalamus-pituitary-adrenal axis in the inbred Roman rat strains.

Psychoneuroendocrinology. 2008;33(4):437-45.

• Gómez MA, de la Torre L, Callejas-Aguilera JE, Lerma-Cabrera JM, Rosas JM, Escarabajal MA, Agüero A, Tobeña A, Fernández-Teruel A, Torres C. The partial reinforcement extinction effect (PREE) in female Roman high- (RHA-I) and low-avoidance (RLA-I) rats.

Behav Brain Res. 2008;194(2):187-92.

• Lopez-Aumatell R, Guitart-Masip M, Vicens-Costa E, Gimenez-Llort L, Valdar W, Johannesson M, Flint J, Tobeña A, Fernández-Teruel A. Fearfulness in a large N/Nih genetically heterogeneous rat stock: Differential profiles of timidity and defensive flight in males and females.

Behav Brain Res. 2007

• Rosas JM, Callejas-Aguilera JE, Escarabajal MD, Gómez MJ, de la Torre L, Agüero A, Tobeña A, Fernández-Teruel A, Torres C. Successive negative contrast effect in instrumental runway behaviour: a study with Roman high- (RHA) and Roman low- (RLA) avoidance rats.

Behav Brain Res. 2007;185(1):1-8.

• Torres C, Escarabajal MD, Cándido A, de la Torre L, Gómez MJ, Maldonado A, Tobeña A, Fernández-Teruel A.

One-way avoidance learning and diazepam in female roman high-avoidance and low-avoidance rats.

Behav Pharmacol. 2007;18(3):251-3.

• Maldonado A, Torres C, Escarabajal MD, Cándido A, de la Torre L, Gómez MJ, Tobeña A, Fernández-Teruel A.

Successive positive contrast in one-way avoidance behavior with Roman low-avoidance rats.

Physiol Behav. 2007;90(5):803-8.





• Giménez-Llort L, Blázquez G, Cañete T, Johansson B, Oddo S, Tobeña A, LaFerla FM, Fernández-Teruel A.

Modeling behavioral and neuronal symptoms of Alzheimer's disease in mice: a role for intraneuronal amyloid.

Neurosci Biobehav Rev. 2007;31(1):125-47. Review.

• Guitart-Masip M, Johansson B, Fernández-Teruel A, Canete T, Tobena A, Terenius L, Gimenez-Llort L.

Divergent anatomical pattern of D1 and D3 binding and dopamine- and cyclicAMP-regulated phosphoprotein of 32 kDa mRNA expression in the Roman rat strains: Implications for drug addiction.

Neuroscience. 2006;142(4):1231-43...

• Fernández-Teruel A, Blazquez G, Perez M, Aguilar R, Canete T, Guitart M, Gimenez-Llort L, Tobena A.

Latent inhibition threshold in Roman high-avoidance rats: a psychogenetic model of abnormalities in attentional filter?

Actas Esp Psiquiatr. 2006;34(4):257-63. Spanish.

• Guitart-Masip M, Gimenez-Llort L, Fernández-Teruel A, Canete T, Tobena A, Ogren SO, Terenius L, Johansson B.

Reduced ethanol response in the alcohol-preferring RHA rats and neuropeptide mRNAs in relevant structures.

Eur J Neurosci. **2006**;23(2):531-40.

• Gimenez-Llort L, Canete T, Guitart-Masip M, Fernández-Teruel A, Tobeña A. Two distinctive apomorphine-induced phenotypes in the Roman high- and low-avoidance rats.

Physiol Behav. **2005**;86(4):458-66.

• Torres C, Candido A, Escarabajal MD, de la Torre L, Maldonado A, Tobeña A, Fernández-Teruel A.

Successive negative contrast in one-way avoidance learning in female Roman rats. Physiol Behav. **2005**;85(4):377-82.





• Fernández-Teruel A, Giménez-Llort L, Aguilar-Heras R, Tobeña A. *Modelos animales en Psiquiatría*.

En J. Vallejo Ruiloba y C. Leal Cercós (Eds.) Tratado de Psiquiatría vol. I. Psiquiatría Editores SL/Ars Médica, Barcelona **2005**, pp. 341-356.

Giménez-Llort L.

Mi ratón tiene Alzheimer: Modelos animales para esta enfermedad. Revista de Psicogeriatría **2005**; 5: 3-4.

• Gimenez-Llort L, Masino SA, Diao L, Fernandez-Teruel A, Tobena A, Halldner L, Fredholm BB.

Mice lacking the adenosine A1 receptor have normal spatial learning and plasticity in the CA1 region of the hippocampus, but they habituate more slowly.

Synapse. **2005**;57(1):8-16.

• Corda MG, Piras G,Lecca D, Fernandez-Teruel A,Driscoll P, Giorgi O.

The psychogenetically selected Roman rat lines differ in the susceptibility to develop amphetamine sensitization.

Behav Brain Res. 2005;157(1):147-56.

- Aguilar R, Gil L, Fernandez-Teruel A, Tobena A. Genetically-based behavioral traits influence the effects of Shuttle Box avoidance overtraining and extinction upon intertrial responding: a study with the Roman rat strains. Behav Processes. **2004**;66(1):63-72.
- Tobeña A.

Neurociencia sin (o con) Psicología.

Cognitiva 2004; 16: 239-242.

Tobeña A.

Individual factors in suicide terrorism.

Science 2004; 304: 47-51.





## • Tobeña A.

Ocultación del pensamiento científico: de las trincheras de la divulgación a los mandarinatos ilustrados.

En M. Teresa Cabré y Rosa Estopà (Eds.) Objetividad científica y lenguaje: la terminología de las ciencias de la salud. Edicions a Petició SL, Barcelona, **2004**, pp 49-62.

## • Tobeña A.

Mártires mortíferos: Biología del altruismo letal (Un itinerario por el cerebro de los suicidas atacantes).

Ed. Sin Fronteras, Valencia 2004.