CS 710 - Artificial Intelligence

Homework 3

Logics and Logics Programming

 $\begin{array}{c} {\rm Mason~Edmison} \\ {\rm University~of~Wisconsin\text{-}Milwaukee} \\ 11/22/2019 \end{array}$

1 Question 1

1.1

Question 1a: testing vimtex

The suspects in a robbery are Anne, Betty, and Chloe. Exactly one of the suspects is guilty. When questioned, a guilty suspect might lie or tell the truth, but an innocent one always tells the truth. Anne tells the police that Betty is innocent. Betty tells them that she was out of town the day the robbery occurred. Chloe says that Betty was in town the day of the robbery. If a suspect is out of town the day of the robbery, then she must be innocent.

Facts

- Suspect(Anne) (1)
- Suspect(Betty) (2)
- Suspect(Chloe) (3)
- $\exists y (\forall x (Guilty(x) \Leftrightarrow x = y)) \qquad (4)$
- $TellsTruth(x) \lor TellsLies(x) \Leftrightarrow Guilty(x)$ (5)
 - $\neg Guilty(x) \Rightarrow TellsTruth(x)$ (6)
- $Suspect(Anne) \land TellsPolice(Anne) \land \neg Guilty(Anne) \Rightarrow Innocent(Betty)$ (7)
- $Suspect(Betty) \land TellsPolice(Chloe) \land \neg Guilty(Betty) \Rightarrow OutOfTown(Betty)$ (8)
- $Suspect(Chloe) \land TellsPolice(Chloe) \land \neg Guilty(Chloe) \Rightarrow \neg OutOfTown(Betty)$ (9)
 - $Suspect(x) \land OutOfTown(x) \Rightarrow \neg Guilty(x)$ (10)

Facts in CNF

- Suspect(Anne) (11)
- Suspect(Betty) (12)
- Suspect(Chloe) (13)
- $\neg TellsTruth(x) \land \neg TellsLies(x) \lor Guilty(x)$ (14)
 - $Guilty(x) \lor TellsTruth(x)$ (15)
- $\neg Suspect(Anne) \lor \neg TellsPolice(Anne) \lor Guilty(Anne) \lor Innocent(Betty)$ (16)
- $\neg Suspect(Betty) \lor \neg TellsPolice(Betty) \lor Guilty(Betty) \lor OutOfTown(Betty) \quad (17)$
- $\neg Suspect(Chloe) \lor \neg TellsPolice(Chloe) \lor Guilty(Chloe) \lor \neg OutOfTown(Betty)$ (18)
 - $\neg Suspect(x) \lor \neg OutOfTown(x) \lor Innocent(x)$ (19)

Proof - Find who is guilty

Using Answer Extraction find $\neg Guilty(x) \lor Answer(x)$

1.2

Question 1b:

Try to express and solve this same puzzle as a Prolog program (similar to the minizebra) example. Provide your code and include a log or screencast of what

happens when you run the program. In your report, discuss the main differences in the two types of representations and any difficulties you encountered. CLARIFICATION: You do not have to use the same predicates - since negation is to be avoided in Prolog.

For example "Anne tells the police that Betty is innocent" can be restated as: If Anne is innocent then Betty is innocent.

2 Question 2

Knowledge Base Stuff Note, the KB makes use of the following roles:

```
has-part
is-part-of the inverse of has-part; they are both transitive
manages
is-managed-by (the inverse of manages)
employs
is-employed-by (the inverse of employs)
```

Properties:

- a. An enterprise is managed by someone and employs someone.
- b. A department is a part of an enterprise.
- c. An office is a part of a department.
- d. If someone manages some entity then he is an employee.

Definitions:

- e. The departments are exactly: Production, Research, Ad ministration, Trade, HumanResources, and PublicRelations.
- f. An employee is someone who is employed by an enterprise or by some part of an enterprise.
- g. An administrative-employee is someone who is employed by an administration department or by some part of an administration department.
- h. A high-tech enterprise is an enterprise which has a research department.
- i. An industrial enterprise is an enterprise which has a production department and has at least 100 employees.
- i. A small enterprise is an enterprise which employs at most 20 employees.
- k. A big enterprise is an enterprise which employs at least 80 employees.

- 1. A family-based enterprise is an enterprise with at most 4 employees.
- m. A top manager is someone who manages a big enterprise.
- n. A manager is someone who manages a department.
- o. A boss is someone who manages an office.

Facts (assertions):

- p. Alcatel is an enterprise which has 2000 employees.
- q. Alcatel has a research department RD1, an administratio
- n. department AD1, and a HumanResources department HRD1; it has also a production department
- r. OFF1 and OFF2 are offices and are part of RD1.
- s. OFF3 and OFF4 are offices and are part of AD1.
- t. Joe and Anne are employed by OFF3.
- u. Jim manages the department AD3.
- v. Bob manages OFF3.
- w. Jim manages Alcatel.
- x. SmithBrothers is a family-based enterprise.
- y. Frank, Lea, Dave, Kate, Dino are employed by SmithBrothers.

2.1

Question 2a: Represent Knowledge base as a prolog program.

2.2

Question 2b: Represent Knowledge base as a set of Description logic expressions.

Properties

```
enterprise \rightarrow [EXISTS\ 1: is-managed-by] enterprise \rightarrow [EXISTS\ 1: employs] department \rightarrow [FILLS: is-a-part-of\ enterprise] office \rightarrow [FILLS: is-a-part-of\ department] employee \rightarrow [EXISTS\ 1: manages]
```

Definitions

```
Departments:
                                                       Production \equiv department
                                                         Research \equiv department
                                                   Administration \equiv department
                                                             Trade \equiv department
                                                HumanResources \equiv department
                                                  PublicRelations \equiv department
          employee \equiv [SOME - OF : is - employed - by [UNION enterprise]]
                                              [ALL : is - part - of \ enterprise]]]
                       admin - employee \equiv [SOME - OF : is - employed - by]
   [UNION\ admin-department\ [ALL\ : is-part-of\ admin-department]]]
                   hitech - ent \equiv [FILLS : has - part research - department]
                        indust - ent \equiv [FILLS : has - part \ prod - department]
                                                        [EXISTS 100 : employs]
                  small - ent \equiv [AND \ enterprise \ [AT - MOST \ 20 \ : employs]]
                         big - ent \equiv [AND \ enterprise \ [EXISTS \ 80 \ : employs]]
            fam - based - ent \equiv [AND \ enterprise \ [AT - MOST \ 4 \ : employs]]
                    top-manager \equiv [AND : manages [ONE - OF big - ent]]
                                 manager \equiv [AND \ [AT - LEAST \ 1 \ : manages]
                                                  [ALL : manages \ departments]]
           boss \equiv [AND \ [AT - LEAST \ 1 \ : manages] \ [ALL \ : manages \ of fice]]
Facts(assertions):
```

```
Alcatel \rightarrow [AND \ big - ent]
   Alcatel \rightarrow [FILLS: has - part [RD1, AD1, HRD1]]
OFF1 \rightarrow [AND \ of \ fice \ [FILLS : is -part - of \ RD1]]
OFF2 \rightarrow [AND \ of fice \ [FILLS : is - part - of \ RD1]]
 OFF3 \rightarrow [AND \ of \ fice[FILLS : is - part - of \ AD1]]
 OFF3 \rightarrow [AND \ of \ fice[FILLS : is - part - of \ AD1]]
             Joe \rightarrow [FILLS : is - employed - by OFF3]
           Anne \rightarrow [FILLS : is - employed - by OFF3]
                         Jim \rightarrow [FILLS : manages AD3]
                        Bob \rightarrow [FILLS : manages \ OFF3]
                       Jim \rightarrow [FILLS : manages Alcatel]
            SmithBrothers \rightarrow [AND\ fam-based-ent]
Frank \rightarrow [FILLS : is - employed - by SmithBrothers]
   Lea \rightarrow [FILLS : is - employed - by SmithBrothers]
 Dave \rightarrow [FILLS: is-employed-by\ SmithBrothers]
 Kate \rightarrow [FILLS : is - employed - by SmithBrothers]
 Dino \rightarrow [FILLS : is - employed - by SmithBrothers]
```

2.3

Question 2c: For each representation framework, provide at least 2 interesting conclusions that can be drawn from the KB (possibly the same for both frameworks.)

Description Logic

- Given that SmithBrothers is an enterprise with 6 departments and only 4 employees, several employees must work in several departments.
- Since Jim manages Alcatel and Alcatel is a big enterprise, Jim manages at least 100 employees.

Prolog

- Joe and Anne are employees of Alcatel.
- Since Jim manages Alcatel and Alcatel is a big enterprise, Jim manages at least 100 empl

2.4

Contrast between description logic and prolog

In prolog, I found it difficult to not be able *remember* values inferenced by clauses - instead I found I had to change my normal way of thinking and pass values as parameters to other clauses.

I had a hard time wrapping my head around the description logic syntax. In my current internship, I regularly work with bio-medical ontologies in OWL and SKOSXL format and for some reason I had a difficult time transferring that knowledge to description logic. Once overcoming the syntax, I found it quite nice to work with; I especially liked being able to compartmentalize definitions, roles, and properties.

One thing that I found myself getting hung up on with both prolog and description logic was not defining certain predicates and properties, respectively.

3 Files of interest in this directory

- suspects_kb.pl Knowledge base for question 1B
- ent_kb.pl Knowledge for question 2B