M. Roggenbach, CS-135 – Lab Class 3 - 17.2.

- To be solved in groups of two.
- To be ticked off in one of the labs of your house on Monday, 17.2., or Monday, 24.2.
- For being ticked off on Monday, 24.2., you need to have your solution ready at the begin of the labelass.
- You can obtain two marks by solving this sheet.
- Each completed task gives you one mark.
- All group participants need to be present to be ticked off.

This lab is about Boundary Value Analysis.

The purpose of this lab is to get some experience with the JUnit tool.

Note that there are computer instruction at the end of this lab sheet.

\sqcap Task 3.1

- 1. Make a new Java Project in Eclipse and activate JUnit for it see Computer Instructions.
- 2. Download the files Hugo.java and TestSuite.java from

- 3. Import these files into your Eclipse Project see Computer Instructions.
- 4. Run the program Hugo. This main program simply prints the call to the method produceHugo (in Hugo.java) several times with various inputs.

The produceHugo method attempts to implement the computational problem:

produceHugo:

Input: integer i

Output: string "Hugo" if i is 1, "Erna" otherwise.

5. Run the JUnit tests in the file TestSuite.java.

TestSuite.java encodes two tests for the method produceHugo. To this end it imports two packages:

- org.junit.Assert.*; (as static) in order to write down "assert" statements, and
- org.junit.Test; in order to allow for the @Test tag.

JUnit encodes tests as methods that are tagged with @Test. We want to run the tests

Test Case Name	Input i	Expected Output
Test1	1	"Hugo"
Test2	2	"Erna"

on the method produceHugo (in the class Hugo). Test1 is is encoded as

assertEquals("Hugo", Hugo.produceHugo(1));

assertEquals takes two parameters: the first is the expected output, in our case the string "Hugo"; the second parameter is the call to the method under test with the input value(s) as actual parameters, in our case the integer 1. Note that in this case, you have to qualify the method with the name of the class it is defined within (i.e., the class Hugo).

Test2 is is encoded as

```
assertEquals("Erna", Hugo.produceHugo(2));
```

When you run these tests, JUnit automatically produces the test verdicts. The first test passes, the second test fails. You obtain an output like

```
test1ProduceHugo (0.000 s)
test2ProduceHugo (0.000 s)
```

6. Fix the method produceHugo so that it passes both tests.

Material to show when getting ticked off: Both tests are passing.

```
☐ Task 3.2
```

Triangle Classification (Indicative duration: about 25 mins)

Consider the **Triangle Problem:**

Input: three integers a, b and c

Output: out of range, if c1, c2 or c3 fails

otherwise:

equilateral, if a=b=c

isosceles, if exactly two of the inputs are equal scalene, if the inputs are pairwise different not a triangle, if c4, c5, or c6 fails

It decides if – given the lengths of the three sides of a triangle – the inputs are valid, and if so, if these inputs belong to a triangle. If these inputs belong to a triangle, the triangle is classified to be equilateral, isosceles or scalene.

- 1. Make a new Java Project in Eclipse.
- Download the file TriangleClassifier.java from http://www.cs.swan.ac.uk/~csmarkus/Tools/.
- 3. Import this files into your Eclipse Project.
- 4. Run the file TriangleClassifier. java to check the program is able to be run in Eclipse.
- 5. Consider the following 15 test cases (produced using Boundary Value Analysis):

Table 5.1 Boundary Value Analysis Test Cases

Case	а	b	С	Expected Output
1	100	100	1	Isosceles
2	100	100	2	Isosceles
3	100	100	100	Equilateral
4	100	100	199	Isosceles
5	100	100	200	Not a Triangle
6	100	1	100	Isosceles
7-	100	2	100	Isosceles
8	100	100	100	Equilateral
9	100	199	100	Isosceles
10	100	200	100	Not a Triangle
11	1	100	100	Isosceles
12	2	100	100	Isosceles
13	100	100	100	Equilateral
14	199	100	100	Isosceles
15	200	100	100	Not a Triangle

6. Encode the 15 test cases in JUnit using the statement assertEquals for the method classify and run them. All the test cases should pass (i.e., there is no bug in the SUT).

Hint: Note that the method classify takes in three parameters of type int and produces an output of type TriangleType. TriangleType has been declared as a Java enumeration (within the file TriangleClassifier.java). It consists of the constants EQUILITERAL, ISOSCELES, SCALENE, NOT_A_TRIANGLE, OUT_OF_RANGE. In order to work with these constants, you will have to qualify them, e.g.,

 ${\tt TriangleClassifier.TriangleType.EQUILITERAL}.$

Material to show when getting ticked off: All 15 tests are passing and your JUnit code for these 15 test cases.


Computer Instructions

1 Making a screen-shot

Click on 'Start', type 'Snipping Tool' in the search field, press 'enter'. Use the tool.

2 Eclipse

Under the "Specialist Apps", open the folder "College of Science". Within this folder, open the folder "Computer Science". There, you find the program "Eclipse". When you start Eclipse you might be asked for the workspace path. This path should be set as follows:



2.1 Making a new project

- 1. Click File \rightarrow New \rightarrow Project \rightarrow Java Project.
- 2. Typing a good project name i.e. Sphinx.
- 3. Click Finish.

2.2 Importing a file into a project

- 1. Expand your project, say Sphinx in the left hand panel (Package Explorer),
- 2. Right click the src folder, click import.
- 3. Select File System under General, click Next.
- 4. Locate the directory containing the Sphinx. java file, click OK.
- 5. Check the file, e.g. Sphinx. java, in the right hand list, Click Finish.

2.3 Running a program

You run a program, e.g., Sphinx.java, by clicking the play icon. This may bring up a wizard where you need to select to run a Java Application. You may need to show the Console view by clicking Window \rightarrow Show View \rightarrow Console.

2.4 Activating JUnit4 for a project

- 1. Right-click on your project and select Properties.
- 2. Click on Java Build Path.
- 3. Select Libraries
- 4. Select Add Library.
- 5. Select Junit.
- 6. Click on next, select the Junit Version JUnit 4.
- 7. Click Finish.
- 8. Click OK.