

A01 Manufacturer's plant Steel Mill SE Stahlstrasse 1 Linz 4040, AT A06.1 Purchaser Steel Trading AG Handelsgasse 1 Berlin 10115, DE

A06.3 Recipient of the test certificate

Steel User AG Handelsgasse 1 Berlin 10115, DE

Commercial transaction

A02 Type of inspection document Mill Certificate EN 10204 3.1

A03 Document number 1866645/001

A05 Originator of the document Factory Production Control

A07 Purchaser order number 0334/2019/ZZS
A08 Manufacturer's work order number 958722

A09 Purchaser article number TR-12456

A97 Order position 1

A98 Delivery number DN-1583836 A99 Aviso number AV-87682933

Supplementary information

A10 Buyer Reference Number BRN-1583836
A11 Buyer Reference Date 23/10/2018

Production description

B01 Product Seamleass Steel Tubes Hot Roild

B02 Specification of the product

Steel designation S355J2H, P355NH/TC1, E355+N

 Product norm
 EN 10219-1:2006

 Mass norm
 EN 10220

Material norm EN 10297-1:2003-06

B03 Any supplementary requirements

Ausführung lt. EN 10219 Teil 1+2 /--/

B04 Delivery conditionnormalizedB06 Marking of the productSST 200x150x6B07 Identification of the product7282841

B08 Number of pieces
B09 Product dimensions

Form Rectangular tube

 Width
 200 mm

 Height
 150 mm

 Wall thickness
 6 mm

 B10 Length
 12000 mm

 B11 Product mass
 1.5 mm

 B12 Theoretical mass
 5738 kg

Supplementary information

*B*99 *B*99 1607219/0001_20181023_1529

Inspection

B13 Actual mass

C00 Batch number175508C02 Direction of the test piece0001 längsC03 Test temperature-20 Celsius

Supplementary information

5739 kg

T	:	-		
Tei	ารเ	ıe	τе	ST

C11 Yield or proof strength Streckgrenze ReH/RP0,2	377 MPa
C12 Tensile strength Zugfestigkeit Rm	456 MPa
C13 Elonaation after fracture Bruchdehnuna A5/A80	29.7 %

Supplementary information

C14 Re/Rm 0.83

C15 Sample Identifier 10001011/175508

Notched bar impact test

C40 Type of test piece	0001 längs
C41 Width of test piece	5 mm
C42 Individual values	71, 84, 85J
C43 Mean value	80 I

min 78 J max 90 J

Supplementary information

C44 Sample Identifier 10001011/175508

Chemical composition

Symbol Unit Min Max	C71 C % 0.150 0.220	C72 Si % 0.001 0.050	C73 Mn %	C74 P %	C75 S % 0.020	C76 AI % 0.020 0.060	C77 Cr %	C78 Ni %	C79 Mo %	C80 Cu %	C81 V %	C82 Ti %	C85 N %
Actual	0.150	0.005	1.000	0.014	0.030	0.041	0.020	0.009	0.002	0.010	0.002	0.001	0.004
Symbol Unit Actual	C86 B % 0.001	C92 CEV % 0.327											

Other tests

D01 Marking, identification, surface appearance, shape and dimensional properties	Marking	Marking				
Nondestructive tests						
D02 Visual Inspection	100 %	Positive	EN 10219-1			
D03 Non destructive test	100 %	Positive	EN ISO 10893-2			
D04 Dimensional Inspection	1 Lot	Positive	EN 10219-2			
Other product tests						

100 %

Validation

D51 Tensile flattening test

Z01 Statement of compliance	We hereby certify, that the material described above has been tested and complies with the terms of the order. This certificat has been created by a data processing system and does not contain a personal signature but	e
	the name and the offical address	

of the appointet department.

Positive

Z02 Date of issue and validation 23/10/2018 EN 10217-1

John D. Keller Quality Manager



Supplementary information

Z05 Quality Department Tel. Z06 Quality Department Fax Z07 Quality Department Email

Data schema maintained by Material Identity

+43 732 1000 8888 +43 732 1000 8889 quality@steelmill.se

 $\frac{https://schemas.materialidentity.org/en10168-schemas/v0.5.0/}{schema.json}$