

A01 Manufacturer's plant Steel Mill SE Stahlstrasse 1 Linz 4040, AT A06.1 Purchaser Steel Trading AG Handelsgasse 1 Berlin 10115, DE

A06.3 Recipient of the test certificate

Steel User AG Handelsgasse 1 Berlin 10115, DE

Commercial transaction

A02 Type of inspection document Mill Certificate EN 10204 3.1

A03 Document number 1866645/001

A05 Originator of the document Factory Production Control

A07 Purchaser order number 0334/2019/ZZS

A08 Manufacturer's work order number958722A09 Purchaser article numberTR-12456

A97 Order position 1

A98 Delivery number DN-1583836 A99 Aviso number AV-87682933

Supplementary information

A10 Buyer Reference Number BRN-1583836

Production description

B01 Product Seamleass Steel Tubes Hot Roild

B02 Specification of the product

Steel designation S355J2H, P355NH/TC1, E355+N

Product norm EN 10219-1:2006

Mass norm EN 10220

Material norm EN 10297-1:2003-06

B03 Any supplementary requirements Ausführung lt. EN 10219 Teil 1+2 /--/

B04 Delivery conditionnormalizedB06 Marking of the productSST 200x150x6B07 Identification of the product7282841B08 Number of pieces16

B09 Product dimensions

Form Rectangular tube

 Width
 200 mm

 Height
 150 mm

 Wall thickness
 6 mm

 B10 Length
 12000 mm

 B11 Product mass
 1.5 mm

 B12 Theoretical mass
 5738 kg

 B13 Actual mass
 5739 kg

Supplementary information

B99 B99 1607219/0001_20181023_1529

Inspection

C00 Batch number175508C02 Direction of the test piece0001 längsC03 Test temperature-20 Celsius

Supplementary information

min 78 J

max 90 J

_									
т	0	n	CI	п	е	•	Δ	c.	۰
	_		31		_	L	┖	3	L

C11 Yield or proof strength Streckgrenze ReH/RP0,2	377 MPa
C12 Tensile strength Zugfestigkeit Rm	456 MPa
C13 Elongation after fracture Bruchdehnung A5/A80	29.7 %

Supplementary information

C14 Re/Rm 0.83

C15 Sample Identifier 10001011/175508

Notched bar impact test

C40 Type of test piece	0001 längs
C41 Width of test piece	5 mm
C42 Individual values	71, 84, 85J
C43 Mean value	80 I

Supplementary information

C44 Sample Identifier 10001011/175508

Chemical composition

	C71	C72	C73	C74	C75	C76	C77	C78	C79	C80	C81	C82	C85
Symbol	C	Si	Mn	Р	S	Αl	Cr	Ni	Mo	Cu	V	Ti	N
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%
Min	0.150	0.001			0.020	0.020							
Max	0.220	0.050	1.600	0.025		0.060							
Actual	0.150	0.005	1.000	0.014	0.030	0.041	0.020	0.009	0.002	0.010	0.002	0.001	0.004
	C86	C92											
Symbol	В	CEV											
Únit	%	%											
Actual	0.001	0.327											

Other tests

Marking					
100 %	Positive	EN 10219-1			
100 %	Positive	EN ISO 10893-2			
1 Lot	Positive	EN 10219-2			
100 %	Positive	EN 10217-1			
	100 % 100 % 1 Lot	100 % Positive 100 % Positive 1 Lot Positive			

Validation

Z01 Statement of compliance	We hereby certify, that the Z04 material described above has been tested and complies with the terms of the order. This certificate has been created by a data processing system and does not contain a personal signature but
	the name and the offical address of the appointet department.

0780 19 0780-CPD-P012

Z02 Date of issue and validation

2018-10-23

John D. Keller Quality Manager



Supplementary information

Z05 Quality Department Tel. Z06 Quality Department Fax Z07 Quality Department Email

Data schema maintained by Material Identity

+43 732 1000 8888 +43 732 1000 8889 quality@steelmill.se

 $\frac{https://schemas.materialidentity.org/en10168-schemas/v0.5.0/}{schema.json}$