Lecture 9: Applications of permutation and combinatorics

Permutation formula: form a queue

$$P(n,k) = n(n-1)...(n-k+1) = \frac{n!}{(n-k)!},$$

Combinatorics formula: form a team

$$\binom{n}{k} = \frac{P(n,k)}{k!} = \frac{n(n-1)...(n-k+1)}{k!}$$

Applications in counting

- Flipping n-coins:
 - \circ the number of all possible outcomes of heads and tails: 2^n
 - \circ the number of k heads: $\binom{n}{k}$
 - \circ idea: pick k slots out of n, the order does not matter
 - Fundamental formula

$$2^n=inom{n}{0}+inom{n}{1}+...+inom{n}{n-1}+inom{n}{n}$$

• Paths on a grid: Moving only upperward or rightward, how many different paths?

- Answer: $\binom{7}{3}$
 - Denote U as upward and R as rightward, a path is like, UUURRRR. This is the same as flipping coin situation.
- Retangles on grid:
 - o you need to pick two points on the bottom edge and two points on the vertical edge
 - answer: $\binom{4}{2} * \binom{5}{2} = 60$
- Triangles on grid: Consider the following grid of points, how many triangles you can form?

- Answer: $\binom{5}{2} * 6 + \binom{6}{2} * 5 = 60 + 75 = 135$
- **two sums**: How many sums of positive integers added up to 6?
 - \circ easy: 6 = 1 + 5 = 2 + 4 = 3 + 3 = 4 + 2 = 5 + 1, so 5.
 - \circ for general n, we have n-1.
- three sums: How many 3-sums of positive integers added up to 6?
 - Not so easy: 10

$$6 = 1 + 1 + 4 = 1 + 2 + 3 = 1 + 3 + 2 = 1 + 4 + 1$$

= $2 + 1 + 3 = 2 + 2 + 2 = 2 + 3 + 1$
= $3 + 1 + 2 = 3 + 2 + 1$
= $4 + 1 + 1$

- \circ for general n, we have $\binom{n-1}{2}$.
- \circ Consider inserting two "+" into n-1 gaps among the n objects
- 0 | 0 0 | 0 0 0
- two sums with zero: How many sums of positive integers added up to 6?
 - \circ easy: 5 + 2 = 7.
- three sums with zeros: How many sums of positive integers added up to 6?
 - not so easy
 - $\circ~$ Solution 1: 10+3*5=25 and 3 left are permutations of 0+0+6

- Solution 2: $\binom{8}{2} = 8*7/2 = 28$
 - 0 | 0 0 | 0 0 0
- Selecting Committee: a group of studnets with 5 boys and 4 girls wants to select a committee of 2 boys and 2 girls. How many ways?
 - \circ for boy selection: ${5 \choose 2}$ and for girl section: ${4 \choose 2}$
 - \circ total: $\binom{5}{2} * \binom{4}{2} = 60$
- k sums without zeros adding up to n: $\binom{n-1}{k-1}$

- k sums with zeros adding up to n: $\binom{n+k-1}{k-1}$
- How many ways of 3 sums adding up to 14 with only allowed values 1,...,10?
 - \circ this is without zero sum for sure so at least we have $\binom{13}{2}=78$.
 - we do not allow
 - 1 + 1 + 12 so 3 of them.
 - 1 + 2 + 11 so 6 of them.
 - \circ so we have 78 3 6 = 69.

Case works

• 4 * 4 grid points contains how many squares as its vertices?

- 0 0 0 0
- 0 0 0 0
- 0 0 0 0
- 0 0 0 0

• AMC8 2025 coat hanging problem:

A classroom has a row of 35 coat hooks. Paulina likes coats to be equally spaced, so that there is the same number of empty hooks before the first coat, after the last coat, and between every coat and the next one. Suppose there is at least 1 coat and at least 1 empty hook. How many different numbers of coats can satisfy Paulina's pattern?