Math 228B Homework 1 Due Wednesday, 2/1

1. Consider the advection equation

$$u_t + au_x = 0$$

on the interval [0,1) with periodic boundary conditions. Space in discretized as $x_j = j\Delta x$ for j = 0...N-1, so that $\Delta x = 1/N$. Discretize the spatial derivative with the second-order centered difference operator.

(a) For simplicity, assume N is odd. The eigenvectors of the centered difference operator are

$$v_j^k = \exp\left(2\pi i k x_j\right),\,$$

for k = -(N-1)/2...(N-1)/2. Compute the eigenvalues.

- (b) Derive a time step restriction on a method-of-lines approach which uses classical fourth-order Runge-Kutta for time stepping.
- 2. Consider the following PDE.

$$u_t = 0.01 u_{xx} + 1 - \exp(-t), \quad 0 < x < 1$$

 $u(0,t) = 0 \quad u(1,t) = 0$
 $u(x,0) = 0$

Write a program to solve the problem using Crank-Nicolson up to time t=1, and perform a refinement study that demonstrates that the method is second-order accurate in space and time.

3.

$$u_t = u_{xx}, \quad 0 < x < 1$$

$$u(0,t) = 1, \quad u(1,t) = 0$$

$$u(x,0) = \begin{cases} 1 & \text{if } x < 0.5\\ 0 & \text{if } x \ge 0.5 \end{cases}$$

- (a) Use Crank-Nicolson with grid spacing $\Delta x = 0.02$ and time step 0.1 to solve the problem up to time t = 1. Comment on your results. What is wrong with this solution?
- (b) Give a mathematical argument to explain the unphysical behavior you observed in the numerical solution.
- (c) Repeat the simulation using BDF2, and discuss why the unphysical behavior is not present in the numerical solution for any time step.