

Cucumber PDF Report

Nov 26, 2024, 2:10:04 PM

Start : Nov 26, 2:08:32.285 PM

End : Nov 26, 2:10:02.036 PM

Duration : 1 m 29.751 s

Features







PASSED - 0
FAILED - 5
SKIPPED - 0

Scenarios

PASSED - 105
FAILED - 59
SKIPPED - 0

Steps

PASSED - 479
FAILED - 59
SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User login : positive flow</u>	1.552 s	3	2	1	0	9	7	1	1
<u>ProgramModule</u>	30.181 s	53	41	12	0	208	194	12	2
<u>BatchModule : positive flow</u>	21.932 s	38	10	28	0	114	86	28	0
<u>Class1Module : Positive flow</u>	10.166 s	21	16	5	0	63	58	5	0
<u>Class 2 module</u>	25.387 s	49	36	13	0	147	134	13	0

#	Feature Name	Scenario Name
1	<u>User login : positive flow</u>	<u>Check if Admin able to generate token with invalid credentials login1</u>
2	<u>ProgramModule</u>	<u>Check if Admin able to update a program with invalid request body</u>
3		<u>Check if Admin able to update a program with invalid request body</u>
4		<u>Check if Admin able to update a program with invalid request body</u>
5		<u>Check if Admin able to update a program with invalid request body</u>
6		<u>Check if Admin able to update a program with invalid request body</u>
7		<u>Check if Admin able to delete a program with valid programName</u>
8		<u>Check if Admin able to delete a program with valid LMS API,invalid pathParameter ProgramID</u>
9		<u>Check if Admin able to delete a program with valid LMS API,invalid pathParameter ProgramID</u>
10		<u>Check if Admin able to read a program with valid LMS API,invalid pathParameter ProgramID</u>

#	Feature Name	Scenario Name
11	<u>ProgramModule</u>	<u>Check if Admin able to read a program with valid LMS API,invalid pathParameter ProgramID</u>
12		<u>Check if Admin able to retrieve a program by programID with invalid baseURI</u>
13		<u>Check if Admin able to update a program with invalid baseURI and valid programId</u>
14	<u>BatchModule : positive flow</u>	<u>Check if Admin able to create a batch with valid endpoint and request body (non-existing values)</u>
15		<u>Check if admin able to retrieve a batch with valid batch ID</u>
16		<u>Check if admin able to retrieve a deleted batch using batch name</u>
17		<u>Check if admin able to create a batch with missing additional fields</u>
18		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>
19		<u>Check if admin able to update a Batch with a deleted batchID in the endpoint</u>

#	Feature Name	Scenario Name
20	<u>BatchModule : positive flow</u>	<u>Check if Admin able to delete a batch with valid Batch ID</u>
21		<u>Check if admin able to retrieve a batch without authorization</u>
22		<u>Check if admin able to retrieve a batch with invalid BATCH NAME</u>
23		<u>Check if admin able to retrieve a batch with invalid endpoint1</u>
24		<u>Check if admin able to retrieve a batch with program ID without authorization</u>
25		<u>Check if admin able to retrieve a batch with invalid Program Id</u>
26		<u>Check if admin able to retrieve a batch with invalid endpoint</u>
27		<u>Check if admin able to retrieve a batch after the programID is deleted</u>
28		<u>Check if admin able to create a Batch with valid endpoint and request body without authorization</u>
29		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>

#	Feature Name	Scenario Name
30	<u>BatchModule : positive flow</u>	<u>Check if admin able to create a Batch missing mandatory fields in request body</u>
31		<u>Check if admin able to create a batch with invalid endpoint</u>
32		<u>Check if admin able to create a batch with invalid data in request body</u>
33		<u>Check if admin able to create a batch with inactive program ID</u>
34		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization</u>
35		<u>Check if admin able to update a Batch with invalid batchID and mandatory fields in request body without authorization</u>
36		<u>Check if admin able to update a Batch with valid batchID and missing mandatory fields request body</u>
37		<u>Check if admin able to update a batch with invalid data</u>
38		<u>Check if admin able to update a Batch with invalid endpoint</u>

#	Feature Name	Scenario Name
39	<u>BatchModule : positive flow</u>	<u>Check if admin able to update a Batch with a valid batchID and deleted programID field in the request body with other mandatory fields</u>
40		<u>Check if admin able to delete a Batch with invalid endpoint</u>
41		<u>Check if admin able to delete a Batch without authorization</u>
42	<u>Class1Module : Positive flow</u>	<u>Check if admin is able to create class with all valid details</u>
43		<u>Check if admin is able to create class with only mandatory</u>
44		<u>Check if admin able to retrieve Class details with valid classtopic</u>
45		<u>Check if admin able to retrieve Class details with valid classId</u>
46		<u>Check if admin able to delete a class with valid class ID</u>
47	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with valid Batchid</u>
48		<u>Check if admin able to retrieve class recording with valid ClassID</u>
49		<u>Check if admin able to retrieve class recording with valid ClassID</u>
50		<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>

#	Feature Name	Scenario Name
51	<u>Class 2 module</u>	<u>Check if admin able to update a class with valid ClassID and all fields in requestBody</u>
52		<u>Check if admin able to update a Class with valid classID and mandatory fields in request body</u>
53		<u>Check if admin able to update a Class with valid ClassID and missing mandatory fields request body</u>
54		<u>Check if admin able to update a Class with invalid data</u>
55		<u>Check if admin able to update a Class with a deleted batchID field in the request body with other mandatory fields</u>
56		<u>Check if admin able to update a Class with a deleted classID in the endpoint</u>
57		<u>Check if admin able to update a Class Recording with valid classID in request body</u>
58		<u>Check if admin able to update a Class Recording with invalid data</u>
59		<u>Check if admin able to retrieve all Classes with valid Batchid</u>


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@GetAllPrograms		1	1	0	0	1	0	1	0
@GetAllProgramsWithAdmins		1	1	0	0	1	0	1	0
@PostNewProgram		7	7	0	0	1	0	1	0
@GetProgramByID		1	1	0	0	1	0	1	0
@PutByProgramID		6	1	5	0	1	0	1	0
@MethodNotAllowed		4	4	0	0	1	0	1	0
@NoAuth		8	8	0	0	1	0	1	0
@PutByProgramName		7	7	0	0	1	0	1	0
@DeleteProgramByProgramID		1	1	0	0	1	0	1	0
@DeleteProgramByProgramName		1	0	1	0	1	0	1	0
@invalidEndPoint		8	8	0	0	1	0	1	0
@invalidPathParameter		3	1	2	0	1	0	1	0
@invalidBaseURI		2	0	2	0	1	0	1	0
@ GetAllBatches-(Positive1)		1	1	0	0	1	0	1	0
@ GetAllBatches-(Positive2)		1	1	0	0	1	0	1	0
@PostNewBatch		1	0	1	0	1	0	1	0
@GetBatchByBatchID		1	0	1	0	1	0	1	0

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@GetBatchByBatchID-(Positive4)		1	1	0	0	1	0	1	0
@GetBatchByBatchName-(Positive5)		1	1	0	0	1	0	1	0
@GetBatchByBatchName-(Positive6)		1	0	1	0	1	0	1	0
@GetBatchByProgramID-(Positive7)		1	1	0	0	1	0	1	0
@PostNewBatch-(Positive9)		1	0	1	0	1	0	1	0
@Put(UpdateBatchByBatchID)-(Positive10)		1	0	1	0	1	0	1	0
@Put(UpdateBatchByBatchID)-(Positive11)		1	0	1	0	1	0	1	0
@DeleteBatchByBatchID-(Positive12)		1	0	1	0	1	0	1	0
@GetAllBatches-(Negative1)		1	1	0	0	1	0	1	0
@GetAllBatches-(Negative2)		1	1	0	0	1	0	1	0
@GetBatchByBatchID-(Negative3)		1	1	0	0	1	0	1	0
@GetBatchByBatchID-(Negative4)		1	1	0	0	1	0	1	0
@GetBatchByBatchID-(Negative5)		1	1	0	0	1	0	1	0
@GetBatchByBatchName-(Negative6)		1	0	1	0	1	0	1	0
@GetBatchByBatchName-(Negative7)		1	0	1	0	1	0	1	0
@GetBatchByBatchName-(Negative8)		1	0	1	0	1	0	1	0
@GetBatchByProgramID-(Negative9)		1	0	1	0	1	0	1	0


TAG	Scenario				Feature			
	T	P	F	S	T	P	F	S
Name								
@GetBatchByProgramID-(Negative10)	2	0	2	0	1	0	1	0
@GetBatchByProgramID-(Negative11)	1	0	1	0	1	0	1	0
@PostNewBatch-(Negative12)	1	0	1	0	1	0	1	0
@PostNewBatch-(Negative13)	1	0	1	0	1	0	1	0
@PostNewBatch-(Negative14)	1	0	1	0	1	0	1	0
@PostNewBatch-(Negative15)	1	0	1	0	1	0	1	0
@PostNewBatch-(Negative16)	1	0	1	0	1	0	1	0
@PostNewBatch-(Negative17)	1	0	1	0	1	0	1	0
@Put(UpdateBatchByBatchID)-(Negative18)	1	0	1	0	1	0	1	0
@Put(UpdateBatchByBatchID)-(Negative19)	1	0	1	0	1	0	1	0
@Put(UpdateBatchByBatchID)-(Negative20)	1	0	1	0	1	0	1	0
@Put(UpdateBatchByBatchID)-(Negative21)	1	0	1	0	1	0	1	0
@Put(UpdateBatchByBatchID)-(Negative22)	1	0	1	0	1	0	1	0
@Put(UpdateBatchByBatchID)-(Negative23)	1	0	1	0	1	0	1	0
@DeleteBatchByBatchID-(Negative24)	1	0	1	0	1	0	1	0
@DeleteBatchByBatchID-(Negative26)	1	0	1	0	1	0	1	0
@GetAllClasses	1	1	0	0	1	0	1	0

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@createClass		1	0	1	0	1	0	1	0
@createclasswithonlymandatory		1	0	1	0	1	0	1	0
@createclasswithonlyadditionalfieldvalues		1	1	0	0	1	0	1	0
@GetAllClasseswithininvalidendpoint		1	1	0	0	1	0	1	0
@Getallclasseswithininvalidmethod		2	2	0	0	1	0	1	0
@Getallclasseswithoutauthorization		1	1	0	0	1	0	1	0
@GetClassdetailswithvalidclasstopic		1	0	1	0	1	0	1	0
@Getallclasseswithininvalidclasstopic		1	1	0	0	1	0	1	0
@GetallclasseswithininvalidEndpoint		1	1	0	0	1	0	1	0
@GetClassdetailswithoutAuthorization		1	1	0	0	1	0	1	0
@GetClassdetailswithvalidclassId		1	0	1	0	1	0	1	0
@GetClassdetailswithinvalidclassId		1	1	0	0	1	0	1	0
@GetClassdetailswithinvalidEndpoint		1	1	0	0	1	0	1	0
@GetClassdetailswithinvalidmethod		1	1	0	0	1	0	1	0
@GetClassdetailswithclassidwithoutAuthorization		1	1	0	0	1	0	1	0
@DeleteaclasswithvalidclassID		1	0	1	0	1	0	1	0
@Deleteaclasswithininvalidendpoint		1	1	0	0	1	0	1	0

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@DeleteaclasswithinvalidclassID		1	1	0	0	1	0	1	0
@deleteaclasswithoutauthorization		1	1	0	0	1	0	1	0
@GetAllRecordings		4	4	0	0	1	0	1	0
@GetClassRecordingsbyBatchId		5	4	1	0	1	0	1	0
@GetClassRecordingsbyClassId		5	4	1	0	1	0	1	0
@GetClassRecordingsbyClassId2		5	4	1	0	1	0	1	0
@GetUpcomingClasses		5	4	1	0	1	0	1	0
@UpdateNewClass		9	3	6	0	1	0	1	0
@UpdateClassRecording		6	4	2	0	1	0	1	0
@GetClassDetailsbyBatchId		5	4	1	0	1	0	1	0
@GetClassDetailsbyStaffId		5	5	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>User login : positive flow</u>	3	2	1	0	1.552 s
2	<u>ProgramModule</u>	53	41	12	0	30.181 s
3	<u>BatchModule : positive flow</u>	38	10	28	0	21.932 s
4	<u>Class1Module : Positive flow</u>	21	16	5	0	10.166 s
5	<u>Class 2 module</u>	49	36	13	0	25.387 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User login : positive flow</u>	<u>Admin creates request with valid credentials login</u>	3	3	0	0	0.616 s
2		<u>Check if Admin able to generate token with invalid endpoint login</u>	3	3	0	0	0.586 s
3		<u>Check if Admin able to generate token with invalid credentials login1</u>	3	1	1	1	0.057 s
4	<u>ProgramModule</u>	<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	1.177 s
5		<u>Check if Admin able to retrieve all programs with Admins and valid Endpoint</u>	4	4	0	0	0.691 s
6		<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.680 s
7		<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.606 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.499 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	4	4	0	0	0.750 s
10		<u>Check if Admin able to create a program with invalid method</u>	4	4	0	0	0.505 s
11		<u>Check if Admin able to retrieve all programs with invalid Method</u>	4	4	0	0	0.508 s
12		<u>Check if Admin able to retrieve all programs with admins with invalid Method</u>	4	4	0	0	0.532 s
13		<u>Check if Admin able to update a program with invalid method</u>	4	4	0	0	0.513 s
14		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	4	4	0	0	0.601 s
15		<u>Check if Admin able to retrieve all programs without Authorization</u>	4	4	0	0	0.501 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
16		<u>Check if Admin able to retrieve all programs with Admins without Authorization</u>	4	4	0	0	0.487 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program by programID without Authorization</u>	4	4	0	0	0.494 s
18		<u>Check if Admin able to update a program by programID without Authorization</u>	4	4	0	0	0.502 s
19		<u>Check if Admin able to update a program by programName without Authorization</u>	4	4	0	0	0.505 s
20		<u>Check if Admin able to delete a program by programID without Authorization</u>	4	4	0	0	0.503 s
21		<u>Check if Admin able to delete a program by programName without Authorization</u>	4	4	0	0	0.516 s
22		<u>Check if Admin able to create a program with invalid request body</u>	4	4	0	0	0.497 s
23		<u>Check if Admin able to create a program with invalid request body</u>	4	4	0	0	0.480 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>ProgramModule</u>	<u>Check if Admin able to create a program with invalid request body</u>	4	4	0	0	0.491 s
25		<u>Check if Admin able to create a program with invalid request body</u>	4	4	0	0	0.501 s
26		<u>Check if Admin able to create a program with invalid request body</u>	4	4	0	0	0.483 s
27		<u>Check if Admin able to update a program with invalid request body</u>	4	3	1	0	0.641 s
28		<u>Check if Admin able to update a program with invalid request body</u>	4	3	1	0	0.639 s
29		<u>Check if Admin able to update a program with invalid request body</u>	4	3	1	0	0.525 s
30		<u>Check if Admin able to update a program with invalid request body</u>	4	3	1	0	0.488 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>ProgramModule</u>	<u>Check if Admin able to update a program with invalid request body</u>	4	3	1	0	0.464 s
32		<u>Check if Admin able to update a program with invalid request body</u>	4	4	0	0	0.449 s
33		<u>Check if Admin able to update a program with invalid request body</u>	4	4	0	0	0.475 s
34		<u>Check if Admin able to update a program with invalid request body</u>	4	4	0	0	0.468 s
35		<u>Check if Admin able to update a program with invalid request body</u>	4	4	0	0	0.466 s
36		<u>Check if Admin able to update a program with valid programName endpoint and valid request body</u>	4	4	0	0	0.568 s
37		<u>Check if Admin able to update a program status</u>	4	4	0	0	0.926 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
38		<u>Check if Admin able to update a program by <code>programName</code> with invalid program Description</u>	4	4	0	0	0.935 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>ProgramModule</u>	<u>Check if Admin able to delete a program with valid program ID</u>	4	4	0	0	0.499 s
40		<u>Check if Admin able to delete a program with valid programName</u>	4	3	1	0	0.463 s
41		<u>Check if Admin able to create a program with invalid endpoint</u>	4	4	0	0	0.478 s
42		<u>Check if Admin able to retrieve all programs with invalid Endpoint</u>	4	4	0	0	0.473 s
43		<u>Check if Admin able to retrieve a program by programID with invalid Endpoint</u>	4	4	0	0	0.478 s
44		<u>Check if Admin able to retrieve all programs with admins and with invalid Endpoint</u>	4	4	0	0	0.451 s
45		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	4	4	0	0	0.482 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
46	<u>ProgramModule</u>	<u>Check if Admin able to update a program with invalid program Name and request body</u>	4	4	0	0	0.501 s
47		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	4	4	0	0	0.485 s
48		<u>Check if Admin able to delete a program with valid LMS API, invalid program ID</u>	4	4	0	0	0.502 s
49		<u>Check if Admin able to delete a program with valid LMS API, invalid pathParameter ProgramID</u>	4	3	1	0	0.461 s
50		<u>Check if Admin able to delete a program with valid LMS API, invalid pathParameter ProgramID</u>	4	3	1	0	0.488 s
51		<u>Check if Admin able to delete a program with valid LMS API, invalid pathParameter ProgramID</u>	4	4	0	0	0.432 s
52		<u>Check if Admin able to read a program with valid LMS API, invalid pathParameter ProgramID</u>	4	3	1	0	0.442 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
53	<u>ProgramModule</u>	<u>Check if Admin able to read a program with valid LMS API, invalid pathParameter ProgramID</u>	4	3	1	0	0.458 s
54		<u>Check if Admin able to read a program with valid LMS API, invalid pathParameter ProgramID</u>	4	4	0	0	0.442 s
55		<u>Check if Admin able to retrieve a program by programID with invalid baseURLI</u>	4	2	1	1	0.046 s
56		<u>Check if Admin able to update a program with invalid baseURLI and valid programId</u>	4	2	1	1	0.051 s
57	<u>BatchModule : positive flow</u>	<u>Check if Admin able to retrieve all batches with valid Endpoint</u>	3	3	0	0	0.660 s
58		<u>Check if admin able to retrieve all batches with search string</u>	3	3	0	0	0.755 s
59		<u>Check if Admin able to create a batch with valid endpoint and request body (non-existing values)</u>	3	2	1	0	0.758 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
60		<u>Check if admin able to retrieve a batch with valid batch ID</u>	3	2	1	0	0.553 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
61	<u>BatchModule : positive flow</u>	<u>Check if admin able to retrieve a batch after deleting the batch</u>	3	3	0	0	0.676 s
62		<u>Check if Admin able to retrieve a batch with valid batch Name</u>	3	3	0	0	0.660 s
63		<u>Check if admin able to retrieve a deleted batch using batch name</u>	3	2	1	0	0.702 s
64		<u>Check if Admin able to retrieve a batch with valid Program ID</u>	3	3	0	0	0.576 s
65		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.431 s
66		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	2	1	0	0.437 s
67		<u>Check if admin able to update a Batch with a deleted batchID in the endpoint</u>	3	2	1	0	0.441 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
68		<u>Check if Admin able to delete a batch with valid Batch ID</u>	3	2	1	0	0.455 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
69	<u>BatchModule : positive flow</u>	<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.453 s
70		<u>Check if admin able to retrieve all batches without Authorization</u>	3	3	0	0	0.470 s
71		<u>Check if admin able to retrieve a batch with batch ID without authorization</u>	3	3	0	0	0.489 s
72		<u>Check if admin able to retrieve a batch with invalid BATCH ID</u>	3	3	0	0	0.458 s
73		<u>Check if admin able to retrieve a batch with invalid endpoint</u>	3	3	0	0	0.440 s
74		<u>Check if admin able to retrieve a batch without authorization</u>	3	2	1	0	0.615 s
75		<u>Check if admin able to retrieve a batch with invalid BATCH NAME</u>	3	2	1	0	0.621 s
76		<u>Check if admin able to retrieve a batch with invalid endpoint1</u>	3	2	1	0	0.589 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
77		<u>Check if admin able to retrieve a batch with program ID without authorization</u>	3	2	1	0	0.711 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
78	<u>BatchModule : positive flow</u>	<u>Check if admin able to retrieve a batch with invalid Program Id</u>	3	2	1	0	0.829 s
79		<u>Check if admin able to retrieve a batch with invalid endpoint</u>	3	2	1	0	0.660 s
80		<u>Check if admin able to retrieve a batch after the programID is deleted</u>	3	2	1	0	0.622 s
81		<u>Check if admin able to create a Batch with valid endpoint and request body without authorization</u>	3	2	1	0	0.478 s
82		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	2	1	0	0.486 s
83		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	2	1	0	0.461 s
84		<u>Check if admin able to create a batch with invalid endpoint</u>	3	2	1	0	0.452 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
85		<i>Check if admin able to create a batch with invalid data in request body</i>	3	2	1	0	0.454 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
86	<u>BatchModule : positive flow</u>	<u>Check if admin able to create a batch with inactive program ID</u>	3	2	1	0	0.447 s
87		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization</u>	3	2	1	0	0.493 s
88		<u>Check if admin able to update a Batch with invalid batchID and mandatory fields in request body without authorization</u>	3	2	1	0	0.449 s
89		<u>Check if admin able to update a Batch with valid batchID and missing mandatory fields request body</u>	3	2	1	0	0.469 s
90		<u>Check if admin able to update a batch with invalid data</u>	3	2	1	0	0.444 s
91		<u>Check if admin able to update a Batch with invalid endpoint</u>	3	2	1	0	0.438 s
92		<u>Check if admin able to update a Batch with a valid batchID and deleted programID field in the request body with other *</u>	3	2	1	0	0.453 s
93		<u>Check if admin able to delete a Batch with invalid endpoint</u>	3	2	1	0	0.475 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>Duration</i>
94		<u><i>Check if admin able to delete a Batch without authorization</i></u>	3	2	1	0	0.465 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
95	<u>Class1Module : Positive flow</u>	<u>Check if admin able to retrieve all classes with valid Endpoint</u>	3	3	0	0	0.636 s
96		<u>Check if admin is able to create class with all valid details</u>	3	2	1	0	0.546 s
97		<u>Check if admin is able to create class with only mandatory</u>	3	2	1	0	0.456 s
98		<u>Check if admin is able to create class with only additional field values</u>	3	3	0	0	0.460 s
99		<u>Check if admin able to retrieve all classes with invalid Endpoint</u>	3	3	0	0	0.429 s
10-0		<u>Check if admin able to retrieve all classes with invalid method</u>	3	3	0	0	0.443 s
10-1		<u>Check if admin able to retrieve all classes without Authorization</u>	3	3	0	0	0.432 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-2		<i>Check if admin able to retrieve Class details with valid <u>classtopic</u></i>	3	2	1	0	0.454 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-3	<u>Class1Module : Positive flow</u>	<u>Check if admin able to retrieve all classes with invalid classTopic</u>	3	3	0	0	0.429 s
10-4		<u>Check if admin able to retrieve all classes with invalid Endpoint</u>	3	3	0	0	0.472 s
10-5		<u>Check if admin able to retrieve all classes with invalid method</u>	3	3	0	0	0.438 s
10-6		<u>Check if admin able to retrieve Class details without Authorization</u>	3	3	0	0	0.447 s
10-7		<u>Check if admin able to retrieve Class details with valid classId</u>	3	2	1	0	0.436 s
10-8		<u>Check if admin able to retrieve Class details with invalid classId</u>	3	3	0	0	0.444 s
10-9		<u>Check if admin able to retrieve Class details with invalid Endpoint</u>	3	3	0	0	0.446 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-0	<u>Class1Module : Positive flow</u>	<u>Check if admin able to retrieve Class details with invalid method</u>	3	3	0	0	0.437 s
11-1		<u>Check if admin able to retrieve Class details without Authorization</u>	3	3	0	0	0.425 s
11-2		<u>Check if admin able to delete a class with valid class ID</u>	3	2	1	0	0.443 s
11-3		<u>Check if admin able to delete a class with invalid endpoint</u>	3	3	0	0	0.420 s
11-4		<u>Check if admin able to delete a class with invalid class ID</u>	3	3	0	0	0.436 s
11-5		<u>Check if admin able to delete a class without authorization</u>	3	3	0	0	0.449 s
11-6	<u>Class 2 module</u>	<u>Check if admin able to retrieve all class recording</u>	3	3	0	0	0.495 s
11-7		<u>Check if admin able to retrieve all class recording with invalid Endpoint</u>	3	3	0	0	0.440 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
11-8		<u>Check if admin able to retrieve all class recording with invalid method</u>	3	3	0	0	0.451 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-9	<u>Class 2 module</u>	<u>Check if admin able to retrieve all class recording without Authorization</u>	3	3	0	0	0.434 s
12-0		<u>Check if admin able to retrieve class recording with valid Batchid</u>	3	2	1	0	0.477 s
12-1		<u>Check if admin able to retrieve class recording with invalid Batchid</u>	3	3	0	0	0.453 s
12-2		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.460 s
12-3		<u>Check if admin able to retrieve class recording with invalid method</u>	3	3	0	0	0.448 s
12-4		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.444 s
12-5		<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	2	1	0	0.496 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
12-6	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.441 s
12-7		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.455 s
12-8		<u>Check if admin able to retrieve class recording with invalid method</u>	3	3	0	0	0.457 s
12-9		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.724 s
13-0		<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	2	1	0	0.523 s
13-1		<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.460 s
13-2		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.444 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13-3	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with invalid method</u>	3	3	0	0	0.442 s
13-4		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.448 s
13-5		<u>Check if admin able to retrieve upcoming classes with valid studentID</u>	3	3	0	0	0.495 s
13-6		<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>	3	2	1	0	0.482 s
13-7		<u>Check if admin able to retrieve upcoming classes with invalid Endpoint</u>	3	3	0	0	0.566 s
13-8		<u>Check if admin able to retrieve upcoming classes with invalid method</u>	3	3	0	0	0.485 s
13-9		<u>Check if admin able to retrieve upcoming classes without Authorization</u>	3	3	0	0	0.466 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
14-0	<u>Class 2 module</u>	<u>Check if admin able to update a class with valid ClassID and all fields in requestBody</u>	3	2	1	0	0.460 s
14-1		<u>Check if admin able to update a class with valid classID and mandatory fields in request body without authorization</u>	3	3	0	0	0.479 s
14-2		<u>Check if admin able to update a Class with valid classID and mandatory fields in request body</u>	3	2	1	0	0.451 s
14-3		<u>Check if admin able to update a Class with invalid ClassID and mandatory fields in request body</u>	3	3	0	0	0.450 s
14-4		<u>Check if admin able to update a Class with valid ClassID and missing mandatory fields request body</u>	3	2	1	0	0.476 s
14-5		<u>Check if admin able to update a Class with invalid data</u>	3	2	1	0	0.681 s
14-6		<u>Check if admin able to update a Class with invalid endpoint</u>	3	3	0	0	0.449 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
14-7		<u>Check if admin able to update a Class with a deleted batchID field in the request body with other mandatory *</u>	3	2	1	0	0.446 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
14-8	<u>Class 2 module</u>	<u>Check if admin able to update a Class with a deleted classID in the endpoint</u>	3	2	1	0	0.458 s
14-9		<u>Check if admin able to update a Class Recording with valid classID in request body without authorization</u>	3	3	0	0	0.437 s
15-0		<u>Check if admin able to update a Class Recording with valid classID in request body</u>	3	2	1	0	0.459 s
15-1		<u>Check if admin able to update a Class Recording with invalid ClassID in request body</u>	3	3	0	0	0.456 s
15-2		<u>Check if admin able to update a Class Recording with invalid data</u>	3	2	1	0	0.436 s
15-3		<u>Check if admin able to retrieve class recording with invalid method</u>	3	3	0	0	0.585 s
15-4		<u>Check if admin able to update a Class Recording with invalid endpoint</u>	3	3	0	0	0.484 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
15-5		<u>Check if admin able to retrieve all Classes with valid Batchid</u>	3	2	1	0	0.475 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
15-6	<u>Class 2 module</u>	<u>Check if admin able to retrieve all Classes with invalid Batchid</u>	3	3	0	0	0.455 s
15-7		<u>Check if admin able to retrieve all Classes with invalid Endpoint</u>	3	3	0	0	0.475 s
15-8		<u>Check if admin able to retrieve all Classes with invalid method</u>	3	3	0	0	0.437 s
15-9		<u>Check if admin able to retrieve all Classes without Authorization</u>	3	3	0	0	0.425 s
16-0		<u>Check if admin able to retrieve all Classes with valid Staffid</u>	3	3	0	0	0.610 s
16-1		<u>Check if admin able to retrieve all Classes with invalid Staffid</u>	3	3	0	0	0.468 s
16-2		<u>Check if admin able to retrieve all Classes with invalid Endpoint</u>	3	3	0	0	0.427 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
16-3		<i>Check if admin able to retrieve all Classes with invalid method</i>	3	3	0	0	0.456 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16-4	<u>Class 2 module</u>	<u>Check if admin able to retrieve all Classes without Authorization</u>	3	3	0	0	0.424 s

User login : positive flow




Admin creates request with valid credentials login




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.006 s
2	When Admin calls Post Https method with valid endpoint login	PASSED	0.577 s
3	Then Admin receives 200 OK Status with login response body	PASSED	0.007 s

Check if Admin able to generate token with invalid endpoint login




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.002 s
2	When Admin calls Post Https method with invalid endpoint login	PASSED	0.561 s
3	Then Admin receives 401 unauthorized status login	PASSED	0.007 s

Check if Admin able to generate token with invalid credentials login1




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint login1 io.cucumber.java.PendingException: TODO: implement me at stepDefinitions.UserLoginSteps.admin_calls_post_https_method_with_valid_endpoint_login1(UserLoginSteps.java:118) at ?.Admin calls Post Https method with valid endpoint login1(file:///Users/bhagyashri/eclipse-workspace/ Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/01_UserLogin.feature:18) * Not displayable characters are replaced by '?'.	FAILED	0.026 s
3	Then Admin receives 400 Bad request login	SKIPPED	0.002 s

ProgramModule




Check if Admin able to retrieve all programs with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	When Admin creates and executes GET all program Request for the LMS API	PASSED	0.899 s
3	Then Admin receives 200 OK Status with program response body	PASSED	0.219 s

Check if Admin able to retrieve all programs with Admins and valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates GET Request to retrieve all programs with Admins for the LMS API	PASSED	0.009 s
3	When Admin executes HTTPS GET program request with valid endpoint	PASSED	0.661 s
4	Then Admin receives 200 OK Status with response body	PASSED	0.010 s

Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	When Admin creates and executes POST program Request for the LMS with "ValidProgramWithAllValidFieldsPresentInRequestBody"	PASSED	0.557 s
3	Then Admin receives 201 Created Status with program response body containing "UniqueProgramIdOne"	PASSED	0.114 s

Check if Admin able to create a program with valid endpoint and request body with Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.002 s
2	When Admin creates and executes POST program Request for the LMS with "ValidProgramWithMissingOptionalFieldInRequestBody"	PASSED	0.526 s
3	Then Admin receives 201 Created Status with program response body containing "UniqueProgramIdTwo"	PASSED	0.067 s

Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.002 s
2	When Admin creates and executes GET program with valid program ID Request for the LMS API	PASSED	0.486 s
3	Then Admin receives 200 OK Status with required program response body	PASSED	0.004 s

Check if Admin able to update a program with valid programID endpoint and valid request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.002 s
2	Given Admin creates PUT Request for the LMS Program API endpoint to "UpdateProgramWithAllValidFieldsPresentInRequestBody"	PASSED	0.025 s
3	When Admin sends HTTPS PUT Request with valid endpoint to update program	PASSED	0.582 s
4	Then Admin receives 200 OK Status with updated value in program response body	PASSED	0.110 s

Check if Admin able to create a program with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.004 s
2	Given Admin creates POST Program Request for the LMS with request body	PASSED	0.009 s
3	When Admin sends HTTPS GET Program Request and request Body with endpoint	PASSED	0.480 s
4	Then Admin receives 405 Method Not Allowed	PASSED	0.003 s

Check if Admin able to retrieve all programs with invalid Method




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates GET all programs Request for the LMS API	PASSED	0.002 s
3	When Admin sends HTTPS POST Program Request with endpoint	PASSED	0.487 s
4	Then Admin receives 405 Method Not Allowed	PASSED	0.009 s

Check if Admin able to retrieve all programs with admins with invalid Method




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.003 s
2	Given Admin creates GET all programs with admins Request for the LMS with request body	PASSED	0.007 s
3	When Admin sends HTTPS POST Program Request and request Body with endpoint	PASSED	0.488 s
4	Then Admin receives 405 Method Not Allowed	PASSED	0.003 s

Check if Admin able to update a program with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates PUT program Request for the LMS API	PASSED	0.008 s
3	When Admin sends HTTPS GET Program Request with endpoint	PASSED	0.495 s
4	Then Admin receives 405 Method Not Allowed	PASSED	0.003 s

Check if Admin able to create a program with valid endpoint and request body without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates POST Request for the LMS with request body and with no auth	PASSED	0.006 s
3	When Admin sends HTTPS POST Program Request with valid request Body and endpoint	PASSED	0.565 s
4	Then Admin receives 401 Unauthorized	PASSED	0.009 s

Check if Admin able to retrieve all programs without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates GET Program Request for the LMS with no auth	PASSED	0.004 s
3	When Admin sends HTTPS GET Program Request with valid endpoint	PASSED	0.474 s
4	Then Admin receives 401 Unauthorized	PASSED	0.014 s

Check if Admin able to retrieve all programs with Admins without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates GET Program with admins Request for the LMS with no auth	PASSED	0.001 s
3	When Admin sends HTTPS GET Program with admins Request with valid endpoint	PASSED	0.466 s
4	Then Admin receives 401 Unauthorized	PASSED	0.004 s

Check if Admin able to retrieve a program by programID without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates GET Program by programID Request for the LMS with no auth	PASSED	0.001 s
3	When Admin sends HTTPS GET Program by programID Request with valid endpoint	PASSED	0.477 s
4	Then Admin receives 401 Unauthorized	PASSED	0.006 s

Check if Admin able to update a program by programID without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates PUT Request with no auth for the LMS API endpoint with request Body with mandatory, additional fields	PASSED	0.008 s
3	When Admin sends HTTPS PUT Program by programID Request with valid endpoint	PASSED	0.485 s
4	Then Admin receives 401 Unauthorized	PASSED	0.003 s

Check if Admin able to update a program by **programName** without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.003 s
2	Given Admin creates PUT Request with programName and no auth for the LMS API endpoint with request Body with mandatory, additional fields	PASSED	0.006 s
3	When Admin sends HTTPS PUT Program by programName Request with valid endpoint	PASSED	0.469 s
4	Then Admin receives 401 Unauthorized	PASSED	0.015 s

Check if Admin able to delete a program by **programID** without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates DELETE by programID Request with no auth for the LMS API endpoint	PASSED	0.001 s
3	When Admin creates DELETE Request with no auth for the LMS API endpoint and valid programName	PASSED	0.493 s
4	Then Admin receives 401 Unauthorized	PASSED	0.002 s

Check if Admin able to delete a program by programName without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates DELETE by programName Request with no auth for the LMS API endpoint	PASSED	0.002 s
3	When Admin sends HTTPS DELETE Program by programID with noauth Request and valid endpoint	PASSED	0.496 s
4	Then Admin receives 401 Unauthorized	PASSED	0.004 s

Check if Admin able to create a program with invalid request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates POST Request for the LMS with "ExistingProgramName" in request body	PASSED	0.007 s
3	When Admin sends HTTPS POST Request and invalid program request Body with endpoint	PASSED	0.479 s
4	Then Admin receives 400 Bad Request Status	PASSED	0.003 s

Check if Admin able to create a program with invalid request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates POST Request for the LMS with "MissingMandatoryDetails" in request body	PASSED	0.009 s
3	When Admin sends HTTPS POST Request and invalid program request Body with endpoint	PASSED	0.450 s
4	Then Admin receives 400 Bad Request Status	PASSED	0.009 s

Check if Admin able to create a program with invalid request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates POST Request for the LMS with "SpecialCharactersInProgramMandatoryFields" in request body	PASSED	0.013 s
3	When Admin sends HTTPS POST Request and invalid program request Body with endpoint	PASSED	0.460 s
4	Then Admin receives 400 Bad Request Status	PASSED	0.004 s

Check if Admin able to create a program with invalid request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates POST Request for the LMS with "OnlyNumbersInProgramMandatoryFields" in request body	PASSED	0.009 s
3	When Admin sends HTTPS POST Request and invalid program request Body with endpoint	PASSED	0.484 s
4	Then Admin receives 400 Bad Request Status	PASSED	0.003 s

Check if Admin able to create a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates POST Request for the LMS with "VeryLongProgramName" in request body	PASSED	0.008 s
3	When Admin sends HTTPS POST Request and invalid program request Body with endpoint	PASSED	0.468 s
4	Then Admin receives 400 Bad Request Status	PASSED	0.002 s


Check if Admin able to update a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates PUT by programID Request for the LMS with "ExistingProgramNameToUpdate" in request body	PASSED	0.011 s
3	When Admin sends HTTPS PUT Request and invalid program request Body with endpoint	PASSED	0.487 s
4	Then Admin receives 400 Bad Request Status with message for invalid request body and boolean success details java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <401>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	0.137 s


#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor199.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at generics.ApiUtils.validateStatusCode_responseTime(ApiUtils.java:32) at stepDefinitions.ProgramSteps. admin_receives_bad_request_status_with_message_for_invalid_request_body_and_boolean_success_details(ProgramSteps.java:440) at ?.Admin receives 400 Bad Request Status with message for invalid request body and boolean success details(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:128) * Not displayable characters are replaced by '?'. </pre>		

Check if Admin able to update a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates PUT by programID Request for the LMS with "MissingMandatoryDetailsToUpdateProgram" in request body	PASSED	0.011 s
3	When Admin sends HTTPS PUT Request and invalid program request Body with endpoint	PASSED	0.597 s
4	Then Admin receives 400 Bad Request Status with message for invalid request body and boolean success details java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <401>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor199.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at generics.ApiUtils.validateStatusCode_responseTime(ApiUtils.java:32) at stepDefinitions.ProgramSteps.admin_receives_bad_request_status_with_message_for_invalid_request_body_and_boolean_success_details(ProgramSteps.java:440) at ?.Admin receives 400 Bad Request Status with message for invalid request body and boolean success details(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:128) * Not displayable characters are replaced by '?'. 	FAILED	0.014 s


Check if Admin able to update a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates PUT by programID Request for the LMS with "SpecialCharactersInProgramMandatoryFieldsToUpdateProgram" in request body	PASSED	0.009 s
3	When Admin sends HTTPS PUT Request and invalid program request Body with endpoint	PASSED	0.502 s
4	Then Admin receives 400 Bad Request Status with message for invalid request body and boolean success details java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <401>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor199.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre>at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at generics.ApiUtils.validateStatusCode_responseTime(ApiUtils.java:32) at stepDefinitions.ProgramSteps. admin_receives_bad_request_status_with_message_for_invalid_request_body_and_boolean_success_details(ProgramSteps.java:440) at ?.Admin receives 400 Bad Request Status with message for invalid request body and boolean success details(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:128) * Not displayable characters are replaced by '?'.</pre>		


Check if Admin able to update a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates PUT by programID Request for the LMS with "OnlyNumbersInProgramMandatoryFieldsToUpdateProgram" in request body	PASSED	0.014 s
3	When Admin sends HTTPS PUT Request and invalid program request Body with endpoint	PASSED	0.466 s
4	Then Admin receives 400 Bad Request Status with message for invalid request body and boolean success details	FAILED	0.004 s
	<pre>java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <401>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at jdk.internal.reflect.GeneratedMethodAccessor199.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at generics.ApiUtils.validateStatusCode_responseTime(ApiUtils.java:32) at stepDefinitions.ProgramSteps. admin_receives_bad_request_status_with_message_for_invalid_request_body_and_boolean_success_details(ProgramSteps.java:440) at ?.Admin receives 400 Bad Request Status with message for invalid request body and boolean success details(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:128) * Not displayable characters are replaced by '?'. </pre>		


Check if Admin able to update a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.002 s
2	Given Admin creates PUT by programID Request for the LMS with "VeryLongProgramNameToUpdateProgram" in request body	PASSED	0.005 s
3	When Admin sends HTTPS PUT Request and invalid program request Body with endpoint	PASSED	0.447 s
4	Then Admin receives 400 Bad Request Status with message for invalid request body and boolean success details java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor199.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at generics.ApiUtils.validateStatusCode_responseTime(ApiUtils.java:32) at stepDefinitions.ProgramSteps. admin_receives_bad_request_status_with_message_for_invalid_request_body_and_boolean_success_details(ProgramSteps.java:440) at ?.Admin receives 400 Bad Request Status with message for invalid request body and boolean success details(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:128) * Not displayable characters are replaced by '?'. </pre>		

Check if Admin able to update a program with invalid request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates PUT by programName Request for the LMS with "ExistingProgramNameToUpdate" in request body	PASSED	0.008 s
3	When Admin sends HTTPS PUT by programName Request and invalid program request Body with endpoint	PASSED	0.433 s
4	Then Admin receives 400 Bad Request Status with error message for invalid request body and boolean success details	PASSED	0.003 s

Check if Admin able to update a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.005 s
2	Given Admin creates PUT by programName Request for the LMS with "MissingMandatoryDetailsToUpdateProgram" in request body	PASSED	0.009 s
3	When Admin sends HTTPS PUT by programName Request and invalid program request Body with endpoint	PASSED	0.455 s
4	Then Admin receives 400 Bad Request Status with error message for invalid request body and boolean success details	PASSED	0.002 s


Check if Admin able to update a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	Given Admin creates PUT by programName Request for the LMS with "SpecialCharactersInProgramMandatoryFieldsToUpdateProgram" in request body	PASSED	0.005 s
3	When Admin sends HTTPS PUT by programName Request and invalid program request Body with endpoint	PASSED	0.457 s
4	Then Admin receives 400 Bad Request Status with error message for invalid request body and boolean success details	PASSED	0.003 s

Check if Admin able to update a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates PUT by programName Request for the LMS with "OnlyNumbersInProgramMandatoryFieldsToUpdateProgram" in request body	PASSED	0.006 s
3	When Admin sends HTTPS PUT by programName Request and invalid program request Body with endpoint	PASSED	0.452 s
4	Then Admin receives 400 Bad Request Status with error message for invalid request body and boolean success details	PASSED	0.005 s


Check if Admin able to update a program with valid programName endpoint and valid request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	Given Admin creates PUT by programName Request for the LMS Program API endpoint to "UpdateProgramWithAllValidFieldsPresentInRequestBody"	PASSED	0.008 s
3	When Admin sends HTTPS PUT Request with valid programName endpoint to update program	PASSED	0.542 s
4	Then Admin receives 200 OK Status with updated value in program response body	PASSED	0.012 s

Check if Admin able to update a program status



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates PUT Request for the LMS API endpoint and Valid program Name and "programStatus"	PASSED	0.454 s
3	When Admin sends HTTPS PUT by programName Request with valid programName endpoint to update program status	PASSED	0.458 s
4	Then Admin receives 200 OK Status with updated status in response body	PASSED	0.010 s


Check if Admin able to update a program by programName with invalid program Description



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates PUT Request for the LMS API endpoint and invalid "programDescription"	PASSED	0.485 s


#	Step / Hook Details	Status	Duration
3	When Admin sends HTTPS PUT by <code>programName</code> Request with valid <code>programName</code> endpoint to update program	PASSED	0.442 s
4	Then Admin receives 400 Bad Request Status with invalid <code>programName</code> error message and boolean success details	PASSED	0.002 s

Check if Admin able to delete a program with valid program ID



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates DELETE Request for the LMS Program API endpoint and valid program ID	PASSED	0.001 s
3	When Admin sends HTTPS DELETE program by <code>programId</code> Request with valid endpoint	PASSED	0.489 s
4	Then Admin receives 200 Ok status with successful program deletion message	PASSED	0.005 s


Check if Admin able to delete a program with valid `programName`



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid <code>programName</code>	PASSED	0.002 s
3	When Admin sends HTTPS DELETE program by <code>programName</code> Request with endpoint	PASSED	0.453 s
4	Then Admin receives 200 Ok status with message	FAILED	0.004 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor199.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at generics.ApiUtils.validateStatusCode_responseTime(ApiUtils.java:32) at stepDefinitions.ProgramSteps.admin_receives_ok_status_with_message(ProgramSteps.java:219) at ?.Admin receives 200 Ok status with message(file:///Users/bhagyashri/eclipse-workspace/ Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:179) * Not displayable characters are replaced by '?'.</pre>		

Check if Admin able to create a program with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates POST Request with invalid endpoint for the LMS with request body	PASSED	0.013 s
3	When Admin sends HTTPS POST Request with valid request Body and invalid endpoint	PASSED	0.460 s
4	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.002 s

Check if Admin able to retrieve all programs with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates GET Request for the LMS with valid baseURI	PASSED	0.006 s
3	When Admin sends GET Request to the LMS API along with invalid endpoint	PASSED	0.463 s
4	Then Admin receives 404 not found Status with error message	PASSED	0.001 s

Check if Admin able to retrieve a program by programID with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates GET Request to retrieve a program by programID for the LMS API	PASSED	0.003 s
3	When Admin sends HTTPS GET Request with invalid endpoint	PASSED	0.467 s
4	Then Admin receives 404 Not Found Status with error message and boolean success details	PASSED	0.005 s

Check if Admin able to retrieve all programs with admins and with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates GET request to fetch all programs with admins for the LMS API	PASSED	0.002 s
3	When Admin sends HTTPS Get all programs along with admins Request with invalid endpoint	PASSED	0.436 s
4	Then Admin receives 404 not found Status with correct error message	PASSED	0.003 s

Check if Admin able to update a program with invalid programID endpoint and valid request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates PUT Request for the LMS API endpoint along with valid request Body with mandatory, additional fields	PASSED	0.017 s
3	When Admin sends HTTPS Request with invalid programId endpoint	PASSED	0.448 s
4	Then Admin receives 404 Not Found Status with message and boolean success flag details	PASSED	0.002 s

Check if Admin able to update a program with invalid program Name and request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates PUT Request for the LMS API endpoint with valid request Body with mandatory, additional fields	PASSED	0.006 s
3	When Admin sends HTTPS Request with invalid programName endpoint	PASSED	0.484 s
4	Then Admin receives 404 Not Found Status with error message and boolean success flag details	PASSED	0.003 s

Check if Admin able to delete a program with valid LMS API,invalid programName




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.002 s
3	When Admin sends HTTPS Delete by invalid programName Request with endpoint	PASSED	0.477 s
4	Then Admin receives 404 Not Found Status along with error message and boolean success details	PASSED	0.004 s

Check if Admin able to delete a program with valid LMS API,invalid program ID



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates DELETE Request for the LMS API endpoint and invalid program ID	PASSED	0.001 s
3	When Admin sends HTTPS DELETE by invalid programID Request with endpoint	PASSED	0.491 s
4	Then Admin receives 404 Not Found Status along with message and boolean success flag details	PASSED	0.006 s


Check if Admin able to delete a program with valid LMS API,invalid pathParameter ProgramID



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates DELETE Request for the LMS API endpoint and "zero"	PASSED	0.002 s
3	When Admin sends HTTPS DELETE by invalid programID Request with endpoint	PASSED	0.445 s
4	<p>Then Admin receives 404 Not Found Status along with message and boolean success flag details</p> <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <401>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor199.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)</pre>	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<pre>at generics.ApiUtils.validateStatusCode_responseTime(ApiUtils.java:32) at stepDefinitions.ProgramSteps. admin_receives_not_found_status_along_with_message_and_boolean_success_flag_details(ProgramSteps.java:709) at ?.Admin receives 404 Not Found Status along with message and boolean success flag details(file:///Users/bhagyashri/eclipse-workspace/ Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:234) * Not displayable characters are replaced by '?'.</pre>		


Check if Admin able to delete a program with valid LMS API,invalid pathParameter ProgramID



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates DELETE Request for the LMS API endpoint and "negativeID"	PASSED	0.003 s
3	When Admin sends HTTPS DELETE by invalid programID Request with endpoint	PASSED	0.472 s
4	Then Admin receives 404 Not Found Status along with message and boolean success flag details <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <401>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor199.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</pre>	FAILED	0.007 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.runtime.callsite.PLObjectMetaMethodSite.dlInvoke(PLObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at generics.ApiUtils.validateStatusCode_responseTime(ApiUtils.java:32) at stepDefinitions.ProgramSteps. admin_receives_not_found_status_along_with_message_and_boolean_success_flag_details(ProgramSteps.java:709) at ?.Admin receives 404 Not Found Status along with message and boolean success flag details(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:234) * Not displayable characters are replaced by '?'. </pre>		

Check if Admin able to delete a program with valid LMS API,invalid pathParameter ProgramID



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates DELETE Request for the LMS API endpoint and "overFlowInteger"	PASSED	0.000 s
3	When Admin sends HTTPS DELETE by invalid programID Request with endpoint	PASSED	0.427 s
4	Then Admin receives 404 Not Found Status along with message and boolean success flag details	PASSED	0.002 s


Check if Admin able to read a program with valid LMS API,invalid pathParameter ProgramID



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates GET Request for the LMS API endpoint and "zero"	PASSED	0.001 s
3	When Admin sends HTTPS GET by invalid programID Request with endpoint	PASSED	0.431 s
4	Then Admin receives 404 Not Found Status along with message and boolean success flag details java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <401>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor199.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre>at generics.ApiUtils.validateStatusCode_responseTime(ApiUtils.java:32) at stepDefinitions.ProgramSteps. admin_receives_not_found_status_along_with_message_and_boolean_success_flag_details(ProgramSteps.java:709) at ?.Admin receives 404 Not Found Status along with message and boolean success flag details(file:///Users/bhagyashri/eclipse-workspace/ Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:244) * Not displayable characters are replaced by '?'.</pre>		


Check if Admin able to read a program with valid LMS API,invalid pathParameter ProgramID



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	Given Admin creates GET Request for the LMS API endpoint and "negativeID"	PASSED	0.001 s
3	When Admin sends HTTPS GET by invalid programID Request with endpoint	PASSED	0.438 s
4	Then Admin receives 404 Not Found Status along with message and boolean success flag details java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <401>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor199.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	FAILED	0.013 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.runtime.callsite.PLObjectMetaMethodSite.dlInvoke(PLObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at generics.ApiUtils.validateStatusCode_responseTime(ApiUtils.java:32) at stepDefinitions.ProgramSteps. admin_receives_not_found_status_along_with_message_and_boolean_success_flag_details(ProgramSteps.java:709) at ?.Admin receives 404 Not Found Status along with message and boolean success flag details(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:244) * Not displayable characters are replaced by '?'. </pre>		

Check if Admin able to read a program with valid LMS API,invalid pathParameter ProgramID



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates GET Request for the LMS API endpoint and "overFlowInteger"	PASSED	0.001 s
3	When Admin sends HTTPS GET by invalid programID Request with endpoint	PASSED	0.435 s
4	Then Admin receives 404 Not Found Status along with message and boolean success flag details	PASSED	0.002 s

Check if Admin able to retrieve a program by programID with invalid baseURI




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates GET Request to retrieve a program by programID for the LMS API with invalid baseURI	PASSED	0.001 s
3	<p>When Admin sends HTTPS GET Request along with valid endpoint and invalid baseURI</p> <pre>java.lang.IllegalStateException: Target host is null at org.apache.http.util.Asserts.notNull(Asserts.java:52) at org.apache.http.impl.ProxySelectorRoutePlanner.determineRoute(ProxySelectorRoutePlanner.java:133) at org.apache.http.impl.DefaultRequestDirector.determineRoute(DefaultRequestDirector.java:756) at org.apache.http.impl.DefaultRequestDirector.execute(DefaultRequestDirector.java:375) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor313.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1334) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1008) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:791) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1229)</pre>	FAILED	0.037 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor217.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1334) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1008) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:791) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:148) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor208.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1334) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1008) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:791) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor207.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1334) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1008) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:791) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:172) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepDefinitions.ProgramSteps.admin_sends_https_get_request_along_with_valid_endpoint_and_invalid_base_uri(ProgramSteps.java:746) at ?.Admin sends HTTPS GET Request along with valid endpoint and invalid baseURI(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:255) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 404 Not Found Status with resp error message and boolean success details	SKIPPED	0.000 s

Check if Admin able to update a program with invalid baseURI and valid programId



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	Given Admin creates PUT Request for the LMS API endpoint along with valid request Body with invalid baseURI	PASSED	0.014 s
3	<p>When Admin sends HTTPS Request with valid programId endpoint and invalid baseURI</p> <pre>java.lang.IllegalStateException: Target host is null at org.apache.http.util.Asserts.notNull(Asserts.java:52) at org.apache.http.impl.ProxySelectorRoutePlanner.determineRoute(ProxySelectorRoutePlanner.java:133) at org.apache.http.impl.DefaultRequestDirector.determineRoute(DefaultRequestDirector.java:756) at org.apache.http.impl.DefaultRequestDirector.execute(DefaultRequestDirector.java:375) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor313.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1334) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1008) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:791) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1229)</pre>	FAILED	0.029 s


#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor217.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1334) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1008) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:791) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:148) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor208.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1334) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1008) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:791) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor207.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1334) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1008) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:791) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at stepDefinitions.ProgramSteps.admin_sends_https_request_with_valid_program_id_endpoint_and_invalid_base_uri(ProgramSteps.java:767) at ?.Admin sends HTTPS Request with valid programId endpoint and invalid baseURI(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/02_Program.feature:261) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 404 Not Found Status with appropriate error message and boolean success flag details	SKIPPED	0.000 s

BatchModule : positive flow




Check if Admin able to retrieve all batches with valid Endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.010 s
2	When Admin creates and executes GET all batches Request for the LMS API	PASSED	0.640 s
3	Then Admin receives 200 OK Status for getAllBatches	PASSED	0.002 s


Check if admin able to retrieve all batches with search string



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates and executes GET all batches Request with search string for the LMS API	PASSED	0.740 s


#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 OK Status for getAllBatches2	PASSED	0.004 s

Check if Admin able to create a batch with valid endpoint and request body (non-existing values)




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.002 s
2	When Admin creates POST Request with valid data in request body	PASSED	0.567 s
3	Then Admin receives Created Status for post new batch with status code 201 and response message "Created" java.lang.NullPointerException: Cannot invoke "String.trim()" because the return value of "io.restassured.path.json.JsonPath.getString(String)" is null at generics.ApiUtils.extractFromResponse(ApiUtils.java:16) at apiActions.BatchActions.setBatchID(BatchActions.java:144) at stepDefinitions.BatchSteps.admin_receives_created_status_for_post_new_batch_with_status_code_and_response_message(BatchSteps.java:181) at ?.Admin receives Created Status for post new batch with status code 201 and response message "Created"(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:19) * Not displayable characters are replaced by '?'.	FAILED	0.173 s

Check if admin able to retrieve a batch with valid batch ID




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.001 s
2	When Admin creates and executes GET batch with valid batch ID Request for the LMS API	PASSED	0.491 s
3	<p>Then Admin receives 200 OK Status for getBatchByBatchID</p> <pre>java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_ok_status_for_get_batch_by_batch_id(BatchSteps.java:117) at ?.Admin receives 200 OK Status for getBatchByBatchID(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:25)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.057 s

Check if admin able to retrieve a batch after deleting the batch




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.001 s
2	When Admin creates GET Request with valid Batch ID	PASSED	0.654 s
3	Then Admin receives 200 OK Status with batchStatus field "OK" in the response body	PASSED	0.006 s

Check if Admin able to retrieve a batch with valid batch Name



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.004 s
2	When Admin creates and executes GET batch with valid batch Name Request for the LMS API	PASSED	0.650 s
3	Then Admin receives 200 OK Status for getBatchByBatchName	PASSED	0.000 s


Check if admin able to retrieve a deleted batch using batch name



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates GET Request with batch Name	PASSED	0.693 s
3	Then Admin receives 200 OK Status for Get Batch By Batch Name io.cucumber.core.exception.CucumberException: Step [Admin receives 200 OK Status for Get Batch By Batch Name] is defined with 2 parameters at 'stepDefinitions.BatchSteps.admin_receives_ok_status_for_get_batch_by_batch_name(java.lang.Integer,java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Admin receives 200 OK Status for Get Batch By Batch Name at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor252.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		

Check if Admin able to retrieve a batch with valid Program ID



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.004 s
2	When Admin creates and executes GET batch with valid program ID	PASSED	0.566 s
3	Then Admin receives 200 OK Status with response body for GetBatchByProgramId	PASSED	0.000 s


Check if admin able to create a batch with missing additional fields



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates POST Request with missing additional fields	PASSED	0.426 s
3	Then Admin receives Created Status for post2 new batch with status code 201 and response message "Created" java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.failAssert(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.BatchSteps. admin_receives_created_status_for_post2_new_batch_with_status_code_and_response_message(BatchSteps.java:199) at ?.Admin receives Created Status for post2 new batch with status code 201 and response message "Created"(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:51) * Not displayable characters are replaced by '?'.		

Check if admin able to update a Batch with valid batchID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates PUT Request with valid BatchId and Data	PASSED	0.426 s
3	Then Admin receives updated Status for put with status code 200 and response message "OK" java.lang.AssertionError: expected [200] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_updated_status_for_put_with_status_code_and_response_message(BatchSteps.java:213) at ?.Admin receives updated Status for put with status code 200 and response message "OK"(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:56) * Not displayable characters are replaced by '?'.	FAILED	0.006 s

Check if admin able to update a Batch with a deleted batchID in the endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates PUT Request with deleted batch Id	PASSED	0.434 s
3	<p>Then Admin receives updated Status for put2 with status code 200 and response message "OK"</p> <pre>java.lang.AssertionError: expected [200] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_updated_status_for_put2_with_status_code_and_response_message(BatchSteps.java:227) at ?.Admin receives updated Status for put2 with status code 200 and response message "OK"(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:61)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s

Check if Admin able to delete a batch with valid Batch ID




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.001 s
2	When Admin creates DELETE request with valid batch ID	PASSED	0.450 s
3	<p>Then Admin receives 200 OK Status with message for DeleteBatchByBatchID</p> <pre>java.lang.AssertionError: expected [200] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_ok_status_with_message_for_delete_batch_by_batch_id(BatchSteps.java:240) at ?.Admin receives 200 OK Status with message for DeleteBatchByBatchID(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:66)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.002 s

Check if admin able to retrieve all batches with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates GET Request (Negative1)	PASSED	0.449 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s

Check if admin able to retrieve all batches without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.003 s
2	When Admin creates GET Request (Negative2)	PASSED	0.450 s
3	Then Admin receives 401 status with error message Unauthorized	PASSED	0.004 s

Check if admin able to retrieve a batch with batch ID without authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.003 s
2	When Admin creates GET Request with valid Batch ID (Negative3)	PASSED	0.482 s
3	Then Admin receives 401 Status with error message unauthorized for GetAllBatches	PASSED	0.003 s

Check if admin able to retrieve a batch with invalid BATCH ID




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.004 s
2	When Admin creates GET Request with invalid Batch ID (Negative4)	PASSED	0.449 s
3	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if admin able to retrieve a batch with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.001 s
2	When Admin creates GET Request with valid Batch ID (Negative5)	PASSED	0.438 s
3	Then Admin receives 404 not found Status	PASSED	0.000 s

Check if admin able to retrieve a batch without authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.001 s
2	When Admin creates GET Request with batch Name(Negative6)	PASSED	0.608 s
3	<p>Then Admin receives 401 Status with error message unauthorized for GetAllBatches</p> <pre>java.lang.AssertionError: expected [401] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_status_with_error_message_unauthorized_for_get_all_batches(BatchSteps.java:277) at ?.Admin receives 401 Status with error message unauthorized for GetAllBatches(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:96)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.004 s

Check if admin able to retrieve a batch with invalid BATCH NAME



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates GET Request with invalid Batch Name(Negative7)	PASSED	0.612 s
3	<p>Then Admin receives 404 Not Found Status with message and boolean success details1</p> <pre>java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_not_found_status_with_message_and_boolean_success_details1(BatchSteps.java:325) at ?.Admin receives 404 Not Found Status with message and boolean success details1(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:101)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.001 s


Check if admin able to retrieve a batch with invalid endpoint1



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates GET Request with valid Batch Name(Negative8)	PASSED	0.585 s
3	<p>Then Admin receives 404 Not found</p> <pre>java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_not_found(BatchSteps.java:337) at ?.Admin receives 404 Not found(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:106) * Not displayable characters are replaced by '?'. </pre>		

Check if admin able to retrieve a batch with program ID without authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates GET Request with program id(Negative9)	PASSED	0.692 s
3	Then Admin receives 401 Status with error message unauthorized for GetBatchByProgramId <pre> java.lang.AssertionError: expected [401] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_status_with_error_message_unauthorized_for_get_batch_by_program_id(BatchSteps.java:349) at ?.Admin receives 401 Status with error message unauthorized for GetBatchByProgramId(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:111) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.007 s

Check if admin able to retrieve a batch with invalid Program Id




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.002 s
2	When Admin creates GET Request with invalid Program Id	PASSED	0.793 s
3	<p>Then Admin receives 404 Not Found Status with message and boolean success details for GetBatchByProgramId</p> <pre>java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps. admin_receives_not_found_status_with_message_and_boolean_success_details_for_get_batch_by_program_id(BatchSteps.java:361) at ?.Admin receives 404 Not Found Status with message and boolean success details for GetBatchByProgramId(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:116) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.009 s

Check if admin able to retrieve a batch with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates GET Request with invalid endpoint(Negative10)	PASSED	0.653 s
3	Then Admin receives 404 Status with error message Not Found for GetBatchByProgramId java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_status_with_error_message_not_found_for_get_batch_by_program_id(BatchSteps.java:373) at ?.Admin receives 404 Status with error message Not Found for GetBatchByProgramId(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:121) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin able to retrieve a batch after the programID is deleted



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates GET Request with program id(Negative11)	PASSED	0.617 s
3	<p>Then Admin receives 404 Not Found Status with message and boolean success details for batch</p> <pre>java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_not_found_status_with_message_and_boolean_success_details_for_batch(BatchSteps.java:385) at ?.Admin receives 404 Not Found Status with message and boolean success details for batch(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:126) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s


Check if admin able to create a Batch with valid endpoint and request body without authorization



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.001 s
2	When Admin creates POST Request with valid data in request body(Negative12)	PASSED	0.456 s
3	<p>Then Admin receives 401 Unauthorized for post new batch</p> <pre>io.cucumber.core.exception.CucumberException: Step [Admin receives {int} Unauthorized for post new batch] is defined with 2 parameters at 'stepDefinitions.BatchSteps.admin_receives_unauthorized_for_post_new_batch(java.lang.Integer,java.lang.String)'. However, the gherkin step has 1 arguments: * 401 Step text: Admin receives 401 Unauthorized for post new batch at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</pre>	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor252.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		


Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.001 s
2	When Admin creates POST Request with existing value in request body(Negative13)	PASSED	0.466 s
3	<p>Then Admin receives 400 Bad Request Status with message and boolean success details</p> <pre>io.cucumber.core.exception.CucumberException: Step [Admin receives {int} Bad Request Status with message and boolean success details] is defined with 2 parameters at 'stepDefinitions.BatchSteps'. admin_receives_bad_request_status_with_message_and_boolean_success_details(java.lang.Integer,java.lang.String). However, the gherkin step has 1 arguments: * 400 Step text: Admin receives 400 Bad Request Status with message and boolean success details at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor252.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		

Check if admin able to create a Batch missing mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates POST Request with invalid data in request body(Negative14)	PASSED	0.453 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details(Negative14)	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [Admin receives {int} Bad Request Status with message and boolean success details](Negative14)] is defined with 2 parameters at 'stepDefinitions.BatchSteps'. admin_receives_bad_request_status_with_message_and_boolean_success_details_negative14(java.lang.Integer,java.lang.String). However,		

#	Step / Hook Details	Status	Duration
	<p>the gherkin step has 1 arguments: * 400 Step text: Admin receives 400 Bad Request Status with message and boolean success details(Negative14)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor252.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		


Check if admin able to create a batch with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates POST Request body(Negative15)	PASSED	0.426 s
3	Then Admin receives 404 not found Status(Negative15) io.cucumber.core.exception.CucumberException: Step [Admin receives {int} not found Status(Negative15)] is defined with 2 parameters at 'stepDefinitions.BatchSteps.admin_receives_not_found_status_negative15(java.lang.Integer,java.lang.String)'. However, the gherkin step has 1 arguments: * 404 Step text: Admin receives 404 not found Status(Negative15) at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor252.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91) </pre>		

Check if admin able to create a batch with invalid data in request body




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.001 s
2	When Admin creates POST Request with invalid data in request body(Negative16)	PASSED	0.440 s

#	Step / Hook Details	Status	Duration
3	<p>Then Admin receives 400 Bad Request Status with message and boolean success details(Negative16)</p> <p>io.cucumber.core.exception.CucumberException: Step [Admin receives {int} Bad Request Status with message and boolean success details](Negative16)] is defined with 2 parameters at 'stepDefinitions.BatchSteps'. admin_receives_bad_request_status_with_message_and_boolean_success_details_negative16(java.lang.Integer,java.lang.String). However, the gherkin step has 1 arguments: * 400 Step text: Admin receives 400 Bad Request Status with message and boolean success details(Negative16)</p> <pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor252.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.Invokers.invokeMethod(Invokers.java:664) at org.testng.internal.Invokers.invokeTestMethod(Invokers.java:228) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.Invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.Invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.Invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.Invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) </pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)</pre>		


Check if admin able to create a batch with inactive program ID



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates POST Request with inactive program id(Negative17)	PASSED	0.438 s
3	<p>Then Admin receives 400 Bad Request Status with message and boolean success details(Negative17)</p> <p>io.cucumber.core.exception.CucumberException: Step [Admin receives {int} Bad Request Status with message and boolean success details](Negative17)] is defined with 2 parameters at 'stepDefinitions.BatchSteps'. admin_receives_bad_request_status_with_message_and_boolean_success_details_negative17(java.lang.Integer,java.lang.String). However, the gherkin step has 1 arguments: * 400 Step text: Admin receives 400 Bad Request Status with message and boolean success details(Negative17)</p> <pre>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</pre>	FAILED	0.006 s


#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor252.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		

Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.001 s
2	When Admin creates PUT Request with valid BatchId and Data(Negative18)	PASSED	0.468 s
3	<p>Then Admin receives 401 unauthorized status for UpdateBatchByBatchID</p> <pre>java.lang.AssertionError: expected [401] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_unauthorized_status_for_update_batch_by_batch_id(BatchSteps.java:483) at ?.Admin receives 401 unauthorized status for UpdateBatchByBatchID(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:161)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.018 s


Check if admin able to update a Batch with invalid batchID and mandatory fields in request body without authorization



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates PUT Request with invalid BatchId and valid Data(Negative19)	PASSED	0.437 s
3	<p>Then Admin receives 404 Not Found Status with message and boolean success details for UpdateBatchByBatchID</p> <pre>java.lang.AssertionError: expected [404] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150)</pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps. admin_receives_not_found_status_with_message_and_boolean_success_details_for_update_batch_by_batch_id(BatchSteps.java:497) at ?.Admin receives 404 Not Found Status with message and boolean success details for UpdateBatchByBatchID(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:166) * Not displayable characters are replaced by '?'. </pre>		


Check if admin able to update a Batch with valid batchID and missing mandatory fields request body



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates PUT Request with valid batch Id and missing mandatory fields(Negative20)	PASSED	0.458 s
3	<p>Then Admin receives 400 Bad Request Status with message and boolean success details for UpdateBatchByBatchID</p> <pre> java.lang.AssertionError: expected [400] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps. admin_receives_bad_request_status_with_message_and_boolean_success_details_for_update_batch_by_batch_id(BatchSteps.java:511) at ?.Admin receives 400 Bad Request Status with message and boolean success details for UpdateBatchByBatchID(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:171) </pre>	FAILED	0.004 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		

Check if admin able to update a batch with invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates PUT Request with invalid data(Negative21)	PASSED	0.437 s
3	<p>Then Admin receives 400 Bad Request Status with message and boolean success details for UpdateBatchByBatchID1</p> <pre>java.lang.AssertionError: expected [400] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps. admin_receives_bad_request_status_with_message_and_boolean_success_details_for_update_batch_by_batch_id1(BatchSteps.java:525) at ?.Admin receives 400 Bad Request Status with message and boolean success details for UpdateBatchByBatchID1(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:176)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.004 s

Check if admin able to update a Batch with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.001 s
2	When Admin creates PUT Request with Valid batch Id(Negative22)	PASSED	0.432 s
3	<p>Then Admin receives 404 not found for UpdateBatchByBatchID</p> <pre>java.lang.AssertionError: expected [404] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_not_found_for_update_batch_by_batch_id(BatchSteps.java:539) at ?.Admin receives 404 not found for UpdateBatchByBatchID(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:181)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s

Check if admin able to update a Batch with a valid batchID and deleted programID field in the request body with other mandatory fields



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates PUT Request with Valid batch Id(Negative23)	PASSED	0.443 s
3	<p>Then Admin receives 400 Bad Request Status with message and boolean success details for UpdateBatchByBatchID2</p> <pre>java.lang.AssertionError: expected [400] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps. admin_receives_bad_request_status_with_message_and_boolean_success_details_for_update_batch_by_batch_id2(BatchSteps.java:553) at ?.Admin receives 400 Bad Request Status with message and boolean success details for UpdateBatchByBatchID2(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:186) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s


Check if admin able to delete a Batch with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates DELETE Request with valid BatchId(Negative24)	PASSED	0.468 s
3	<p>Then Admin receives 404 not found for DeleteBatchByBatchID</p> <pre>java.lang.AssertionError: expected [404] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132)</pre>	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_not_found_for_delete_batch_by_batch_id(BatchSteps.java:566) at ?.Admin receives 404 not found for DeleteBatchByBatchID(file:///Users/bhagyashri/eclipse-workspace/ Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:191) * Not displayable characters are replaced by '?'. </pre>		

Check if admin able to delete a Batch without authorization




#	Step / Hook Details	Status	Duration
1	Given Admin provides valid UserName and PassWord	PASSED	0.000 s
2	When Admin creates DELETE Request with valid BatchId(Negative26)	PASSED	0.458 s
3	Then Admin receives 401 Unauthorized Status for DeleteBatchByBatchID java.lang.AssertionError: expected [401] but found [405] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.BatchSteps.admin_receives_unauthorized_status_for_delete_batch_by_batch_id(BatchSteps.java:578) at ?.Admin receives 401 Unauthorized Status for DeleteBatchByBatchID(file:///Users/bhagyashri/eclipse-workspace/ Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/03_Batch.feature:196) * Not displayable characters are replaced by '?'.	FAILED	0.004 s

Class1Module : Positive flow




Check if admin able to retrieve all classes with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.001 s
2	When Admin creates GET Request and Admin sends HTTPS Request with endpoint for class	PASSED	0.633 s
3	Then Admin receives 200 "OK" Status with response body for class	PASSED	0.000 s

Check if admin is able to create class with all valid details



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates POST Request with request body for create class	PASSED	0.465 s
3	<p>Then Admin receive 201 "Created" Status for createClass</p> <pre>java.lang.NullPointerException: Cannot invoke "String.trim()" because the return value of "io.restassured.path.json.JsonPath.getString(String)" is null at generics.ApiUtils.extractFromResponse(ApiUtils.java:16) at apiActions.class1Actions.setClassID(class1Actions.java:210) at stepDefinitions.class1Steps.admin_receive_status_for_createClass(class1Steps.java:385) at ?.Admin receive 201 "Created" Status for createClass(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/04_class1.feature:15) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.079 s


Check if admin is able to create class with only mandatory



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates POST Request with request body for mandatory createClass	PASSED	0.448 s
3	<p>Then Admin receive 201 status for createClass</p> <pre>java.lang.AssertionError: expected [201] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class1Steps.admin_receive_status_for_createdclass(class1Steps.java:398) at ?.Admin receive 201 status for createClass(file:///Users/bhagyashri/eclipse-workspace/</pre>	FAILED	0.004 s


#	Step / Hook Details	Status	Duration
	Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/04_class1.feature:20) * Not displayable characters are replaced by '?'.		

Check if admin is able to create class with only additional field values




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates POST Request for only addditional field values createClass	PASSED	0.456 s
3	Then Admin receive 400 status for createClass	PASSED	0.001 s

Check if admin able to retrieve all classes with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates GET Request and Admin sends HTTPS Request with invalid endpoint for class	PASSED	0.424 s
3	Then Admin receives 404 status with error message Not Found for class	PASSED	0.000 s

Check if admin able to retrieve all classes with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates GET Request and Admin sends HTTPS Request with invalid method endpoint for class	PASSED	0.439 s
3	Then Admin receives 405 Method not allowed status visible for class	PASSED	0.002 s

Check if admin able to retrieve all classes without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates GET Request and admin sends HTTPS Request without Authorization for class	PASSED	0.430 s
3	Then Admin receives 401 status with error message Unauthorized for class	PASSED	0.000 s

Check if admin able to retrieve Class details with valid classtopic




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates GET Request and Admin sends HTTPS Request with endpoint for a class	PASSED	0.446 s
3	<p>Then Admin receives 200 OK Status with response body for class</p> <pre>java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class1Steps.admin_receives_ok_status_with_response_body_for_class(class1Steps.java:161) at ?.Admin receives 200 OK Status with response body for class(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/04_class1.feature:47)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.004 s

Check if admin able to retrieve all classes with invalid classtopic




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates GET Request and Admin sends HTTPS Request with invalid classtopic endpoint for class	PASSED	0.425 s
3	Then Admin receives 404 Not Found Status with message visible for class	PASSED	0.000 s

Check if admin able to retrieve all classes with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.001 s
2	When Admin creates GET Request and Admin sends HTTPS Request with invalid endpoint	PASSED	0.465 s
3	Then Admin receives 404 "Not Found" Status with message visible	PASSED	0.002 s

Check if admin able to retrieve all classes with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates GET Request and Admin sends HTTPS Request with not valid method endpoint for class	PASSED	0.433 s
3	Then Admin receives 405 and "Method Not Allowed" status visible for class	PASSED	0.002 s

Check if admin able to retrieve Class details without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates GET Request and Admin sends HTTPS Request without Authorization for classtopic	PASSED	0.444 s
3	Then Admin receives 401 status with error message of "Unauthorized" for class	PASSED	0.000 s



Check if admin able to retrieve Class details with valid classId



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates GET Request and Admin sends HTTPS Request with valid classId endpoint for class	PASSED	0.429 s
3	Then Admin receives 200 "OK" Status with response body with valid classId for class java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.failAssert.java:111) at org.testng.Assert.failNotEqualsAssert.java:1578) at org.testng.Assert.assertEqualsImplAssert.java:150) at org.testng.Assert.assertEqualsAssert.java:132) at org.testng.Assert.assertEqualsAssert.java:1419) at org.testng.Assert.assertEqualsAssert.java:1383)	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class1Steps.admin_receives_status_with_response_body_with_valid_class_id_for_class(class1Steps.java:245) at ?.Admin receives 200 "OK" Status with response body with valid classId for class(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/04_class1.feature:72) * Not displayable characters are replaced by '?'.		

Check if admin able to retrieve Class details with invalid classId

PASSED	DURATION - 0.444 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:09:32.832 PM // 2:09:33.276 PM /				
Class1Module : Positive flow				
@GetClassdetailswithinvalidclassId				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.001 s
2	When Admin creates GET Request and Admin sends HTTPS Request with invalid classid endpoint for class	PASSED	0.436 s
3	Then Admin receives 404 "Not Found" Status with message visible for class	PASSED	0.002 s


Check if admin able to retrieve Class details with invalid Endpoint

PASSED	DURATION - 0.446 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:09:33.320 PM // 2:09:33.766 PM /				
Class1Module : Positive flow				
@GetClassdetailswithinvalidEndpoint				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates GET Request for invalid endpoint and Admin sends HTTPS Request with invalid endpoint for class	PASSED	0.434 s


#	Step / Hook Details	Status	Duration
3	Then Admin receives 404 "Not Found" Status with message for invalid endpoint visible for class	PASSED	0.009 s

Check if admin able to retrieve Class details with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.002 s
2	When Admin creates GET Request for invalid method and Admin sends HTTPS Request with endpoint for class	PASSED	0.427 s
3	Then Admin receives 405 and "Method Not Allowed" status visible of invalid method for class	PASSED	0.001 s

Check if admin able to retrieve Class details without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates GET Request and Admin sends HTTPS Request without Authorization with endpoint for class	PASSED	0.420 s
3	Then Admin receives 401 status with error message of "Unauthorized" for class	PASSED	0.002 s

Check if admin able to delete a class with valid class ID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates DELETE Request with valid classId and Admin sends HTTPS Request with endpoint for class	PASSED	0.427 s
3	<p>Then Admin receives 200 Ok status with message for class</p> <pre>java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class1Steps.admin_receives_ok_status_with_message_for_class(class1Steps.java:308) at ?.Admin receives 200 Ok status with message for class(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/04_class1.feature:98)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.010 s

Check if admin able to delete a class with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.001 s
2	When Admin creates DELETE Request with valid classId and Admin sends HTTPS Request with invalid endpoint for class	PASSED	0.418 s
3	Then Admin receives 404 not found for class	PASSED	0.000 s

Check if admin able to delete a class with invalid class ID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates DELETE Request with invalid classId and Admin sends HTTPS Request with endpoint for class	PASSED	0.434 s
3	Then Admin receives 404 Not Found Status with message and boolean success details for class	PASSED	0.000 s

Check if admin able to delete a class without authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class1 module	PASSED	0.000 s
2	When Admin creates DELETE Request without authorization with valid classId and Admin sends HTTPS Request with endpoint for class	PASSED	0.446 s
3	Then Admin receives 401 Unauthorized Status for class	PASSED	0.000 s

Class 2 module




Check if admin able to retrieve all class recording




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getAllRecordings	PASSED	0.480 s
3	Then Admin receives 200 "OK" Status for getAllRecordings	PASSED	0.011 s

Check if admin able to retrieve all class recording with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.002 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getAllRecordings	PASSED	0.432 s
3	Then Admin receives 404 "Not Found" Status for getAllRecordings	PASSED	0.000 s

Check if admin able to retrieve all class recording with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings	PASSED	0.439 s
3	Then Admin receives 405 "Method Not Allowed" Status for getAllRecordings	PASSED	0.001 s

Check if admin able to retrieve all class recording without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getAllRecordings	PASSED	0.429 s
3	Then Admin receives 401 "Unauthorized" Status for getAllRecordings	PASSED	0.002 s

Check if admin able to retrieve class recording with valid Batchid




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.003 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByBatchID	PASSED	0.455 s
3	<p>Then Admin receives 200 "OK" Status for getClassRecordingsByBatchID</p> <pre>java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class2Steps.admin_receives_status_for_getClassRecordingsByBatchID(class2Steps.java:155) at ?.Admin receives 200 "OK" Status for getClassRecordingsByBatchID(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:33)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.012 s

Check if admin able to retrieve class recording with invalid Batchid




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByBatchID	PASSED	0.447 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.003 s

Check if admin able to retrieve class recording with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByBatchID	PASSED	0.454 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.004 s

Check if admin able to retrieve class recording with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByBatchID	PASSED	0.444 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassRecordingsByBatchID	PASSED	0.001 s

Check if admin able to retrieve class recording without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByBatchID	PASSED	0.442 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByBatchID	PASSED	0.001 s


Check if admin able to retrieve class recording with valid ClassID



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID	PASSED	0.485 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419)	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	<pre>at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class2Steps.admin_receives_status_for_getClassRecordingsByClassID(class2Steps.java:201) at ?.Admin receives 200 "OK" Status for getClassRecordingsByClassID(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:59) * Not displayable characters are replaced by '?'.</pre>		

Check if admin able to retrieve class recording with invalid ClassID



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID	PASSED	0.437 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.001 s


Check if admin able to retrieve class recording with invalid Endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID	PASSED	0.437 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.011 s

Check if admin able to retrieve class recording with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID	PASSED	0.447 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassRecordingsByClassID	PASSED	0.003 s

Check if admin able to retrieve class recording without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID	PASSED	0.685 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID	PASSED	0.012 s

Check if admin able to retrieve class recording with valid ClassID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID2	PASSED	0.498 s
3	<p>Then Admin receives 200 "OK" Status for getClassRecordingsByClassID2</p> <pre>java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class2Steps.admin_receives_status_for_getClassRecordingsByClassID2(class2Steps.java:247) at ?.Admin receives 200 "OK" Status for getClassRecordingsByClassID2(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:85)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.019 s

Check if admin able to retrieve class recording with invalid ClassID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.011 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID2	PASSED	0.445 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.001 s

Check if admin able to retrieve class recording with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.002 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID2	PASSED	0.435 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.004 s

Check if admin able to retrieve class recording with invalid method





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID2	PASSED	0.440 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassRecordingsByClassID2	PASSED	0.001 s

Check if admin able to retrieve class recording without Authorization

PASSED	DURATION - 0.448 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:09:45.942 PM // 2:09:46.390 PM /				
Class 2 module				
@GetClassRecordingsbyClassId2				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID2	PASSED	0.445 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID2	PASSED	0.001 s

Check if admin able to retrieve upcoming classes with valid studentID

PASSED	DURATION - 0.495 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:09:46.417 PM // 2:09:46.912 PM /				
Class 2 module				
@GetUpcomingClasses				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getUpcomingClasses	PASSED	0.492 s
3	Then Admin receives 200 "OK" Status for getUpcomingClasses	PASSED	0.001 s

Check if admin able to retrieve upcoming classes with invalid studentID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.002 s
2	When Admin creates GET Request and sends HTTPS Request with invalid studentID for getUpcomingClasses	PASSED	0.469 s
3	<p>Then Admin receives 404 "Not Found" Status for getUpcomingClasses</p> <pre>java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class2Steps.admin_receives_status_for_getUpcomingClasses(class2Steps.java:293) at ?.Admin receives 404 "Not Found" Status for getUpcomingClasses(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:116)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.004 s

Check if admin able to retrieve upcoming classes with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getUpcomingClasses	PASSED	0.544 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses	PASSED	0.008 s

Check if admin able to retrieve upcoming classes with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getUpcomingClasses	PASSED	0.480 s
3	Then Admin receives 405 "Method Not Allowed" Status for getUpcomingClasses	PASSED	0.001 s

Check if admin able to retrieve upcoming classes without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getUpcomingClasses	PASSED	0.454 s
3	Then Admin receives 401 "Unauthorized" Status for getUpcomingClasses	PASSED	0.010 s

Check if admin able to update a class with valid ClassID and all fields in requestBody




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and all the fields for updateClass	PASSED	0.450 s
3	<p>Then Admin receives 200 "OK" Status for updateClass</p> <pre>java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class2Steps.admin_receives_status_for_updateClass(class2Steps.java:365) at ?.Admin receives 200 "OK" Status for updateClass(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:137)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.007 s

Check if admin able to update a class with valid classID and mandatory fields in request body without authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and all the fields without Auth for updateClass	PASSED	0.475 s
3	Then Admin receives 401 "Unauthorized" Status for updateClass	PASSED	0.001 s

Check if admin able to update a Class with valid classID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and mandatory fields for updateClass	PASSED	0.446 s
3	Then Admin receives 200 "OK" Status for updateClass java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class2Steps.admin_receives_status_for_updateClass(class2Steps.java:365) at ?.Admin receives 200 "OK" Status for updateClass(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:147)	FAILED	0.002 s

Check if admin able to update a Class with invalid ClassID and mandatory fields in request body



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with invalid classId and mandatory fields for updateClass	PASSED	0.446 s
3	Then Admin receives 404 "Not Found" Status for updateClass	PASSED	0.001 s


Check if admin able to update a Class with valid ClassID and missing mandatory fields request body



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and missing mandatory fields for updateClass	PASSED	0.465 s
3	Then Admin receives 400 "Bad Request" Status for updateClass java.lang.AssertionError: expected [400] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.class2Steps.admin_receives_status_for_updateClass(class2Steps.java:365) at ?.Admin receives 400 "Bad Request" Status for updateClass(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:157) * Not displayable characters are replaced by '?'. 		

Check if admin able to update a Class with invalid data





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.002 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and invalid data for updateClass	PASSED	0.646 s
3	Then Admin receives 400 "Bad Request" Status for updateClass java.lang.AssertionError: expected [400] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class2Steps.admin_receives_status_for_updateClass(class2Steps.java:365) at ?.Admin receives 400 "Bad Request" Status for updateClass(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:162) * Not displayable characters are replaced by '?'. 	FAILED	0.016 s

Check if admin able to update a Class with invalid endpoint

PASSED	DURATION - 0.449 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:09:52.402 PM // 2:09:52.851 PM /				
Class 2 module				
@UpdateNewClass				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and invalid endpoint for updateClass	PASSED	0.445 s
3	Then Admin receives 404 "Not Found" Status for updateClass	PASSED	0.001 s


Check if admin able to update a Class with a deleted batchID field in the request body with other mandatory fields

FAILED	DURATION - 0.446 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:09:52.868 PM // 2:09:53.314 PM /				
Class 2 module				
@UpdateNewClass				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and deleted batchID for updateClass	PASSED	0.437 s
3	Then Admin receives 400 "Bad Request" Status for updateClass java.lang.AssertionError: expected [400] but found [200] at org.testng.Assert.failAssert.java:111) at org.testng.Assert.failNotEqualsAssert.java:1578) at org.testng.Assert.assertEqualsImplAssert.java:150) at org.testng.Assert.assertEqualsAssert.java:132) at org.testng.Assert.assertEqualsAssert.java:1419) at org.testng.Assert.assertEqualsAssert.java:1383) at org.testng.Assert.assertEqualsAssert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38)	FAILED	0.004 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.class2Steps.admin_receives_status_for_updateClass(class2Steps.java:365) at ?.Admin receives 400 "Bad Request" Status for updateClass(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:172) * Not displayable characters are replaced by '?'. 		

Check if admin able to update a Class with a deleted classID in the endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with deleted classId for updateClass	PASSED	0.450 s
3	Then Admin receives 404 "Not Found" Status for updateClass java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class2Steps.admin_receives_status_for_updateClass(class2Steps.java:365) at ?.Admin receives 404 "Not Found" Status for updateClass(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:177) * Not displayable characters are replaced by '?'.	FAILED	0.005 s

Check if admin able to update a Class Recording with valid classID in request body without authorization



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and all the fields without Auth for updateClassRecording	PASSED	0.429 s
3	Then Admin receives 401 "Unauthorized" Status for updateClassRecording	PASSED	0.001 s


Check if admin able to update a Class Recording with valid classID in request body



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and all the fields for updateClassRecording	PASSED	0.451 s
3	Then Admin receives 200 "OK" Status for updateClassRecording java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383)	FAILED	0.007 s


#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class2Steps.admin_receives_status_for_updateclassrecording(class2Steps.java:416) at ?.Admin receives 200 "OK" Status for updateClassRecording(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:187) * Not displayable characters are replaced by '?'.		

Check if admin able to update a Class Recording with invalid ClassID in request body



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with invalid classId and all the fields for updateClassRecording	PASSED	0.448 s
3	Then Admin receives 404 "Not Found" Status for updateClassRecording	PASSED	0.004 s


Check if admin able to update a Class Recording with invalid data



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.002 s
2	When Admin creates PUT Request and sends HTTPS Request with invalid data for updateClassRecording	PASSED	0.427 s


#	Step / Hook Details	Status	Duration
3	<p>Then Admin receives 400 "Bad Request" Status for updateClassRecording</p> <pre>java.lang.AssertionError: expected [400] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38) at stepDefinitions.class2Steps.admin_receives_status_for_updateclassrecording(class2Steps.java:416) at ?.Admin receives 400 "Bad Request" Status for updateClassRecording(file:///Users/bhagyashri/eclipse-workspace/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:197) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s

Check if admin able to retrieve class recording with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with invalid method for updateClassRecording	PASSED	0.550 s
3	Then Admin receives 405 "Method Not Allowed" Status for updateClassRecording	PASSED	0.017 s

Check if admin able to update a Class Recording with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with invalid endpoint for updateClassRecording	PASSED	0.473 s
3	Then Admin receives 404 "Not Found" Status for updateClassRecording	PASSED	0.001 s


Check if admin able to retrieve all Classes with valid Batchid



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassDetailsByBatchID	PASSED	0.443 s
3	Then Admin receives 200 "OK" Status for getClassDetailsByBatchID java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.failAssert.java:111) at org.testng.Assert.failNotEqualsAssert.java:1578) at org.testng.Assert.assertEqualsImplAssert.java:150) at org.testng.Assert.assertEqualsAssert.java:132) at org.testng.Assert.assertEqualsAssert.java:1419) at org.testng.Assert.assertEqualsAssert.java:1383) at org.testng.Assert.assertEqualsAssert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:38)	FAILED	0.015 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.class2Steps.admin_receives_status_for_getClassDetailsByBatchID(class2Steps.java:462) at ?.Admin receives 200 "OK" Status for getClassDetailsByBatchID(file:///Users/bhagyashri/eclipse-workspace/ Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/05_class2.feature:213) * Not displayable characters are replaced by '?'. / 2:09:57.509 PM // 2:09:57.964 PM / Class 2 module @GetClassDetailsbyBatchId		

Check if admin able to retrieve all Classes with invalid Batchid




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassDetailsByBatchID	PASSED	0.445 s
3	Then Admin receives 404 "Not Found" Status for getClassDetailsByBatchID	PASSED	0.007 s

Check if admin able to retrieve all Classes with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassDetailsByBatchID	PASSED	0.466 s
3	Then Admin receives 404 "Not Found" Status for getClassDetailsByBatchID	PASSED	0.003 s

Check if admin able to retrieve all Classes with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassDetailsByBatchID	PASSED	0.428 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassDetailsByBatchID	PASSED	0.002 s

Check if admin able to retrieve all Classes without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassDetailsByBatchID	PASSED	0.419 s
3	Then Admin receives 401 "Unauthorized" Status for getClassDetailsByBatchID	PASSED	0.002 s

Check if admin able to retrieve all Classes with valid Staffid




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassDetailsByStaffID	PASSED	0.564 s
3	Then Admin receives 200 "OK" Status for getClassDetailsByStaffID	PASSED	0.011 s

Check if admin able to retrieve all Classes with invalid Staffid




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid staffID for getClassDetailsByStaffID	PASSED	0.463 s
3	Then Admin receives 404 "Not Found" Status for getClassDetailsByStaffID	PASSED	0.001 s

Check if admin able to retrieve all Classes with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassDetailsByStaffID	PASSED	0.423 s
3	Then Admin receives 404 "Not Found" Status for getClassDetailsByStaffID	PASSED	0.001 s

Check if admin able to retrieve all Classes with invalid method



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassDetailsByStaffID	PASSED	0.449 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassDetailsByStaffID	PASSED	0.005 s

Check if admin able to retrieve all Classes without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassDetailsByStaffID	PASSED	0.420 s
3	Then Admin receives 401 "Unauthorized" Status for getClassDetailsByStaffID	PASSED	0.002 s