

MATERIAL SAFETY DATA SHEET

Reckitt & Colman Inc.

P. O. Box 943

Wayne, NJ 07474-0943

NFPA Hazard Rating: Health 0 Flammability 0 Reactivity 0

800-338-6167 for medical emergency

800-424-9300 for transportation emergency

201-633-6700 for technical information during business hours

SECTION 1 MATERIAL IDENTIFICATION

Name: Noxon (R) 7 Metal Polish

SECTION 2 INGREDIENT INFORMATION

Chemical/Common Name	CAS No.	% by Weight	Exposure Limits	
			OSHA TWA	ACGIH TWA
Oxalic acid	144-62-7	1 - 5	1mg/m3 TWA	1mg/m3 TWA
			2 mg/m3 STEL	2 mg/m3 STEL
Silica	14808-60-7	10 - 20	0.1mg/m3 TWA	0.1mg/m3 TWA
			respirable dust	respirable dust
Ethyl alcohol	64-17-5	1 - 5	1000 ppm TWA	1000 ppm TWA
Isopropyl alcohol	67-63-0	1 - 5	400 ppm TWA	400 ppm TWA
			500 ppm STEL	500 ppm STEL
Ammonium hydroxide	1336-21-6	1 - 5	Not established	Not established

SECTION 3 HAZARDS IDENTIFICATION

Signs and Symptoms of Overexposure: Irritating to eyes.

Potential Health Effects

Eye Contact: Eye irritant.
Skin Contact: Not a primary skin irritant.
Ingestion: Not orally toxic.
Inhalation: Not toxic by inhalation.
Chronic Effects: The product has not been tested as a whole for chronic effects. IARC reports limited evidence of human carcinogenicity, sufficient evidence of animal carcinogenicity for crystalline silica (IARC Group 2A). No other ingredient is a listed carcinogen (NTP, ARC, OSHA).

Medical Conditions Recognized as Being Aggravated by Exposure to the Product: None known

SECTION 4 FIRST AID MEASURES

Eye Contact: Flush thoroughly with water. Call physician immediately.

Skin Contact: No specific procedure required.

Ingestion: Drink one or two glasses of milk or water. Call physician immediately.

Inhalation: No specific procedure required.

SECTION 5 FIRE FIGHTING MEASURES

Flammability Properties Flash Point: 105°F Flame Extension: Not applicable
Extinguishing Media: Water, CO2, dry chemical
Fire Fighting Instructions: No special instructions.

Doxa 7 Metal Polish

SECTION 6 ACCIDENTAL RELEASE MEASURES

In Case of Leakage or Spillage: Soak up with absorbent material.

SECTION 7 HANDLING AND STORAGE

Avoid freezing. Keep out of reach of children.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation Requirements: None
Personal Protective Equipment: None required

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Tan opaque viscous
Odor: Ammoniacal
Boiling Point: Not determined pH: 9.6 - 10.2 @ 25°C (as is)
Freezing Point: Approx. 32 °F Melting Point: Not applicable
Solubility in Water: Emulsifies
Specific Gravity: 9.2-9.5 lbs per gal @ 25°C
Volatiles: Approx. 70% Vapor Pressure: Not determined
Vapor Density (Air=1): Not determined Pressure in Can: Not applicable

SECTION 10 STABILITY AND REACTIVITY

Storage Stability: X Stable ___ Unstable
Conditions to Avoid: None known
Hazardous Polymerization: ___ May occur X Will not occur
Conditions to Avoid: None known
Incompatibility (Materials to avoid): Do not use on silver, lacquered,
painted, or antiqued finished surfaces.
Hazardous Decomposition Products: None known

SECTION 11 DISPOSAL

Proper Disposal Method: Flush small quantity to sanitary sewer or discard with
trash collection.

SECTION 12 ADDITIONAL COMMENTS

CERCLA ("Superfund") Reportable Quantity: 6,800 Gallons (contains ammonium
hydroxide)

To: TERRY

From: Axis MSDS Fax Services

3-11-98 12:42pm p. 7 of 12

SARA Section 313 Chemicals: Ammonium hydroxide

Noxon 7 Metal Polish

The information contained herein is based on data considered accurate.
However, no warranty is expressed or implied regarding the accuracy of
these data or the results to be obtained from the use thereof.