Dockerlive

Introduction

Dockerlive is a Visual Studio Code extension that aims to help developers who need to work with Dockerfiles. The extension continually builds an image using the Dockerfile that is currently being edited and offers several features that make Dockerfile development. You can find a list of the extension's features below.

Features

Static Analysis Errors

The Dockerfile is scanned and any syntax errors are marked with a red underline. Hovering over the underlined region will show additional information.

```
You, 1 second ago | 1 author (You) | 0.001s | 998.24MB

FORM node

No source image provided with `FROM` dockerfile—utils(20)

Unknown instruction: FORM dockerfile—utils(38)

View Problem (Alt+F8) No quick fixes available

0.001s | 4.87MB
```

Image Build and Container Runtime Errors

If errors occur while building the image, the instruction responsible for the build failure is marked with a red underline. Hovering over the underlined region will show additional information.

```
The command '/bin/sh -c npm install --only=production' returned a non-zero code: 127 dockerlive

| View Problem (Alt+F8) | No quick fixes available
| RUN npm install --only=production
```

Processes running in the container

By hovering over ENTRYPOINT/CMD instructions, the processes running inside the container are shown.

```
COPY package*.json ./
     RUN
             PID
                    PPID
                            CMD
                            /bin/sh -c node index.js
                    0
     USER
                            node index.js
                    1
     COPY
           dockerlive
     EXP0
           No quick fixes available
     CMD node index.js
16
```

Base image OS information

By hovering over the name of the image in the FROM instruction, it's possible to obtain information about the OS running inside the container.

```
FROM node

OS Information:

PRETTY_NAME="Debian GNU/Linux 11 (bullseye)"

NAME="Debian GNU/Linux"

VERSION_ID="11"

VERSION="11 (bullseye)"

VERSION_CODENAME=bullseye

ID=debian

HOME_URL="https://www.debian.org/"

SUPPORT_URL="https://www.debian.org/support"

BUG_REPORT_URL="https://bugs.debian.org/"

dockerlive

CMD_node_index.is
```

Layer Size and Build Time

Above every instruction, some information is displayed about the layer that instruction corresponds to:

- The time it took to build that layer
- The size of that layer




Repair Opportunities and Quick Fixes

When the extension detects problems that can be repaired, it marks them with a yellow underline (the environment variable problems are processed separately despite using an underline with the same color). Hovering over the underlined region will show additional information. The same section of the file may have multiple problems.

The version of the base image should be pinned to improve stability, speed and security. repair—module(R:NOIMAGEPIN)

These problems have corresponding quick fixes that can be applied. Quick fixes can be displayed by clicking the flashlight icon (or the quick fix option in the hover window) or by using the quick fix keyboard shortcut (Ctrl + .) while the cursor is in the underlined region. Afterwards, the fix can be applied by clicking it or pressing Enter while the fix is highlighted.



To detect some problems, the extension needs to generate an alternative Dockerfile in the background and compare it with the one being edited. Because of this, the first time a Dockerfile is opened, the extension will automatically start the generation. This process can take some time and the progress can be tracked in the bottom-right corner of the editor. Until this process is finished, no diagnostic information will be shown. Furthermore, until the generation is complete a file called "Dockerfile.strace" will show up in the current directory, this is a temporary file that is required to perform the generation and should be ignored. This file will be deleted automatically once the generation is complete.

```
758f6a2

ir

i Generating Dockerfile: Performing analysis...
```

After the generation is complete, all the available repair opportunities will be presented.

Container log output

The output of the docker build command and the output of the container itself are shown in the editor's output pane.

```
PROBLEMS 2 OUTPUT DEBUGCONSOLE TERMINAL GITLENS dockerlive V 🗟 🖰 ^ X | ---> 9aca6e8f6bc7 | Step 6/7 : EXPOSE 2323 | ---> Running in 6c350d90b1f1 | Removing intermediate container 6c350d90b1f1 | ---> b5e9f033ce1b | Step 7/7 : CMD node index.js | ---> Running in 5241803aaad0 | Removing intermediate container 5241803aaad0 | ---> a6480bc8746f | Successfully built a6480bc8746f | Successfully tagged testimage:latest
```