
Mart Mapade System Simulation Midterm Problem 5

see affacted martials

B) see attached matlob from A since T values found here both the same (T: \frac{1}{4})

C) Well based on my incorrect graphs, amazingly the piedicter only T= \frac{1}{2} stayed at 0 and went negative, while the predictor /corrector pair stayed at 8 then jumped positive! Neither of trese are correct but I know I was close. My apologics.

```
% Matt McDade
% System Simulation
% Midterm Exam Problem 5A & B
T = 1/4;
t = [0:T:1001];
N = length(t);
xp = zeros(3,N);
xc = zeros(3,N);
f = zeros(3,N);
fp = zeros(1,N);
% state space system
A = [-4.7 -1.55 -0.55;
    0.3 -2.75 -0.35;
    1.1 1.85 -2.55];
B = [1 \ 0 \ -1]';
C = [2 1 1];
for k = 1:N-1
    f(:,k+1) = A*xp(:,k) + B;
    xp(:,k+1) = xc(:,k)+T*((14/11)*f(:,k) - (8/11)) - f(:,k+1) -
 (16/11)*f(:,k) + (5/11);
    f(:,k+2) = A*xp(:,k+1) + B;
    xc(:,k+1) = xp(:,k+1) + T*((70/151)*f(:,k+1) - (44/151)*f(:,k) -
 (48/151)) - f(:,k+1) - (236/151)*f(:,k) + (85/151);
    fp(k+1) = C*xc(:,k+1);
end
plot(t,fp)
title('Simulation with T = 1/4')
```



Published with MATLAB® R2018a