

ERRATA & COMMENTS

COMBINATORIAL RECIPROCITY THEOREMS

MATTHIAS BECK AND RAMAN SANYAL

- p. 6 Proof of Proposition 1.1.3: the inequalities should go the other way.
- p. 16 In the last paragraph (“To make the combinatorial reciprocity...”), the maps should be from $[2]$ into $[n]$.
- p. 25 Exercise 1.15 (b): the word “nowhere-zero” needs to be removed.
- p. 32 Exercise 2.5 asserts that the sum on the right stops at the index $k = |\Pi|$, but this is a bit crude: the sum actually stops at the length of the longest chain in Π .
- p. 38 Theorem 2.3.2: The exponent should be the length of Π (instead of $|\Pi|$).
- p. 39 The last binomial coefficient on p. 39 should have a -1 at the end instead of the $+1$. The same corrections should be made on top of p. 40.
- p. 42 In the last displayed math line, the exponent should be κ , not c .
- p. 44 In the proof of Theorem 2.4.5, “if $I = I_S$ ” should be replaced by “if $I = J_S$ ” in the definition of F_- .
- p. 44 Just before Theorem 2.4.6, it should say $a = a_0 \prec a_1 \prec \dots \prec a_k = b$.
- p. 49 Exercise 2.16: The I in the exponent should be a J .
- p. 82 In the proof of Proposition 3.5.2, $T_{\mathbf{q}}(\mathbf{Q}) = T_{\mathbf{q}-\mathbf{r}}(\mathbf{Q} - \mathbf{r})$ should be $T_{\mathbf{q}}(\mathbf{Q}) = T_{\mathbf{q}-\mathbf{r}}(\mathbf{Q} - \mathbf{r}) + \mathbf{r}$.
- p. 90 In the proof of Theorem 3.6.4, $r(B)$ and $b(B)$ should be $r(\mathcal{H})$ and $b(\mathcal{H})$.
- p. 95 Exercise 3.2: the second sentence is incomplete. The correct statement is, an irredundant presentation is a set $I \subseteq [m]$ such that $\mathbf{Q} = \bigcap_{i \in I} H_i^{\leq}$ but $\mathbf{Q} \neq \bigcap_{i \in J} H_i^{\leq}$ for any proper subset $J \subset I$.
- p. 96 Exercise 3.4(b) should read $\mathbf{p} + \mathbb{R}_{\geq 0} \mathbf{u} \subseteq \mathbf{Q}$ for all $\mathbf{p} \in \mathbf{Q}$ and $\mathbf{u} \in \text{rec}(\mathbf{Q})$.
- p. 97 Exercise 3.9: here we want to require the set to be closed, not just convex.
- p. 101 Exercise 3.44: On the first two lines of this exercise, L needs to be replaced by L' in two occurrences.
- p. 125 The rational function in the middle of the page (just before “This implies, again with (4.6.4)”) should have $1 - z_1 z_2 z_3^2$ as its last factor in the denominator.
- p. 141 In addition to the note on Theorem 4.2.2 and Cayley’s work on composition, there is an illustrious connection to Vedic poetry; see “The So-Called Fibonacci Numbers in Ancient and Medieval India” by Parmanand Singh, *Historia Mathematicae* 12 (1985), 229–244.
- p. 198 Exercise 5.18: the first inequality should read $a_0 x \geq b_0$.
- p. 207 In Theorem 6.2.2, the phrase “crosscut in $\mathcal{N}$ ” needs to be replaced by “collection of elements in $\mathcal{N}$ such that every minimal element is uniquely covered”.
- p. 226 The literature contains different (and unfortunately conflicting) definitions of the comajor index.
- p. 240 In the string $0 = x_u = x_{v_0} < \dots < x_{v_k} = x_u$, the second x_u should be x_v . In the following line, u should be replaced by v .
- p. 262 In the last line before Proposition 7.5.9, it should say $1 \leq k < d$.

Date: 12 February 2026.

We are most thankful to Chris Culter, Darij Grinberg, Brian Hopkins, Jason Meintjes, Nathaniel Schenker, Matthias Schymura, and Lok Yam for alerting us about typos, mistakes, and other comments regarding our book.