

scansione automatica ajax spider master

Site: http://10.0.2.4

Generated on Sun, 23 Jun 2024 13:38:08

ZAP Version: 2.14.0

ZAP is supported by the Crash Override Open Source Fellowship

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	4
Low	2
Informational	4

Alerts

Name	Risk Level	Number of Instances
Absence of Anti-CSRF Tokens	Medium	2
Content Security Policy (CSP) Header Not Set	Medium	4
Missing Anti-clickjacking Header	Medium	2
Vulnerable JS Library	Medium	1
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	16
X-Content-Type-Options Header Missing	Low	14
Content-Type Header Missing	Informational	3
Information Disclosure - Suspicious Comments	Informational	2
Modern Web Application	Informational	2
User Agent Fuzzer	Informational	144

Alert Detail

Medium	Absence of Anti-CSRF Tokens
	No Anti-CSRF tokens were found in a HTML submission form.
	A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL /form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf.

Description	CSRF attacks are effective in a number of situations, including:
·	* The victim has an active session on the target site.
	* The victim is authenticated via HTTP auth on the target site.
	* The victim is on the same local network as the target site.
	CSRF has primarily been used to perform an action against a target site using the victim's
	privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.
URL	http://10.0.2.4
Method	GET
Attack	
Evidence	<form class="form-inline d-flex"></form>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken,RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "inputEmail"].
URL	http://10.0.2.4/
Method	GET
Attack	
Evidence	<form class="form-inline d-flex"></form>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken,RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "inputEmail"].
Instances	2
Solution	Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. For example, use anti-CSRF packages such as the OWASP CSRFGuard. Phase: Implementation Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script. Phase: Architecture and Design Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330). Note that this can be bypassed using XSS. Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation. Note that this can be bypassed using XSS. Use the ESAPI Session Management control.
	This control includes a component for CSRF.

	Phase: Implementation
	Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Cross- Site Request Forgery Prevention Cheat Sheet.html https://cwe.mitre.org/data/definitions/352.html
CWE Id	<u>352</u>
WASC Id	9
Plugin Id	10202

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://10.0.2.4
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/favicon.ico
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/img/image.png
Method	GET
Attack	
Evidence	
Other Info	
Instances	4
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.

https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing Content Security Policy

	https://cheatsheetseries.owasp.org/cheatsheets/Content Security Policy Cheat Sheet.html
Reference	https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	<u>693</u>
WASC Id	15
Plugin Id	10038
Medium	Missing Anti-clickjacking Header

Medium	Missing Anti-clickjacking Header
Description	The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.
URL	http://10.0.2.4
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/
Method	GET
Attack	
Evidence	
Other Info	
Instances	2
	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app.
Solution	If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	Vulnerable JS Library
Description	The identified library jquery, version 3.4.1 is vulnerable.
URL	http://10.0.2.4/vendor/jquery/jquery.min.js
Method	GET
Attack	
Evidence	/*! jQuery v3.4.1
Other Info	CVE-2020-11023 CVE-2020-11022
Instances	1
Solution	Please upgrade to the latest version of jquery.

Reference	https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
CWE Id	<u>829</u>
WASC Id	
Plugin Id	10003
Low	Server Leaks Version Information via "Server" HTTP Response Header Field
	The web/application server is leaking version information via the "Server" HTTP response
Description	header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	http://10.0.2.4
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/css/grayscale.min.css
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/favicon.ico
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/img/bg-masthead.jpg
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/img/bg-signup.jpg
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	

URL	http://10.0.2.4/img/image.png
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/js/grayscale.min.js
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/css/bootstrap.min.css
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css/all.min.css
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts/fa-brands-400.woff2
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts/fa-regular-400.woff2
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts/fa-solid-900.woff2
Method	GET

Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing/jquery.easing.min.js
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
URL	http://10.0.2.4/vendor/jquery/jquery.min.js
Method	GET
Attack	
Evidence	Apache/2.4.18 (Ubuntu)
Other Info	
Instances	16
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	https://httpd.apache.org/docs/current/mod/core.html#servertokens https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10) https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	200
WASC Id	13
Plugin Id	10036
Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://10.0.2.4
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	http://10.0.2.4/css/grayscale.min.css
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/img/bg-masthead.jpg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/img/bg-signup.jpg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/js/grayscale.min.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/vendor/bootstrap/css/bootstrap.min.css
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/vendor/bootstrap/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	http://10.0.2.4/vendor/fontawesome-free/css/all.min.css
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts/fa-brands-400.woff2
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts/fa-regular-400.woff2
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts/fa-solid-900.woff2
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/vendor/jquery-easing/jquery.easing.min.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/vendor/jquery/jquery.min.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	14

Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security_Headers
CWE Id	<u>693</u>
WASC Id	15
Plugin Id	<u>10021</u>

Informational	Content-Type Header Missing
Description	The Content-Type header was either missing or empty.
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts/fa-brands-400.woff2
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts/fa-regular-400.woff2
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts/fa-solid-900.woff2
Method	GET
Attack	
Evidence	
Other Info	
Instances	3
Solution	Ensure each page is setting the specific and appropriate content-type value for the content being delivered.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85)
CWE Id	345
WASC Id	12
Plugin Id	10019

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	http://10.0.2.4/vendor/bootstrap/js/bootstrap.bundle.min.js
Method	GET
Attack	

Evidence from The following pattern was used: 'bFEOM'b and was detected in the element starting with: 'I function(t,a)('object'==bpsed exports&&'undefined'!=lypeof module?e(exports,require ('guery')): 'function'=-bpsed define&deff', see evidence field for the suspicious comment /snippet. URL		
Other Info ("jquery"): "tunction (t, a) ["object"==\ppoel define&&defi", see evidence field for the suspicious comment /snippet. URL http://10.0.2.4/vandor/jquery/iquery.min.js Method GET Attack Evidence username The following pattern was used: 'bUSERNAME'b and was detected in the element starting with: "function(e, t)" (use strict"; 'cbject"==\ppoel module&&*object"==\ppoel module&&*object"==\ppoel module exports? module.exports:e.e.document?r(e, i0)-function(", see evidence field for the suspicious comment/snippet. Instances 2 Solution Reference CWE id 200 WASC id 13 Plugin id 10027 Informational Modern Web Application Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence A href="te">That's who we are. Cother Info this is a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4/ Method GET Attack Evidence A href="te">That's who we are. Cother Info this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence A href="te">That's who we are. Solution Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Solution This is an informational alert and so no changes are required. Evidence 2 Solution This is an informational alert and so no changes are required. WASC Id Plugin Id User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashoode of the	Evidence	from
Method GET Attack Evidence username The following pattern was used: 'bUSERNAME'b and was detected in the element starting with: "ffunction(e,t)(" use strict," object"=="ppeof module&" object"==-typeof module.exports? module exports=e.document?t(e,t0).function(", see evidence field for the suspicious comment/snippet. Instances 2 Solution Reference CWE Id 200 WASC Id 13 Plugin Id 10027 Informational Modern Web Application Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence http://10.0.2.4 Method GET Attack Evidence http://10.0.2.4 Method GET Attack Evidence http://10.0.2.4 Method GET Attack Evidence http://10.0.2.4 Method GET Attack Evidence http://10.0.2.4 Method GET Attack Evidence http://10.0.2.4 Method GET Attack Evidence Ca href="#">http://10.0.2.4 Method GET Attack Evidence This is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence This is an informational alert and so no changes are required. Reference Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the		function(t,e){"object"==typeof exports&&"undefined"!=typeof module?e(exports,require ("jquery")):"function"==typeof define&&defi", see evidence field for the suspicious comment
Attack Evidence username The following pattern was used: 'bUSERNAME'b and was detected in the element starting with: "function(e.t);" use strict." object ==typeof module.8& 'object ==typeof module.exports? module.exports=e.document?t(e.t):function(", see evidence field for the suspicious comment/snippet. Instances 2 Solution Remove all comments that return information that may help an attacker and fix any underlying problems they refer to. Reference CWE Id 200 WASC Id 13 Plugin Id 10027 Informational Modern Web Application Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence http://10.0.2.4 Method GET Attack Evidence This is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence This is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence This is a modern web application. Description Search gent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as Description a Search Engine Crawler). Compares the response statuscode and the hashcode of the	URL	http://10.0.2.4/vendor/jquery/jquery.min.js
Evidence username The following pattern was used: 'bUSERNAME'b and was detected in the element starting with: "flunction(e,1)("use strict"; object"==typeof module&&'object"==typeof module&&'object"==typeof module&&'object"=etypeof module&exports? module&&'object"=etypeof module&exports? module&exportse. Instances 2 Solution Remove all comments that return information that may help an attacker and fix any underlying problems they refer to. Reference CWE Id 200 WASC Id 13 Plugin Id 10027 Informational Modern Web Application Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence a href="#">That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence a href="#">That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Info Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Method	GET
The following pattern was used: 'bUSERNAME'b and was detected in the element starting with: 'flunction(e,)('use strict,''object'==typeof module&x'object'==typeof module.exports? module.exports? accoursent/f(e,l0).function(', see evidence field for the suspicious comment/snippet. Instances 2 Solution Remove all comments that return information that may help an attacker and fix any underlying problems they refer to. Reference CWE Id 200 WASC Id 13 Plugin Id 1002Z Informational Modern Web Application Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence an href="#">That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence an href="#">That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Attack	
Other Info with: "Iffunction(e,I)("use strict"; "object"==typeof module&a*robject"==typeof module.exports? module.exports=e_document?t(e,I,0):function(", see evidence field for the suspicious comment/snippet. Instances 2 Solution Reference Remove all comments that return information that may help an attacker and fix any underlying problems they refer to. Reference CWE Id 200 WASC Id 13 Plugin Id 1002Z Informational Modern Web Application Description automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence http://10.0.2.4 Method GET Attack Evidence A href="#">That's who we are. Other Info this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence A href="#">That's who we are. Other Info this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Description a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Evidence	username
Solution Remove all comments that return information that may help an attacker and fix any underlying problems they refer to. Reference CWE Id 200 WASC Id 13 Plugin Id 10027 Informational Modern Web Application Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the		with: "!function(e,t){"use strict";"object"==typeof module&&"object"==typeof module.exports? module.exports=e.document?t(e,!0):function(", see evidence field for the suspicious
underlying problems they refer to. Reference CWE Id 200 WASC Id 13 Plugin Id 1002Z Informational Modern Web Application Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Instances	2
CWE Id WASC Id 13 Plugin Id 1002Z Informational Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence Other Info Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Info Attack Evidence other Info Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Solution	
WASC Id 13 Plugin Id 10027 Informational Modern Web Application Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Reference	
Plugin Id 10027	CWE Id	200
Informational Modern Web Application Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	WASC Id	13
Description The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence Attack Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence Attack Evidence Attack Evidence Attack Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence Attack Evidence Attack Evidence Attack Info Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Plugin Id	10027
automatically then the Ajax Spider may well be more effective than the standard one. URL http://10.0.2.4 Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that linfo this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Informational	Modern Web Application
Method GET Attack Evidence	Description	
Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	URL	http://10.0.2.4
Evidence	Method	GET
Other Info Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Attack	
Info this is a modern web application. URL http://10.0.2.4/ Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Evidence	That's who we are.
Method GET Attack Evidence That's who we are. Other Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the		
Attack Evidence That's who we are. Other Info Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	URL	http://10.0.2.4/
Evidence That's who we are. Other Info Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Method	GET
Other Info Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Attack	
Info this is a modern web application. Instances 2 Solution This is an informational alert and so no changes are required. Reference CWE Id WASC Id Plugin Id Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Evidence	That's who we are.
Solution Reference CWE Id WASC Id Plugin Id User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the		
Reference CWE Id WASC Id Plugin Id Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Instances	2
CWE Id WASC Id Plugin Id Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Solution	This is an informational alert and so no changes are required.
WASC Id Plugin Id 10109 Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Reference	
Plugin Id Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	CWE Id	
Informational User Agent Fuzzer Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the	WASC Id	
Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as Description a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Plugin Id	10109
Description a Search Engine Crawler). Compares the response statuscode and the hashcode of the	Informational	User Agent Fuzzer
	Description	a Search Engine Crawler). Compares the response statuscode and the hashcode of the

URL

http://10.0.2.4/css

Method GET Attack Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) Evidence Other Info URL http://10.0.2.4/css Method GET Attack Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)	
Evidence Other Info URL http://10.0.2.4/css Method GET Attack Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)	
URL http://10.0.2.4/css Method GET Attack Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)	
Method GET Attack Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)	
Attack Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)	
Evidence	
Other Info	
URL <u>http://10.0.2.4/css</u>	
Method GET	
Attack Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)	
Evidence	
Other Info	
URL <u>http://10.0.2.4/css</u>	
Method GET	
Attack Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko	
Evidence	
Other Info	
URL <u>http://10.0.2.4/css</u>	
Method GET	
Attack Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Ge Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0	ecko)
Evidence	
Other Info	
URL <u>http://10.0.2.4/css</u>	
Method GET	
Attack Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Ge Chrome/91.0.4472.124 Safari/537.36	ecko)
Evidence	
Other Info	
URL <u>http://10.0.2.4/css</u>	
Method GET	
Attack Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0)
Evidence	
Other Info	
URL http://10.0.2.4/css	

Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://10.0.2.4/css
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/css
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://10.0.2.4/css
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://10.0.2.4/css
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML,

Attack	like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://10.0.2.4/img
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://10.0.2.4/js
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)

Evidence	
Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	

Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	wozina/3.0 (compatible, Googlebot/2.1, +nttp://www.google.com/bot.ntml/
Other	
Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://10.0.2.4/vendor
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	

Other Info	
URL	http://10.0.2.4/vendor/bootstrap
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other	

URL http://10.0.2.4/vendor/bootstrap Method GET Attack Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1 like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 Evidence Other Info URL http://10.0.2.4/vendor/bootstrap	1.4 (KHTML,
Attack Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1 Evidence Other Info	1.4 (KHTML,
like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 Evidence Other Info	1.4 (KHTML,
Other Info	
Info	
URL http://10.0.2.4/vendor/bootstrap	
Method GET	
Attack Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebK (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16	(it/528.18
Evidence	
Other Info	
URL http://10.0.2.4/vendor/bootstrap	
Method GET	
Attack msnbot/1.1 (+http://search.msn.com/msnbot.htm)	
Evidence	
Other Info	
URL http://10.0.2.4/vendor/bootstrap/css	
Method GET	
Attack Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)	
Evidence	
Other Info	
URL http://10.0.2.4/vendor/bootstrap/css	
Method GET	
Attack Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)	
Evidence	
Other Info	
URL http://10.0.2.4/vendor/bootstrap/css	
Method GET	
Attack Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)	
Evidence	
Other Info	
URL http://10.0.2.4/vendor/bootstrap/css	
Method GET	
Attack Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko	
Evidence	
Other	

URL	http://10.0.2.4/vendor/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other	

Info	
URL	http://10.0.2.4/vendor/bootstrap/css
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	

URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/bootstrap/js
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	

URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free

Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css

Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	Wozilia/3.0 (Williams NT 10.0, Thaeliu 7.0, TV.11.0) like Gecko
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css

Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/css
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/fontawesome-free/webfonts
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

Evidence	
Other	
Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://10.0.2.4/vendor/jquery-easing
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
Instances	144
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	
Plugin Id	<u>10104</u>