





MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Average number of methylene groups in a fatty acid chain || id:848'













MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Free cholesterol to esterified cholesterol ratio || id:853'














MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Free cholesterol || id:858'

























MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Mean diameter for HDL particles || id:865'















MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Concentration of IDL particles || id:870'














MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Total cholesterol in large HDL || id:874'


















MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Total cholesterol in large LDL || id:880'












MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Concentration of large LDL particles || id:884'





MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Phospholipids in large LDL || id:885'




MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Total cholesterol in large VLDL || id:886'










MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Total lipids in large VLDL || id:889'




MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Concentration of large VLDL particles || id:890'










MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on '18:2, linoleic acid (LA) || id:893'










MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Mean diameter for LDL particles || id:896'













MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Free cholesterol in medium HDL || id:900'












MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Total cholesterol in medium LDL || id:904'








MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Total lipids in medium LDL || id:906'





MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Concentration of medium LDL particles || id:907'

















MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Concentration of medium VLDL particles || id:913'





MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Phospholipids in medium VLDL || id:914'




MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Triglycerides in medium VLDL || id:915'











MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Phosphatidylcholine and other cholines || id:918'




















MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Concentration of small LDL particles || id:926'




MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Total cholesterol in small VLDL || id:927'





MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Free cholesterol in small VLDL || id:928'







MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Concentration of small VLDL particles || id:930'













MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Sphingomyelins || id:935'




MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Total fatty acids || id:936'













MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Urea || id:939'





MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Valine || id:940'

















MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Phospholipids in very large HDL || id:947'




MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Triglycerides in very large HDL || id:948'




MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Total lipids in very large VLDL || id:949'







MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Phospholipids in very large VLDL || id:951'




MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Triglycerides in very large VLDL || id:952'




MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Total lipids in very small VLDL || id:953'





MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Concentration of very small VLDL particles || id:954'






MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Triglycerides in very small VLDL || id:956'






MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Concentration of chylomicrons and largest VLDL particles || id:958'



MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Phospholipids in chylomicrons and largest VLDL particles || id:959'



MR leave-one-out sensitivity analysis for
'Pulit WHR EU sex combined 316 SNPs' on 'Triglycerides in chylomicrons and largest VLDL particles || id:960'