






MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Acetate || id:839'



















MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Ratio of bisallylic groups to total fatty acids || id:845'



















MR leave-one-out sensitivity analysis for 'Hubel BF EU sex combined 76 SNPs' on 'Average number of double bonds in a fatty acid chain || id:851'



















MR leave-one-out sensitivity analysis for 'Hubel BF EU sex combined 76 SNPs' on 'Omega-7, omega-9 and saturated fatty acids || id:857'






















MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Total cholesterol in HDL || id:864'






















MR leave-one-out sensitivity analysis for 'Hubel BF EU sex combined 76 SNPs' on 'Phospholipids in IDL || id:871'












































































MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Mean diameter for LDL particles || id:896'















MR leave-one-out sensitivity analysis for 'Hubel BF EU sex combined 76 SNPs' on 'Total lipids in medium HDL || id:901'





MR leave-one-out sensitivity analysis for 'Hubel BF EU sex combined 76 SNPs' on 'Concentration of medium HDL particles || id:902'





















MR leave-one-out sensitivity analysis for 'Hubel BF EU sex combined 76 SNPs' on 'Total cholesterol in medium VLDL || id:909'







MR leave-one-out sensitivity analysis for 'Hubel BF EU sex combined 76 SNPs' on 'Free cholesterol in medium VLDL || id:911'







MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Concentration of medium VLDL particles || id:913'








MR leave-one-out sensitivity analysis for 'Hubel BF EU sex combined 76 SNPs' on 'Triglycerides in medium VLDL || id:915'















0.00


0.01


0.02


0.03

MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Total lipids in small HDL || id:921'













MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Total lipids in small LDL || id:925'





MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Concentration of small LDL particles || id:926'





















MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Serum total cholesterol || id:933'













MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Total phosphoglycerides || id:937'














MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Mean diameter for VLDL particles || id:941'



























MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Concentration of very large VLDL particles || id:950'













MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Concentration of very small VLDL particles || id:954'









MR leave-one-out sensitivity analysis for
'Hubel BF EU sex combined 76 SNPs' on 'Concentration of chylomicrons and largest VLDL particles || id:958'

