

1 CONSUMER

1.1 Optimisation problem

$$\max_{C_t, K_t^s, I_t, B_t, L_t^s} U_t = \beta E_t [U_{t+1}] + (1 - \eta)^{-1} \left(C_t^\mu (1 - L_t^s)^{1-\mu} \right)^{1-\eta} \quad (1.1)$$

s.t. :

$$C_t + I_t + B_t R_t^{-1} = D_t - T_t + B_{t-1} \pi_t^{-1} + K_{t-1}^s r_t + L_t^s W_t \quad (\lambda_t) \quad (1.2)$$

$$K_t^s = I_t + K_{t-1}^s (1 - \delta) \quad (q_t) \quad (1.3)$$

1.2 Identities

$$Q_t = \lambda_t^{-1} q_t \quad (1.4)$$

1.3 First order conditions

$$-\lambda_t + \mu C_t^{-1+\mu} (1 - L_t^s)^{1-\mu} \left(C_t^\mu (1 - L_t^s)^{1-\mu} \right)^{-\eta} = 0 \quad (C_t) \quad (1.5)$$

$$-q_t + \beta ((1 - \delta) E_t [q_{t+1}] + E_t [\lambda_{t+1} r_{t+1}]) = 0 \quad (K_t^s) \quad (1.6)$$

$$-\lambda_t + q_t = 0 \quad (I_t) \quad (1.7)$$

$$\beta E_t [\lambda_{t+1} \pi_{t+1}^{-1}] - \lambda_t R_t^{-1} = 0 \quad (B_t) \quad (1.8)$$

$$\lambda_t W_t + (-1 + \mu) C_t^\mu (1 - L_t^s)^{-\mu} \left(C_t^\mu (1 - L_t^s)^{1-\mu} \right)^{-\eta} = 0 \quad (L_t^s) \quad (1.9)$$

2 FIRM

2.1 Optimisation problem

$$\max_{K_t^d, L_t^d} tc_t^j = -r_t K_t^d - L_t^d W_t \quad (2.1)$$

s.t. :

$$Y_t^j = Z_t K_t^{d\alpha} L_t^{d^{1-\alpha}} \quad (mc_t) \quad (2.2)$$

2.2 First order conditions

$$-r_t + \alpha m c_t Z_t K_t^{\text{d}-1+\alpha} L_t^{\text{d}1-\alpha} = 0 \quad (K_t^{\text{d}}) \quad (2.3)$$

$$-W_t + m c_t Z_t (1 - \alpha) K_t^{\text{d}\alpha} L_t^{\text{d}-\alpha} = 0 \quad (L_t^{\text{d}}) \quad (2.4)$$

3 PRICE SETTING PROBLEM

3.1 Identities

$$g_t^1 = \eta_t^{\text{p}} + g_t^2 (1 + \lambda^{\text{p}}) \quad (3.1)$$

$$g_t^1 = \lambda_t \pi_t^* Y_t + \beta \xi^{\text{p}} \pi_t^* \text{E}_t \left[g_{t+1}^1 \pi_{t+1}^{*-1} \left(\pi_{t+1}^{-1} \pi_t^{\gamma^{\text{p}}} \right)^{-\lambda^{\text{p}-1}} \right] \quad (3.2)$$

$$g_t^2 = \beta \xi^{\text{p}} \text{E}_t \left[g_{t+1}^2 \left(\pi_{t+1}^{-1} \pi_t^{\gamma^{\text{p}}} \right)^{-\lambda^{\text{p}-1}(1+\lambda^{\text{p}})} \right] + \lambda_t m c_t Y_t \quad (3.3)$$

4 PRICE EVOLUTION

4.1 Identities

$$1 = \xi^{\text{p}} \left(\pi_t^{-1} \pi_{t-1}^{\gamma^{\text{p}}} \right)^{-\lambda^{\text{p}-1}} + (1 - \xi^{\text{p}}) \pi_t^{*- \lambda^{\text{p}-1}} \quad (4.1)$$

5 PRODUCT AGGREGATION

5.1 Identities

$$Y_t^{\text{s}} = Y_t^{\text{j}} \quad (5.1)$$

$$\nu_t^{\text{p}} = (1 - \xi^{\text{p}}) \pi_t^{*- \lambda^{\text{p}-1}(1+\lambda^{\text{p}})} + \xi^{\text{p}} \nu_{t-1}^{\text{p}} \left(\pi_t^{-1} \pi_{t-1}^{\gamma^{\text{p}}} \right)^{-\lambda^{\text{p}-1}(1+\lambda^{\text{p}})} \quad (5.2)$$

$$\nu_t^{\text{p}} Y_t = Y_t^{\text{s}} \quad (5.3)$$

6 EQUILIBRIUM

6.1 Identities

$$K_t^d = K_{t-1}^s \quad (6.1)$$

$$L_t^d = L_t^s \quad (6.2)$$

$$B_t = 0 \quad (6.3)$$

$$D\dot{w}_t = Y_t - L_t^d W_t - r_t K_t^d \quad (6.4)$$

7 MONETARY POLICY AUTHORITY

7.1 Identities

$$\alpha \log \pi_t^\pi + \log (R_{ss}^{-1} R_t) = \eta_t^R + \rho \log (R_{ss}^{-1} R_{t-1}) + (1 - \rho) \left(\log \pi_t^{\text{obj}} + r^\pi \left(-\log \pi_t^{\text{obj}} + \log (\pi_{ss}^{-1} \pi_{t-1}) \right) + r^Y \log (Y_{ss}^{-1} Y_t) \right) \quad (7.1)$$

$$\log \pi_t^{\text{obj}} = \eta_t^\pi + \rho^{\pi^{\text{bar}}} \log \pi_{t-1}^{\text{obj}} + \log \alpha \log \pi_t^{\text{obj}} \left(1 - \rho^{\pi^{\text{bar}}} \right) \quad (7.2)$$

8 GOVERNMENT

8.1 Identities

$$G_t = G^{\text{bar}} \epsilon_t^G \quad (8.1)$$

$$G_t + B_{t-1} \pi_t^{-1} = T_t + B_t R_t^{-1} \quad (8.2)$$

9 GOVERNMENT SPENDING SHOCK

9.1 Identities

$$\log \epsilon_t^G = \eta_t^G + \rho^G \log \epsilon_{t-1}^G \quad (9.1)$$

10 TECHNOLOGY

10.1 Identities

$$Z_t = e^{\epsilon_t^Z + \rho^a \log Z_{t-1}} \quad (10.1)$$

11 Equilibrium relationships (after reduction)

$$-B_t = 0 \quad (11.1)$$

$$-\lambda_t + q_t = 0 \quad (11.2)$$

$$-\lambda_t + \mu C_t^{-1+\mu} (1 - L_t^s)^{1-\mu} \left(C_t^\mu (1 - L_t^s)^{1-\mu} \right)^{-\eta} = 0 \quad (11.3)$$

$$-q_t + \beta ((1 - \delta) E_t [q_{t+1}] + E_t [\lambda_{t+1} r_{t+1}]) = 0 \quad (11.4)$$

$$-r_t + \alpha m c_t Z_t K_{t-1}^{s-1+\alpha} L_t^{s1-\alpha} = 0 \quad (11.5)$$

$$-G_t + G^{\text{bar}} \epsilon_t^G = 0 \quad (11.6)$$

$$-Q_t + \lambda_t^{-1} q_t = 0 \quad (11.7)$$

$$-W_t + m c_t Z_t (1 - \alpha) K_{t-1}^{s-\alpha} L_t^{s-\alpha} = 0 \quad (11.8)$$

$$-Y_t^j + Z_t K_{t-1}^{s-\alpha} L_t^{s1-\alpha} = 0 \quad (11.9)$$

$$Y_t^j - Y_t^s = 0 \quad (11.10)$$

$$Y_t^s - \nu_t^p Y_t = 0 \quad (11.11)$$

$$-Z_t + e^{\epsilon_t^Z + \rho^a \log Z_{t-1}} = 0 \quad (11.12)$$

$$\beta E_t [\lambda_{t+1} \pi_{t+1}^{-1}] - \lambda_t R_t^{-1} = 0 \quad (11.13)$$

$$\lambda_t W_t + (-1 + \mu) C_t^\mu (1 - L_t^s)^{-\mu} \left(C_t^\mu (1 - L_t^s)^{1-\mu} \right)^{-\eta} = 0 \quad (11.14)$$

$$-1 + \xi^p \left(\pi_t^{-1} \pi_{t-1}^{\gamma^p} \right)^{-\lambda^{p-1}} + (1 - \xi^p) \pi_t^{*- \lambda^{p-1}} = 0 \quad (11.15)$$

$$\eta_t^p - g_t^1 + g_t^2 (1 + \lambda^p) = 0 \quad (11.16)$$

$$\eta_t^G - \log \epsilon_t^G + \rho^G \log \epsilon_{t-1}^G = 0 \quad (11.17)$$

$$-g_t^1 + \lambda_t \pi_t^* Y_t + \beta \xi^p \pi_t^* E_t \left[g_{t+1}^1 \pi_{t+1}^{*-1} \left(\pi_{t+1}^{-1} \pi_t^{\gamma^p} \right)^{-\lambda^{p-1}} \right] = 0 \quad (11.18)$$

$$-g_t^2 + \beta \xi^p E_t \left[g_{t+1}^2 \left(\pi_{t+1}^{-1} \pi_t^{\gamma^p} \right)^{-\lambda^{p-1}(1+\lambda^p)} \right] + \lambda_t m c_t Y_t = 0 \quad (11.19)$$

$$-\nu_t^p + (1 - \xi^p) \pi_t^{*- \lambda^{p-1}(1+\lambda^p)} + \xi^p \nu_{t-1}^p \left(\pi_t^{-1} \pi_{t-1}^{\gamma^p} \right)^{-\lambda^{p-1}(1+\lambda^p)} = 0 \quad (11.20)$$

$$I_t - K_t^s + K_{t-1}^s (1 - \delta) = 0 \quad (11.21)$$

$$U_t - \beta E_t [U_{t+1}] - (1 - \eta)^{-1} \left(C_t^\mu (1 - L_t^s)^{1-\mu} \right)^{1-\eta} = 0 \quad (11.22)$$

$$\eta_t^\pi - \log \pi_t^{\text{obj}} + \rho^{\pi^{\text{bar}}} \log \pi_{t-1}^{\text{obj}} + \log \boldsymbol{a} \boldsymbol{b} \boldsymbol{r}^{\pi^{\text{obj}}} \left(1 - \rho^{\pi^{\text{bar}}}\right) = 0 \quad (11.23)$$

$$-D\dot{w}_t + Y_t - K_{t-1}^s r_t - L_t^s W_t = 0 \quad (11.24)$$

$$-G_t + T_t - B_{t-1} \pi_t^{-1} + B_t R_t^{-1} = 0 \quad (11.25)$$

$$-\boldsymbol{a} \boldsymbol{b} \boldsymbol{r}^\pi + \eta_t^R - \log (R_{ss}^{-1} R_t) + \rho \log (R_{ss}^{-1} R_{t-1}) + (1 - \rho) \left(\log \pi_t^{\text{obj}} + r^\pi \left(-\log \pi_t^{\text{obj}} + \log (\pi_{ss}^{-1} \pi_{t-1}) \right) + r^Y \log (Y_{ss}^{-1} Y_t) \right) = 0 \quad (11.26)$$

$$-C_t + D\dot{w}_t - I_t - T_t + B_{t-1} \pi_t^{-1} + K_{t-1}^s r_t - B_t R_t^{-1} + L_t^s W_t = 0 \quad (11.27)$$

12 Steady state relationships (after reduction)

$$-B_{ss} = 0 \quad (12.1)$$

$$-\lambda_{ss} + q_{ss} = 0 \quad (12.2)$$

$$-\lambda_{ss} + \mu C_{ss}^{-1+\mu} (1 - L_{ss}^s)^{1-\mu} \left(C_{ss}^\mu (1 - L_{ss}^s)^{1-\mu} \right)^{-\eta} = 0 \quad (12.3)$$

$$-q_{ss} + \beta (\lambda_{ss} r_{ss} + q_{ss} (1 - \delta)) = 0 \quad (12.4)$$

$$-r_{ss} + \alpha m c_{ss} Z_{ss} K_{ss}^{s-1+\alpha} L_{ss}^{s1-\alpha} = 0 \quad (12.5)$$

$$-G_{ss} + G^{\text{bar}} \epsilon_{ss}^G = 0 \quad (12.6)$$

$$-Q_{ss} + \lambda_{ss}^{-1} q_{ss} = 0 \quad (12.7)$$

$$-W_{ss} + m c_{ss} Z_{ss} (1 - \alpha) K_{ss}^{s\alpha} L_{ss}^{s-\alpha} = 0 \quad (12.8)$$

$$-Y_{ss}^j + Z_{ss} K_{ss}^{s\alpha} L_{ss}^{s1-\alpha} = 0 \quad (12.9)$$

$$Y_{ss}^j - Y_{ss}^s = 0 \quad (12.10)$$

$$Y_{ss}^s - \nu_{ss}^p Y_{ss} = 0 \quad (12.11)$$

$$-Z_{ss} + e^{\rho^a \log Z_{ss}} = 0 \quad (12.12)$$

$$-\lambda_{ss} R_{ss}^{-1} + \beta \lambda_{ss} \pi_{ss}^{-1} = 0 \quad (12.13)$$

$$\lambda_{ss} W_{ss} + (-1 + \mu) C_{ss}^\mu (1 - L_{ss}^s)^{-\mu} \left(C_{ss}^\mu (1 - L_{ss}^s)^{1-\mu} \right)^{-\eta} = 0 \quad (12.14)$$

$$-1 + \xi^p \left(\pi_{ss}^{-1} \pi_{ss}^{\gamma^p} \right)^{-\lambda^p - 1} + (1 - \xi^p) \pi_{ss}^{\star - \lambda^p - 1} = 0 \quad (12.15)$$

$$-g_{ss}^1 + g_{ss}^2 (1 + \lambda^p) = 0 \quad (12.16)$$

$$-\log \epsilon_{ss}^G + \rho^G \log \epsilon_{ss}^G = 0 \quad (12.17)$$

$$-g_{ss}^1 + \lambda_{ss} \pi_{ss}^{\star} Y_{ss} + \beta \xi^p g_{ss}^1 \left(\pi_{ss}^{-1} \pi_{ss}^{\gamma^p} \right)^{-\lambda^p - 1} = 0 \quad (12.18)$$

$$-g_{ss}^2 + \lambda_{ss} m c_{ss} Y_{ss} + \beta \xi^P g_{ss}^2 \left(\pi_{ss}^{-1} \pi_{ss}^{\gamma^P} \right)^{-\lambda^P - 1(1+\lambda^P)} = 0 \quad (12.19)$$

$$-\nu_{ss}^P + (1 - \xi^P) \pi_{ss}^{\star - \lambda^P - 1(1+\lambda^P)} + \xi^P \nu_{ss}^P \left(\pi_{ss}^{-1} \pi_{ss}^{\gamma^P} \right)^{-\lambda^P - 1(1+\lambda^P)} = 0 \quad (12.20)$$

$$I_{ss} - K_{ss}^s + K_{ss}^s (1 - \delta) = 0 \quad (12.21)$$

$$U_{ss} - \beta U_{ss} - (1 - \eta)^{-1} \left(C_{ss}^\mu (1 - L_{ss}^s)^{1-\mu} \right)^{1-\eta} = 0 \quad (12.22)$$

$$-\log \pi_{ss}^{\text{obj}} + \rho^{\pi^{\text{bar}}} \log \pi_{ss}^{\text{obj}} + \log \pi_{ss}^{\text{obj}} \left(1 - \rho^{\pi^{\text{bar}}} \right) = 0 \quad (12.23)$$

$$-Div_{ss} + Y_{ss} - r_{ss} K_{ss}^s - L_{ss}^s W_{ss} = 0 \quad (12.24)$$

$$-G_{ss} + T_{ss} - \pi_{ss}^{-1} B_{ss} + B_{ss} R_{ss}^{-1} = 0 \quad (12.25)$$

$$-\pi_{ss}^{\text{obj}} + (1 - \rho) \left(\log \pi_{ss}^{\text{obj}} - r^{\pi} \log \pi_{ss}^{\text{obj}} \right) = 0 \quad (12.26)$$

$$-C_{ss} + Div_{ss} - I_{ss} - T_{ss} + \pi_{ss}^{-1} B_{ss} + r_{ss} K_{ss}^s - B_{ss} R_{ss}^{-1} + L_{ss}^s W_{ss} = 0 \quad (12.27)$$

13 Calibrating equations

$$-1 + \pi_{ss}^{\text{obj}} = 0 \quad (13.1)$$

$$-0.18 + G_{ss} Y_{ss}^{-1} = 0 \quad (13.2)$$

$$\pi_{ss} - \pi_{ss}^{\text{obj}} = 0 \quad (13.3)$$

14 Parameter settings

$$\alpha = 0.3 \quad (14.1)$$

$$\beta = 0.99 \quad (14.2)$$

$$\delta = 0.025 \quad (14.3)$$

$$\eta = 2 \quad (14.4)$$

$$\gamma^P = 0.469 \quad (14.5)$$

$$\lambda^P = 0.5 \quad (14.6)$$

$$\mu = 0.3 \quad (14.7)$$

$$r^{\pi} = 1.684 \quad (14.8)$$

$$r^Y = 0.099 \quad (14.9)$$

$$\rho = 0.961 \tag{14.10}$$

$$\rho^{\pi^{\text{bar}}} = 0.9999 \tag{14.11}$$

$$\rho^{\text{G}} = 0.949 \tag{14.12}$$

$$\rho^{\text{a}} = 0.823 \tag{14.13}$$

$$\xi^{\text{P}} = 0.908 \tag{14.14}$$

15 Steady-state values

	Steady-state value
ϵ^G	1
g^1	7.3514
g^2	4.9009
λ	1.5467
$m\mathcal{C}$	0.6667
ν^P	1
π	1
π^\star	1
π^{obj}	1
q	1.5467
r	0.0351
B	0
C	0.3255
Div	0.1601
G	0.0865
I	0.0684
K^s	2.7374
L^s	0.2279
Q	1
R	1.0101
T	0.0865
U	-167.8256
W	0.9837
Y	0.4804
Y^j	0.4804
Y^s	0.4804
Z	1

16 The solution of the 1st order perturbation

Matrix P

$$\begin{matrix}
 \epsilon_t^G \\
 \nu_t^P \\
 \pi_t \\
 \pi_t^{\text{obj}} \\
 B_t \\
 K_t^s \\
 R_t \\
 Z_t
 \end{matrix}
 \begin{pmatrix}
 \epsilon_{t-1}^G & \nu_{t-1}^P & \pi_{t-1} & \pi_{t-1}^{\text{obj}} & B_{t-1} & K_{t-1}^s & R_{t-1} & Z_{t-1} \\
 0.949 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\
 0 & 0.908 & 0 & 0 & 0 & 0 & 0 & 0 \\
 -0.0001 & 0.0549 & 0.3347 & 1.6743 & 0 & -0.0399 & -1.1151 & -0.0644 \\
 0 & 0 & 0 & 0.9999 & 0 & 0 & 0 & 0 \\
 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\
 0.0052 & 0.5527 & -1.2493 & 15.5759 & 0 & 0.4384 & -15.1013 & -0.4031 \\
 0.0006 & 0.0147 & 0.0313 & 0.4011 & 0 & -0.0135 & 0.5465 & -0.011 \\
 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0.823
 \end{pmatrix}$$

Matrix Q

$$\begin{matrix}
 \epsilon^G \\
 \nu^P \\
 \pi \\
 \pi^{\text{obj}} \\
 B \\
 K^s \\
 R \\
 Z
 \end{matrix}
 \begin{pmatrix}
 \epsilon^Z & \eta^P & \eta^R & \eta^\pi & \eta^G \\
 0 & 0 & 0 & 0 & 1 \\
 0 & 0 & 0 & 0 & 0 \\
 -0.0783 & 0.0121 & -1.1604 & 1.6744 & -0.0001 \\
 0 & 0 & 0 & 1 & 0 \\
 0 & 0 & 0 & 0 & 0 \\
 -0.4898 & -0.0064 & -15.7141 & 15.5774 & 0.0055 \\
 -0.0133 & -0.0002 & 0.5687 & 0.4011 & 0.0007 \\
 1 & 0 & 0 & 0 & 0
 \end{pmatrix}$$

Matrix R

	ϵ_{t-1}^G	ν_{t-1}^P	π_{t-1}	π_{t-1}^{obj}	B_{t-1}	K_{t-1}^S	R_{t-1}	Z_{t-1}
g_t^1	0.1474	0.9164	-1.9772	30.4192	0	-0.8826	-15.6826	-0.8627
g_t^2	0.1474	0.9164	-1.9772	30.4192	0	-0.8826	-15.6826	-0.8627
λ_t	0.1179	0.1359	0.8044	-9.5956	0	-0.2745	9.2056	-0.0385
$m\mathcal{C}_t$	0.0862	4.9707	-10.2156	126.743	0	-4.181	-122.7414	-4.7402
π_t^*	-0.0012	0.5419	-1.3251	16.5244	0	-0.3941	-11.0059	-0.636
q_t	0.1179	0.1359	0.8044	-9.5956	0	-0.2745	9.2056	-0.0385
r_t	0.2504	9.6818	-19.1237	237.5383	0	-8.6795	-230.1009	-7.5809
C_t	-0.0534	0.9651	-2.6415	32.5385	0	-0.6513	-31.4584	-0.8022
$D\dot{w}_t$	-0.0082	-7.9544	11.5232	-142.6906	0	4.8635	138.1234	6.6399
G_t	0.949	0	0	0	0	0	0	0
I_t	0.2078	22.1074	-49.9721	623.034	0	-21.4622	-604.0515	-16.1258
L_t^S	0.2346	6.7301	-12.7258	158.2791	0	-5.4264	-153.3707	-5.2337
Q_t	0	0	0	0	0	0	0	0
T_t	0.949	0	0	0	11.5637	0	0	0
U_t	-0.0107	-0.0272	-0.0234	0.2831	0	0.0226	-0.1954	0.0162
W_t	0.0158	2.9517	-6.3979	79.2593	0	-2.2531	-76.7302	-2.3471
Y_t	0.1642	3.803	-8.9081	110.7953	0	-3.4985	-107.3595	-2.8406
Y_t^j	0.1642	4.711	-8.9081	110.7953	0	-3.4985	-107.3595	-2.8406
Y_t^S	0.1642	4.711	-8.9081	110.7953	0	-3.4985	-107.3595	-2.8406

Matrix S

	ϵ^Z	η^P	η^R	η^π	η^G
g^1	-1.0482	0.1094	-16.319	30.4222	0.1553
g^2	-1.0482	-0.0266	-16.319	30.4222	0.1553
λ	-0.0468	0.0052	9.5791	-9.5965	0.1243
$m\mathcal{C}$	-5.7597	-0.0537	-127.7226	126.7557	0.0908
π^*	-0.7728	0.1192	-11.4526	16.5261	-0.0012
q	-0.0468	0.0052	9.5791	-9.5965	0.1243
r	-9.2112	-0.0999	-239.439	237.5621	0.2638
C	-0.9748	-0.0144	-32.735	32.5418	-0.0563
$D\dot{w}$	8.0679	0.0612	143.7288	-142.7049	-0.0086
G	0	0	0	0	1
I	-19.5939	-0.2554	-628.5656	623.0963	0.2189
L^S	-6.3593	-0.066	-159.5949	158.2949	0.2472
Q	0	0	0	0	0
T	0	0	0	0	1
U	0.0197	-0.0003	-0.2033	0.2831	-0.0113
W	-2.8519	-0.0339	-79.8442	79.2672	0.0167
Y	-3.4515	-0.0462	-111.7164	110.8064	0.173
Y^j	-3.4515	-0.0462	-111.7164	110.8064	0.173
Y^S	-3.4515	-0.0462	-111.7164	110.8064	0.173

17 Model statistics

17.1 Basic statistics

	Steady-state value	Std. dev.	Variance	Loglin
ϵ^G	1	1.3033	1.6986	Y
g^1	7.3514	33.2677	1106.7424	Y
g^2	4.9009	33.2676	1106.7321	Y
λ	1.5467	16.9701	287.9841	Y
$m\epsilon$	0.6667	174.7416	30534.6343	Y
ν^P	1	0	0	Y
π	1	2.0482	4.1953	Y
π^*	1	18.6163	346.566	Y
π^{obj}	1	1.2917	1.6684	Y
q	1.5467	16.9701	287.9841	Y
r	0.0351	336.2645	113073.7905	Y
B	0	0	0	N
C	0.3255	42.2113	1781.7967	Y
$D\dot{w}$	0.1601	198.2805	39315.1724	Y
G	0.0865	1.3033	1.6986	Y
I	0.0684	868.202	753774.7611	Y
K^s	2.7374	27.5515	759.0867	Y
L^s	0.2279	220.2727	48520.0799	Y
Q	1	0	0	Y
R	1.0101	0.8977	0.8059	Y
T	0.0865	1.3033	1.6986	Y
U	-167.8256	0.8178	0.6688	Y
W	0.9837	106.1997	11278.3793	Y
Y	0.4804	151.3198	22897.6721	Y
Y^j	0.4804	151.3198	22897.6721	Y
Y^s	0.4804	151.3198	22897.6721	Y
Z	1	1.227	1.5056	Y

17.2 Correlation matrix

	ϵ^G	g^1	g^2	λ	$m\mathcal{C}$	π	π^*	π^{obj}	q	r	C	Div	G	I
ϵ^G	1	0.006	0.006	0.01	0	-0.001	-0.001	0	0.01	0	-0.002	0	1	0
g^1		1	1	-0.463	0.92	0.844	0.983	0.545	-0.463	0.914	0.905	-0.919	0.006	0.918
g^2			1	-0.463	0.92	0.844	0.983	0.545	-0.463	0.914	0.905	-0.919	0.006	0.918
λ				1	-0.443	-0.799	-0.579	-0.701	1	-0.384	-0.659	0.425	0.01	-0.419
$m\mathcal{C}$					1	0.758	0.953	0.25	-0.443	0.998	0.966	-1	0	1
π						1	0.884	0.752	-0.799	0.723	0.866	-0.748	-0.001	0.744
π^*							1	0.528	-0.579	0.94	0.966	-0.949	-0.001	0.948
π^{obj}								1	-0.701	0.207	0.411	-0.237	0	0.232
q									1	-0.384	-0.659	0.425	0.01	-0.419
r										1	0.948	-0.999	0	0.999
C											1	-0.961	-0.002	0.959
Div												1	0	-1
G													1	0
I														1
K^s														
L^s														
R														
T														
U														
W														
Y														
Y^j														
Y^s														
Z														

17.3 Cross correlations with the reference variable (π)

	$\sigma[\cdot]$ rel. to $\sigma[\pi]$	π_{t-5}	π_{t-4}	π_{t-3}	π_{t-2}	π_{t-1}	π_t	π_{t+1}	π_{t+2}	π_{t+3}	π_{t+4}	π_{t+5}
ϵ_t^G	0.636	0	0	-0.001	-0.001	-0.001	-0.001	0	0	0	0	0
g_t^1	16.242	-0.018	0.017	0.073	0.173	0.376	0.844	-0.13	-0.085	-0.074	-0.073	-0.073
g_t^2	16.242	-0.018	0.017	0.073	0.173	0.376	0.844	-0.13	-0.085	-0.074	-0.073	-0.073
λ_t	8.285	0.155	0.14	0.102	0.008	-0.221	-0.799	-0.568	-0.392	-0.251	-0.139	-0.05
$m\mathcal{C}_t$	85.313	-0.007	0.009	0.041	0.115	0.294	0.758	-0.254	-0.193	-0.156	-0.128	-0.105
π_t	1	-0.084	-0.047	0.017	0.139	0.396	1	0.396	0.139	0.017	-0.047	-0.084
π_t^*	9.089	-0.038	-0.008	0.043	0.142	0.36	0.884	-0.079	-0.051	-0.052	-0.06	-0.068
π_t^{obj}	0.631	-0.114	-0.067	0.005	0.121	0.329	0.752	0.566	0.406	0.269	0.155	0.063
q_t	8.285	0.155	0.14	0.102	0.008	-0.221	-0.799	-0.568	-0.392	-0.251	-0.139	-0.05
r_t	164.172	0.004	0.019	0.05	0.118	0.287	0.723	-0.303	-0.227	-0.179	-0.142	-0.112
C_t	20.609	-0.05	-0.033	0.005	0.094	0.31	0.866	-0.05	-0.05	-0.059	-0.068	-0.074
Div_t	96.805	0.004	-0.012	-0.044	-0.116	-0.292	-0.748	0.27	0.204	0.163	0.132	0.107
G_t	0.636	0	0	-0.001	-0.001	-0.001	-0.001	0	0	0	0	0
I_t	423.876	-0.003	0.013	0.045	0.116	0.291	0.744	-0.275	-0.208	-0.166	-0.134	-0.108
K_t^s	13.451	-0.154	-0.14	-0.101	-0.007	0.222	0.802	0.566	0.388	0.248	0.136	0.048
L_t^s	107.542	-0.003	0.013	0.044	0.116	0.292	0.745	-0.273	-0.206	-0.164	-0.133	-0.107
R_t	0.438	0.005	0.054	0.111	0.169	0.206	0.158	0.185	0.161	0.122	0.082	0.045
T_t	0.636	0	0	-0.001	-0.001	-0.001	-0.001	0	0	0	0	0
U_t	0.399	-0.169	-0.156	-0.123	-0.046	0.132	0.565	0.758	0.537	0.362	0.221	0.108
W_t	51.849	-0.022	-0.005	0.029	0.108	0.302	0.8	-0.187	-0.146	-0.124	-0.109	-0.095
Y_t	73.878	-0.012	0.004	0.038	0.113	0.297	0.771	-0.234	-0.179	-0.146	-0.122	-0.102
Y_t^j	73.878	-0.012	0.004	0.038	0.113	0.297	0.771	-0.234	-0.179	-0.146	-0.122	-0.102
Y_t^s	73.878	-0.012	0.004	0.038	0.113	0.297	0.771	-0.234	-0.179	-0.146	-0.122	-0.102
Z_t	0.599	0.005	0.002	-0.004	-0.012	-0.024	-0.043	-0.028	-0.016	-0.008	-0.001	0.003

17.4 Autocorrelations

	Lag 1	Lag 2	Lag 3	Lag 4	Lag 5
ϵ^G	0.713	0.471	0.271	0.109	-0.017
g^1	-0.035	-0.013	-0.016	-0.025	-0.034
g^2	-0.035	-0.013	-0.016	-0.025	-0.034
λ	0.686	0.443	0.25	0.097	-0.022
$m\mathcal{C}$	-0.114	-0.079	-0.063	-0.053	-0.046
π	0.396	0.139	0.017	-0.047	-0.084
π^*	-0.06	-0.029	-0.026	-0.031	-0.037
π^{obj}	0.721	0.484	0.286	0.125	-0.002
q	0.686	0.443	0.25	0.097	-0.022
r	-0.117	-0.081	-0.064	-0.054	-0.046
C	-0.026	-0.021	-0.028	-0.037	-0.044
$D\dot{w}$	-0.116	-0.08	-0.063	-0.054	-0.046
G	0.713	0.471	0.271	0.109	-0.017
I	-0.116	-0.08	-0.064	-0.054	-0.046
K^s	0.682	0.438	0.246	0.095	-0.023
L^s	-0.116	-0.08	-0.063	-0.054	-0.046
R	0.71	0.475	0.283	0.127	0.004
T	0.713	0.471	0.271	0.109	-0.017
U	0.835	0.544	0.312	0.128	-0.015
W	-0.098	-0.068	-0.056	-0.05	-0.046
Y	-0.111	-0.076	-0.061	-0.053	-0.046
Y^j	-0.111	-0.076	-0.061	-0.053	-0.046
Y^s	-0.111	-0.076	-0.061	-0.053	-0.046
Z	0.644	0.368	0.159	0.006	-0.102

17.5 Variance decomposition

	ϵ^Z	η^p	η^R	η^π	η^G
ϵ^G	0	0	0	0	1
g^1	0.001	0	0.347	0.652	0
g^2	0.001	0	0.347	0.652	0
λ	0	0	0.492	0.508	0
$m\mathcal{C}$	0.001	0	0.506	0.493	0
π	0.002	0	0.323	0.675	0
π^*	0.002	0	0.373	0.625	0
π^{obj}	0	0	0	1	0
q	0	0	0.492	0.508	0
r	0.001	0	0.506	0.493	0
C	0.001	0	0.504	0.495	0
$D\dot{w}$	0.001	0	0.506	0.493	0
G	0	0	0	0	1
I	0.001	0	0.506	0.493	0
K^s	0.001	0	0.496	0.503	0
L^s	0.001	0	0.506	0.493	0
R	0	0	0.573	0.426	0
T	0	0	0	0	1
U	0.001	0	0.415	0.584	0
W	0.001	0	0.506	0.494	0
Y	0.001	0	0.506	0.493	0
Y^j	0.001	0	0.506	0.493	0
Y^s	0.001	0	0.506	0.493	0
Z	1	0	0	0	0

18 Impulse response functions




Figure 1: Impulse responses (π, R) to ϵ^Z shock




Figure 2: Impulse responses (π, R) to η^P shock




Figure 3: Impulse responses (π, R) to η^R shock




Figure 4: Impulse responses (π, R) to η^π shock




Figure 5: Impulse responses (π, R) to η^G shock