
Quiz-3 CS618

Duration: 45 Minutes

Max Marks: 50

- Write your name and roll number on the question paper and the answer book.
 - No explanations will be provided. In case of a doubt, make suitable assumptions and justify.
 - There are 2 questions on 2 pages.
-

1. (15 Marks) Perform **Flow insensitive Subset-based** and **Flow insensitive Equality-based** points-to analysis for each of the programs. Show only the *final* points-to information as points-to graphs.
-

```
(a)  if(...)
      p = &x;
    else
      p = &y;

      x = &a;
      y = &b;
      *p = &c;
      *y = &a;
```

```
(b)  if(...)
      y = &b;
    else
      *y = &a;

      p = &x;
      p = &y;
      x = &a;
      *p = &c;
```

(P.T.O.)

2. **(35 Marks)** In this problem, you have to perform the steps given below for *Inter-procedural Available Expressions* analysis for the expression $\mathbf{a} * \mathbf{b}$ for the following program. Assume $\mathbf{m}()$ is the main function.

<pre> m() { call v() call u() } </pre>	<pre> u() { a * b if(...) then call v() else call u() } </pre>	<pre> v() { if(...) then { b = 6 a * b } } </pre>
--	--	---

Show the following steps to arrive at the answer:

- (a) Draw the inter-procedural flow graph (any one of the two representations discussed in class). Clearly label the nodes, and distinguish the E^0 (intra-procedural) and E^1 (inter-procedural) edges.
- (b) For each procedure p , show the constraints for $\phi(r_p, n_p)$ for each node n_p in the CFG of the procedure. Recall that r_p is the entry node for procedure p . Assume the existence of flow functions f_0, f_1, id etc for the underlying data flow framework.
- (c) Give the fixed-point solution for $\phi(r_p, n_p)$.
- (d) List the program points where the expression $\mathbf{a} * \mathbf{b}$ is available for the program.

[Marks Distribution: 5+15+10+5]