

Neuron Count Analysis

The following code trains and tests models on the Cat Recognition dataset with a varying number of neurons in each layer, and then plots graphs of Test Prediction Accuracy against Neuron Count and Training Time against Neuron Count.

```
[1]: from IPython.display import clear_output, display
import os

import matplotlib.pyplot as plt
import numpy as np

from school_project.models.gpu.cat_recognition import CatRecognitionModel as
↳Model

# Change to root directory of project
os.chdir(os.getcwd())

# Set width and height of figure
plt.rcParams["figure.figsize"] = [10, 5]

# Generate list of neuron counts from 1 to 501, incremented by 100
neuron_counts = np.array(list(range(1, 501, 100)))

layer_count = 2
test_prediction accuracies = np.array([])
training_times = np.array([])

for index, neuron_count in enumerate(neuron_counts):
    clear_output(wait=True)
    display(f"Progress: {round(number=index/len(neuron_counts) * 100,
↳ndigits=2)}%")

    model = Model(
        hidden_layers_shape=[neuron_count for layer in range(layer_count)],
        train_dataset_size=209,
        learning_rate=0.1,
        use_relu=True
    )
    model.create_model_values()
```

```

model.train(epoch_count=3_500)
model.test()

test_prediction_accuracies = np.append(test_prediction_accuracies,
                                         model.test_prediction_accuracy)
training_times = np.append(training_times,
                             model.training_time)

clear_output(wait=True)
display("Progress: Complete")

figure, axis = plt.subplots(nrows=1, ncols=2)

axis[0].set_xlabel("Neuron Count")
axis[0].set_ylabel("Test Prediction Accuracy (%)")

axis[0].plot(neuron_counts, test_prediction_accuracies, marker='x')

# Determine gradient and y-intercept of training times regression line
m, c = np.polyfit(neuron_counts, training_times, deg=1)
print(f"Training Times Regression Line Gradient: {round(number=m, ndigits=2)}")

axis[1].set_xlabel("Neuron Count")
axis[1].set_ylabel("Training Time (s)")

# Plot scatter graph of neuron counts and training times
axis[1].scatter(neuron_counts, training_times, marker='x')


# Plot regression line
axis[1].plot(neuron_counts, m * neuron_counts + c)

plt.tight_layout()
plt.show()

```

'Progress: Complete'

Training Times Regression Line Gradient: 0.31



As shown above, as the neuron count of each layer increases so does the training time taken and the test prediction accuracy at first. However, as the neuron count continued to increase the prediction accuracy began to drop greatly (after 200 neurons in this case). This is most likely due to the model overfitting and learning the training dataset too closely, causing it to fail on the new inputs of the test dataset.