

WORKSHEET 1: 🏴‍☠️ PIRATES AND PROBABILITIES 🏴‍☠️

Part 1: Coins

Diego, a pirate, loves to gamble when he is not scrubbing the decks or plundering booty. But lately he has been on an unlucky streak, so he decides to study probability theory so that he will have an advantage the next time he tries his luck in the gambling dens ashore.

He starts by thinking about his favorite thing: gold coins. If Diego flips a coin 3 times, what is the probability that he gets 3 heads in a row? When all outcomes are equally likely, the **probability** of a particular result can be calculated with the formula

$$\text{Probability of a particular result} = \frac{\text{Number of ways the result can happen}}{\text{Number of possible results that can happen}}.$$

When Diego flips a coin 3 times, there are 8 possible results that can happen:

HHH, HHT, HTH, HTT, THH, THT, TTH, and TTT.


Out of these possible results, only one has 3 heads, so the probability that Diego gets 3 heads in 3 flips is $\frac{1}{8}$.

Problem 1 (Coin Flipping). Suppose Diego flips a coin three times in a row.

- (a) What is the probability that Diego get exactly 2 heads?


- (b) What is the probability that Diego gets at least 2 heads?

Part 2: Standard Dice Problems

Diego decides he's had enough of flipping coins and wants to start rolling some dice. For the next three problems, assume the dice are standard 6-sided dice with faces labeled 1,2,3,4,5, and 6, like this: 

Problem 2 (Standard Dice: Joint Probabilities). Diego has two dice and he rolls both of them. He wants to know the probability that both of them land on 1. He draws the following table to represent all the possible outcomes:

		Dice 2					
		1	2	3	4	5	6
Dice 1	1						
	2						
	3						
	4						
	5						
	6						



- (a) What is the probability that both dice land on 1? (Hint: use the table above by drawing an \times on the box(s) representing the outcome in which both dice land on 1.)

- (b) What is the probability that the dice land on the same number?

- (c) What is the probability that both dice are even?

- (d) When rolling two dice, what is the probability that at least one dice does not land on a 1?

Problem 3 (Standard Dice: Summing Problems). Now suppose Diego rolls two dice and then adds the numbers together. The possible outcomes are

2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12

but these numbers are not all equally likely. To help figure out the probabilities of the possible outcomes, Diego draws the following table on the back of one of his treasure maps:

		Dice 2					
		1	2	3	4	5	6
Dice 1	1	2	3	4	5	6	7
	2	3	4	5	6	7	8
	3	4	5	6	7	8	9
	4	5	6	7	8	9	10
	5	6	7	8	9	10	11
	6	7	8	9	10	11	12

- (a) What is the probability that the two dice add up to 3?

- (b) Which of the numbers 2 through 12 is the most likely to be obtained?

- (c) What is the probability of getting the most likely number?

- (d) What is the probability that the dice add up to an odd number?

Problem 4 (Standard Dice: Expected Values). The **expected value** of a dice roll is the value one would expect to get **on average** if the dice roll were repeated many times. The expected value can be calculated by adding up each possible outcome times that outcome's probability. For example, the expected value for a roll of a single 6-sided dice (with faces 1,2,3,4,5, and 6) is:

$$\text{Expected value} = 1 \times \frac{1}{6} + 2 \times \frac{1}{6} + 3 \times \frac{1}{6} + 4 \times \frac{1}{6} + 5 \times \frac{1}{6} + 6 \times \frac{1}{6} = 3.5.$$

- (a) Suppose you roll 1 dice and square the result (meaning you multiply the result by itself). What is the expected value?

- (b) If you roll 2 dice and add them up, what is the expected value?

- (c) If you roll 120 dice and add them up, what is the expected value?

Part 3: Treasure Dice Problems

When Diego's pirate ship sinks in a storm, he washes up on a mysterious island and takes shelter in a cave. Upon exploring the cave, he finds an ancient treasure chest containing three dice: one made of amethyst (A), one made of black obsidian (B), and one made of an unknown crystal (C). The dice are unlike any dice he has ever seen. They each have 6 sides, but they are not labeled 1 through 6. Instead, their faces are labeled as follows:

A : 2, 2, 4, 4, 9, 9

B : 1, 1, 6, 6, 8, 8

C : 3, 3, 5, 5, 7, 7

Problem 5. Diego wonders what are the probabilities for these new mysterious dice.

- (a) If Diego rolls dice A, what is the probability that it lands on a 2?

- (b) If Diego rolls dice A and dice B and then adds them together, how many different sums can he possibly get?

- (c) If Diego rolls dice A and dice B, what is the probability that they add up to 10?

- (d) What is the expected value of each of the dice A, B, C ?

Expected value of A = Expected value of B = Expected value of C =

- (e) Suppose Diego rolls dice A and B and then adds up the two numbers. What is the expected value?

- (f) Diego puts all three dice in a bag. Then he picks one out at random and rolls it. What is the expected value in this case?

Problem 6. After the storm passes, Diego is found in the cave by rival pirate Max. Diego challenges him to a game of dice, using the dice that Diego just found (the same dice A, B, and C from the previous problem). In the game, Diego and Max both choose one dice to roll and whoever gets the higher number wins.

- (a) If Diego rolls dice A and Max rolls dice B, what is the probability that Diego wins?

- (b) If Diego rolls dice B and Max rolls dice C, what is the probability that Diego wins?

- (c) If Diego rolls dice C and Max rolls dice A, what is the probability that Diego wins?

- (d) If Diego decides to play this game with dice A, what dice should Max choose to maximize his probability of winning?

Part 4: Extreme Dice Problems

Problem 7 (Extreme dice). After losing several games in a row, Max suggests they play with a different set of dice that he found in a different part of the cave. These dice are made of diamond (D), emerald (E), and fieldstone (F), and their faces are labeled as follows:

D : 2, 2, 2, 5, 5, 5

E : 1, 4, 4, 4, 4, 4

F : 3, 3, 3, 3, 3, 6

- (a) Suppose Max rolls dice E. What is the probability that he rolls a 4?

- (b) Suppose Max rolls dice D and F together. What is the probability that he rolls a 2 with dice D and a 3 with dice F ?

Problem 8. Max agrees to give Diego passage back to the seaport, but only if he can beat him in a game involving these dice. Each player will choose one of the three dice, and the winner is the player who rolls the higher number.

- (a) In making a decision on which dice to use, Diego's first thought is to compute the expected value of each dice. What is the expected value of a roll of dice D? What about E and F?

Expected value of D = Expected value of E = Expected value of F =

- (b) If Diego chooses D and Max chooses E, what is the probability that Diego wins?

- (c) If Diego chooses D and Max chooses F, what is the probability that Diego wins?

- (d) If Diego chooses E and Max chooses F, what is the probability that Diego wins?

Problem 9. (Survey) Why did you take this course and what are you hoping to get out of it?