

Cybersecurity Professional Program Introduction to Python for Security

Functions

PY-05-L2 Returning Lists



C Lab Objective

Understand how functions can return different types of lists and identify each type.



Lab Mission

Create multiple functions that return different list types and check their types.



Lab Duration

15-25 minutes



Requirements

Basic knowledge of Python



Resources

- **Environment & Tools**
 - Windows, Linux, macOS
 - PyCharm
 - Python 3




Textbook References

- Chapter 5: Functions
 - Section 1: Introduction to Functions

Lab Task: Returning Lists with Python

In this task, you will create several functions that return a value type and identify it.

1 Create a new Python file in PyCharm by right-clicking the project you created and selecting **New** > **Python File**.



2 Declare a function that accepts two parameters.

```
def returned_list(first, second):
```

3 Make the function return a list of the parameters.

```
def returned_list(first, second):
    return [first, second]
```

4 Declare a second function that accepts two parameters.

```
def returned_dict(first, second):
```

5 Make the function return a dictionary of the parameters.

```
def returned_dict(first, second):
    return {first: second}
```

6 Declare a third function that accepts two parameters.

```
def returned_tup(first, second):
```

7 Make the function return a tuple of the parameters.

```
def returned_tup(first, second):
    return first, second
```

8 Declare a fourth function that accepts two parameters.

```
def returned_none(first, second):
```

9 Make the function perform an addition operation on the parameters.

```
def returned_none(first, second):
    res = first + second
```

10 Create the main function to handle the program.

```
def main():
```

11 Create two variables that request inputs of values from a user.

```
def main():
    first_val = input("Please enter a value: ")
    second_val = input("Please enter another value: ")
```

12 Save the first function's result to a variable.

```
def main():
    first_val = input("Please enter a value: ")
    second_val = input("Please enter another value: ")
    list_res = returned_list(first_val, second_val)
```

13 Save the second function's result to a variable.

```
def main():
    first_val = input("Please enter a value: ")
    second_val = input("Please enter another value: ")
    list_res = returned_list(first_val, second_val)
    dict_res = returned_dict(first_val, second_val)
```

14 Save the third function's result to a variable.

```
def main():
    first_val = input("Please enter a value: ")
    second_val = input("Please enter another value: ")
    list_res = returned_list(first_val, second_val)
    dict_res = returned_dict(first_val, second_val)
    tup_res = returned_tup(first_val, second_val)
```

15 Save the fourth function's result to a variable.

```
def main():
    first_val = input("Please enter a value: ")
    second_val = input("Please enter another value: ")
    list_res = returned_list(first_val, second_val)
    dict_res = returned_dict(first_val, second_val)
    tup_res = returned_tup(first_val, second_val)
    none_res = returned_none(first_val, second_val)
```

16 Print the results and the types saved in the variables.

```
def main():
    first_val = input("Please enter a value: ")
    second_val = input("Please enter another value: ")
    list_res = returned_list(first_val, second_val)
    dict_res = returned_dict(first_val, second_val)
    tup_res = returned_tup(first_val, second_val)
    none_res = returned_none(first_val, second_val)
    print("{} and its type is: {}".format(list_res,
type(list_res)))
    print("{} and its type is: {}".format(dict_res,
type(dict_res)))
    print("{} and its type is: {}".format(tup_res,
type(tup_res)))
    print("{} and its type is: {}".format(none_res,
type(none_res)))
```

17 Invoke the main function to run the program.

```
main()
```