





Epidemiology of COVID-19 in Ireland

Report prepared by HPSC on 20/07/2020 for National Public Health Emergency Team

Summary characteristics of confirmed COVID-19 cases notified in Ireland up to midnight 18/07/2020

Total number of confirmed cases 25,760 National cumulative incidence of confirmed cases per 100,000 population 540.96 Total number of cases hospitalised 3,343 12.98 Total number of cases admitted to ICU 437 1.7 Total number of deaths among confirmed cases 1,495 5.8 Case fatality ratio (CFR, %) 5.8 National cumulative incidence of confirmed deaths per 100,000 population 31.4 Total number of outbreaks/clusters 2,146 Total number of cases associated with clusters 13,630 52.91 Total number of imported cases 430 1.67 Number of cases in healthcare workers 8,342 32.38 Males 11,019 42.78 Females 14,713 57.12		Number	Percent
Total number of cases hospitalised Total number of cases admitted to ICU Total number of cases admitted to ICU Total number of deaths among confirmed cases Total cumulative incidence of confirmed deaths per 100,000 population Total number of outbreaks/clusters Total number of cases associated with clusters Total number of imported cases Total number of cases in healthcare workers Number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases in healthcare workers Total number of cases associated with clusters Total number of case	Total number of confirmed cases	25,760	
Total number of cases admitted to ICU 437 1.7 Total number of deaths among confirmed cases 1,495 5.8 Case fatality ratio (CFR, %) 5.8 National cumulative incidence of confirmed deaths per 100,000 population 31.4 Total number of outbreaks/clusters 2,146 Total number of cases associated with clusters 13,630 52.91 Total number of imported cases 430 1.67 Number of cases in healthcare workers 8,342 32.38 Males 11,019 42.78 Females 14,713 57.12		540.96	
Total number of deaths among confirmed cases 1,495 5.8 Case fatality ratio (CFR, %) 5.8 National cumulative incidence of confirmed deaths per 100,000 population 31.4 Total number of outbreaks/clusters 2,146 Total number of cases associated with clusters 13,630 52.91 Total number of imported cases 430 1.67 Number of cases in healthcare workers 8,342 32.38 Males 11,019 42.78 Females 14,713 57.12	Total number of cases hospitalised	3,343	12.98
Case fatality ratio (CFR, %) National cumulative incidence of confirmed deaths per 100,000 population Total number of outbreaks/clusters 2,146 Total number of cases associated with clusters 13,630 52.91 Total number of imported cases 430 1.67 Number of cases in healthcare workers 8,342 32.38 Males 11,019 42.78 Females 14,713 57.12	Total number of cases admitted to ICU	437	1.7
National cumulative incidence of confirmed deaths per 100,000 population Total number of outbreaks/clusters Total number of cases associated with clusters 13,630 52.91 Total number of imported cases 430 1.67 Number of cases in healthcare workers 8,342 32.38 Males 11,019 42.78 Females 14,713 57.12	Total number of deaths among confirmed cases	1,495	5.8
Total number of outbreaks/clusters Total number of cases associated with clusters Total number of imported cases Additional states of cases in healthcare workers Males Total number of imported cases Additional states of cases in healthcare workers Additional states of cases	Case fatality ratio (CFR, %)	5.8	
Total number of cases associated with clusters 13,630 52.91 Total number of imported cases 430 1.67 Number of cases in healthcare workers 8,342 32.38 Males 11,019 42.78 Females 14,713 57.12		31.4	
Total number of imported cases 430 1.67 Number of cases in healthcare workers 8,342 32.38 Males 11,019 42.78 Females 14,713 57.12	Total number of outbreaks/clusters	2,146	
Number of cases in healthcare workers 8,342 32.38 Males 11,019 42.78 Females 14,713 57.12	Total number of cases associated with clusters	13,630	52.91
Males 11,019 42.78 Females 14,713 57.12	Total number of imported cases	430	1.67
Females 14,713 57.12	Number of cases in healthcare workers	8,342	32.38
· · · · · · · · · · · · · · · · · · ·	Males	11,019	42.78
M:F ratio 0.75	Females	14,713	57.12
	M:F ratio	0.75	
Median age (years) 48	Median age (years)	48	
Mean age (years) 50	Mean age (years)	50	
Age range (years) 0 - 106	Age range (years)	0 - 106	




Figure 1a: Number* and cumulative number of confirmed COVID-19 cases notified in Ireland by notification date* to midnight 18/07/2020

*Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates




Figure 1b: Number and cumulative number of confirmed COVID-19 cases notified in Ireland by epidemiological date** to midnight 18/07/2020

^{**}Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.




Figure 2: Cumulative 14 day incidence rate of confirmed COVID-19 cases per 100,000 population notified in Ireland by notification* and epidemiological date** to midnight 18/07/2020

^{*} Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates

^{**}Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

Table 1: Characteristics of confirmed COVID-19 cases notified in Ireland up to midnight on 18/07/2020

Characteristic		Number of cases	Percent
Total number of confirmed cases		25,760	100
Sex	Male:Female ratio	0.75	
	Male	11,019	42.78
	Female	14,713	57.12
	Unknown	28	0.11
Age	Median age (years)	48	
	Mean age (years)	50	
	Age range (years)	0 - 106	
	0-4 yrs	183	0.71
	5-14 yrs	337	1.31
	15-24 yrs	1,960	7.61
	25-34 yrs	4,353	16.9
	35-44 yrs	4,530	17.59
	45-54 yrs	4,605	17.88
	55-64 yrs	3,273	12.71
	65-74 yrs	1,824	7.08
	75-84 yrs	2,302	8.94
	85+ yrs	2,372	9.21
	Unknown	21	0.08



Cumulative age- and sex-specific rate per 100,000 population

■Female ■ Male

Figure 3: Cumulative age- and sex-specific incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 18/07/2020 (excluding 21 cases for whom age is unknown and 28 cases for whom sex is unknown and 1 case for whom both are unknown)




Figure 4: Cumulative incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 18/07/2020

Please do not directly compare county shades to previous maps. The numbers of cases by county are increasing and as such the categories listed will broaden which may result in changes to the map shading.

Table 2: Number of confirmed COVID-19 cases by county notified to midnight 18/07/2020

Tubio 2: Italiiboi	10 2. Italiibor of committee covid			
County Name	Number of cases	Percent		
Carlow	178	0.69		
Cavan	867	3.37		
Clare	369	1.43		
Cork	1,557	6.04		
Donegal	472	1.83		
Dublin	12,385	48.08		
Galway	492	1.91		
Kerry	316	1.23		
Kildare	1,523	5.91		
Kilkenny	356	1.38		
Laois	265	1.03		
Leitrim	83	0.32		
Limerick	589	2.29		
Longford	287	1.11		
Louth	791	3.07		
Mayo	574	2.23		
Meath	817	3.17		
Monaghan	540	2.1		
Offaly	486	1.89		
Roscommon	346	1.34		
Sligo	148	0.57		
Tipperary	543	2.11		
Waterford	166	0.64		
Westmeath	677	2.63		
Wexford	223	0.87		
Wicklow	710	2.76		
Total	25,760	100		

Table 3: Number of confirmed COVID-19 cases by WHO transmission classification notified to midnight 18/07/2020

Transmission classification*	Count of Events	%
Community transmission, incl. possible community transmission	8,215	31.89%
Local transmission, incl. possible local transmission	16,894	65.58%
Travel abroad, incl. possible travel abroad	624	2.42%
Unknown	27	0.10%
Total	25,760	100.00%

^{*}See technical note 3 for definition of WHO transmission classification

Cases which were notified more than 2 weeks ago and have not yet been reported as imported or linked to an outbreak are classified as possible community transmission.

Table 4: Cumulative number of confirmed cases of COVID-19 notified in Ireland by age group and hospital, ICU and vital status as of midnight 18/07/2020

Age Group (years)	Number of cases (n)	Cases hospitalised (n)	Cases hospitalised (%)	Cases admitted to ICU (n)	Cases admitted to ICU (%)
0-4 yrs	183	23	0.69	0	0
5-14 yrs	337	17	0.51	2	0.46
15-24 yrs	1960	76	2.27	5	1.14
25-34 yrs	4353	198	5.92	15	3.43
35-44 yrs	4530	274	8.2	36	8.24
45-54 yrs	4605	449	13.43	91	20.82
55-64 yrs	3273	497	14.87	127	29.06
65-74 yrs	1824	586	17.53	109	24.94
75-84 yrs	2302	745	22.29	46	10.53
85+ yrs	2372	477	14.27	6	1.37
Unknown	21	1	0.03	0	0
Total	25,760	3,343	100	437	100

Table 5: Number and proportion of confirmed cases of COVID-19 notified in Ireland by age-group, hospitalisation and ICU admission 18/07/2020


	0-4 yrs	5-14 yrs	15-24 yrs	25-34 yrs	35-44 yrs	45-54 yrs	55-64 yrs	65-74 yrs	75-84 yrs	85+ yrs	Unknow n
Number of cases (n)	183	337	1,960	4,353	4,530	4,605	3,273	1,824	2,302	2,372	21
Cases hospitalised (n)	23	17	76	198	274	449	497	586	745	477	1
Cases hospitalised (%)	12.57	5.04	3.88	4.55	6.05	9.75	15.18	32.13	32.36	20.11	4.76
Cases admitted to ICU (n)	0	2	5	15	36	91	127	109	46	6	0
Cases admitted to ICU (%)	0	0.59	0.26	0.34	0.79	1.98	3.88	5.98	2	0.25	0
Deaths (n)	0	0	1	5	12	24	66	221	512	654	0
Case fatality ratio (%)	0	0	0.05	0.11	0.26	0.52	2.02	12.12	22.24	27.57	0

Outbreaks of COVID-19

Table 6: Number of clusters/outbreaks COVID-19 by location and HSE area notified to midnight 18/07/2020

Outbreak Location	E	M	MW	NE	NW	S	SE	w	HPSC	Total
Private house	1,001	6	67	118	41	112	42	27		1,414
Nursing home	128	10	16	41	5	13	17	37		267
Residential institution	101	9	7	17	4	21	10	4		173
Other*	15	8	27	6	7	23	8	9	1	104
Hospital	61	3	3	14	2	10	4	6		103
Workplace	8	5	5	14	1	9	3	4		49
Comm. Hosp/Long-stay unit	4	4	2		4	6	5	5		30
Unknown	4				1	1				6
Total	1,322	45	127	210	65	195	89	92	1	2,146

^{*}Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.



■ Comm. Hosp/Long-stay unit
■ Hospital
■ Nursing home
■ Other*
■ Private house
■ Residential institution
■ Unknown
■ Workplace

Figure 5: Trend in number of COVID-19 clusters by location and week notified to midnight 18/07/2020

*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.

20th July 2020

Note: 1307 COVID-19 outbreaks were reported on CIDR between week 24 and week 29 2020 (June 12th to July 18th). Of these, 1259 were family outbreaks. Most of these family outbreaks occurred earlier and were reported between weeks 24 and 28 as a result of data validation: 1 occurred in February, 570 in March, 392 in April, 86 in May, 11 in June and 3 in July

Deaths among COVID-19 cases

Table 7: Summary of deaths in all COVID-19 cases notified in Ireland up to midnight 18/07/2020

	Number	Percent
Total number of deaths	1,753	
Confirmed	1,495	85.28
Probable	100	5.7
Possible	158	9.01
Total number of cases hospitalised	742	42.33
Cases admitted to ICU	91	5.19
Cases not admitted to ICU	651	37.14
Total number of imported cases	6	0.34
Number of cases in healthcare workers	7	0.4
Number with underlying clinical conditions	1,651	94.18
Total number of male cases	864	49.29
M:F ratio	0.97	
Median age (years)	84	
Mean age (years)	82	
Age range (years)	17 - 105	

Table 8: Number of deaths in all COVID-19 cases by sex and age group notified in Ireland up to midnight 18/07/2020

Age group (years)	Female	Male	Total	Percent
15-24 yrs	<5	<5	1	0.06
25-34 yrs	<5	<5	5	0.29
35-44 yrs	6	7	13	0.74
45-54 yrs	10	16	26	1.48
55-64 yrs	25	46	71	4.05
65-74 yrs	90	156	246	14.03
75-84 yrs	274	323	597	34.06
85+ yrs	479	313	792	45.18
Unknown	<5	<5	2	0.11
Total	889	864	1,753	100
Percent	50.71	49.29		




Figure 6: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total to midnight 17/07/2020

There were no cases with a date of death between the 15th to the 18th July 2020.

Please note: a lag in time between reporting of deaths and data extraction is expected and as such most recent dates will not yet reflect all deaths on that date

^{*} Date of death is not yet available for five cases

Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in this report. This includes staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

Technical Notes

1. Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:17 on 7/20/20. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

2. Epidemiological date

Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and ≥ 85 years.

3. Transmission classification

Transmission classification is based on country of infection as well as enhanced exposure data (international travel; close contact of a case) recorded in CIDR. Transmission is classified as 'unknown' due to incomplete data on CIDR.

WHO definition of transmission classification is specified below:

- Community transmission is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through routine screening of sentinel samples.
- Local transmission indicates locations where the source of infection is within the reporting location.
- Imported cases only indicates locations where all cases have been acquired outside the location of reporting.

4. HSE areas

The counties covered by each HSE area are as follows:

HSE East (E): Dublin, Kildare & Wicklow;

HSE Midlands (M): Laois, Longford, Offaly & Westmeath;

HSE Midwest (MW): Clare, Limerick & N. Tipperary;

HSE Northeast (NE): Cavan, Louth, Meath & Monaghan;

HSE Northwest (NW): Donegal, Leitrim & Sligo;

HSE South (S): Kerry & Cork;

HSE Southeast (SE): Carlow, Kilkenny, S. Tipperary, Waterford & Wexford;

HSE West (W): Galway, Mayo & Roscommon.

5. Outbreak location

Where an outbreak location is reported as a residential facility (RF) this includes nursing homes, community hospitals, long-stay units and residential institutions including mental health facilities, prisons and direct provision centres.

Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.