

# **SOLID**

## **Liskov Substitution Principle (LSP)**


# Liskov Substitution Principle

*"Functions that use pointers or references to base classes must be able to use objects of derived classes without knowing it."*

[Robert C. Martin]

## Why?

- Increase the overall **Robustness** of the application through increase of determinism in behavior



# Liskov Substitution Principle

***"If for each object  $o_1$  of type  $S$  there is an object  $o_2$  of type  $T$  such that for all programs  $P$  defined in terms of  $T$ , the behavior of  $p$  is unchanged when  $o_1$  is substituted for  $o_2$ , then  $S$  is a subtype of  $T$ ."*** [Barbara Liskov]

Liskov, Barbara. *Data Abstraction and Hierarchy*. SIGPLAN Notices, 23,5 (May 1988)

***"Subtype Requirement: Let  $\phi(x)$  be a property provable about objects  $x$  of type  $T$ . Then  $\phi(y)$  should be true for objects  $y$  of type  $S$  where  $S$  is a subtype of  $T$ ."***  
[Barbara Liskov, Jeannette M. Wing]

Barbara Liskov, Jeannette M. Wing: *A Behavioral Notion of Subtyping*. ACM Trans. Program. Lang. Syst. 16(6): 1811-1841 (1994)

## **LSP In A Nutshell**

**Subtypes must preserve behavior  
of their supertypes.**

# The Circle-Ellipse Problem

Also called *Square-Rectangle Problem*. See more on this topic on [Wikipedia](#).

Illustrates problems arising from use of *Subtype Polymorphism* in object-oriented design.

A simple question:

## Circles are Ellipses, right?

FYI: *Subtype Polymorphism* is the fancy name of Inheritance, a key technique for achieving Open/Closed systems, see *Open/Closed Principle*.

# Are Circles Ellipses?

## Well Trained Mathematician



# Are Circles Ellipses?

# Well Trained Software Engineer



# Why not?

Of course, circles are ellipses... from a geometric perspective.

But not every model of a circle should also be a model of an ellipse... from an OO perspective.

```
class Ellipse
{
    public uint Width { get; set; }
    public uint Height { get; set; }
    ...
}
class Circle : Ellipse
{
    public override uint Width
    {
        get => base.Height;
        set => { base.Width = value; base.Height = value; }
    }
    public override uint Height
    {
        get => base.Height;
        set => { base.Width = value; base.Height = value; }
    }
    ...
}
```



# Why not?



```
void FitIntoRectangle(Ellipse ellipse, Rectangle rectangle)
{
    ellipse.Width = rectangle.Width;
    ellipse.Height = rectangle.Height;
    ellipse.Draw();
}

FitIntoRectangle(new Ellipse(), rectangle);
FitIntoRectangle(new Circle(), rectangle);
```

A **mutable** ellipse class makes the promise that width and height can be adjusted **independently**.

A derived circle breaks that promise by overwriting setters in order to keep geometric properties intact.

This doesn't work that well in the world of OO -.-



## Other Example: "Exceptional" LSP Violation

```
class GiroAccount
{
    public double Balance { get; protected set; }
    public void Withdraw(double withdrawal)
    {
        Balance -= withdrawal;
    }
}
class DebtProtectedGiroAccount : GiroAccount
{
    public override void Withdraw(double withdrawal)
    {
        if (Balance - withdrawal < 0)
        {
            throw new InvalidOperationException();
        }
        base.Withdraw(withdrawal);
    }
}
```

Obviously this breaks the promise of "not throwing (unexpected) exceptions" ;-)

# The Circle-Ellipse Problem & Modeling Inheritance

- We think of inheritance as an ***IS-A*** relationship:
  - A circle IS-A ellipse
  - A square IS-A rectangle
- However, we tend to only consider "syntactic" traits:
  - Major/Minor Axes
  - Right Angles
  - Width/Height
- This can be problematic when mutations are possible:
  - See Circle-Ellipse Problem

# The Circle-Ellipse Problem & Modeling Inheritance

- Instead, we should think of inheritance as ***BEHAVES-LIKE***
  - Software is about behavior  
Notably behavior desired by stakeholders
  - Inheritance does not only impose a "syntactic" contract it also imposes a "semantic" contract

# Strategies against LSP Violations

## Strategy 1: Design by Contract

Every operation has invariants, pre- and postconditions

$$\{P\}S\{Q\}$$

- Preconditions cannot be strengthened by a subtype
- Postconditions cannot be weakened by a subtype
- Invariants must be preserved by a subtype

Each subtype has to pass all tests of its supertype.

Further Reading on Design by Contract:

Bertrand Meyer. 1995. *Object-oriented software construction*, New York: Prentice Hall.

# Strategies against LSP Violations

## Strategy 2: Use Interfaces as much as possible

- Only use interfaces for polymorphism

Interfaces only impose syntactic contracts which makes LSP violations more or less impossible, since no behavior is really promised.

## Downside

May require additional work, since no behavior is promised, e.g. not throwing exceptions.

Avoiding something under all costs is a sure way to develop a phobia for it ;-)

# Thanks!