Models of Complex Adaptive Social Systems

Steve Mazza

Naval Postgraduate School Monterey, CA



SE4940, Spring/2014

A Basic Framework

The elements of the eightfold path can be mapped to key modeling issues in complex social systems.

- Wisdom
 - Right View
 - Right Intention
- Ethical Conduct
 - Right Speech
 - Right Action
 - Right Livelihood
- Concentration
 - Right Effort
 - Right Mindfulness
 - Right Concentration



Right View

- Information the agent sees.
- Often no too much information competes for attention.
- Information is often processed through the lens of previous experience (internal information).
- Information may come from another agent with (or without) bias.
- Timing of information and how it flows can be very important.

Right Intention

- Goals of the agent.
- May be explicit or implicit.
- Place strong forces on model's behavior.
- Often most interesting when the intentions are at odds with the model's outcome.

Right Speech

- Information agents send to others.
- May be action or more explicit.
- Varies by type based on model parameters.
- An important part of many complex adaptive social systems.

Right Action

- All the interactions that occur among the agents.
- Depend on space, which can be physical or logical (e.g., friendships).
- May be externally coordinated.
- Can by synchronous or asynchronous.
- Type of updating can have a large impact on the outcome of the model.

Right Livelihood

- Payoffs that accrue to the agents.
- Payoffs result in benefits or costs.
- Payoffs often drive adaptation (e.g., agents reproduce based on their performance).
- Payoffs can drive activation order, giving preference to higher performing agents.

Right Effort

- Includes agents' strategies and actions.
- These may be guided by extreme thought and care or by intuitions, emotions, and gut instincts.
- Rules adopted by agents to govern behavior may be fixed or adaptive.
- Rules may appear to be simple or complex.

Right Mindfulness

- The level of cognition employed by the agent.
- Mindfulness differs between social and physical agents (e.g., people vs. subatomic particles).
- Social agents may employ mental models that inform their behavior.
- May be an under-explored factor in some types of models (e.g., economic).

Right Concentration

- The focus of the model; it must be just sufficient to capture the phenomenon of interest.
- Agent diversity enriches the model.
- Diversity can be behavioral or historical or may rely on differential access to information or underlying characteristics.

A Simple Model

We begin with the simplest model of forest fires.

- 1-dimensional model
- Fixed, homogeneous rules.
- At one time step trees grow with probability g.
- At the other time step trees burn with probability f, taking out all adjacent trees.
- The cycle repeats.

Optimizing for production favors a growth rate of 43% at which point density becomes a compelling factor as fire breaks become too few.

Homogeneous Adaptation

Rule:

Forests with higher productivity survive. Those with lower productivity are killed off and replaced by new ones with random growth rates.

By varying the model rules and allowing rule-set selection based on survival (fitness), we expect to see the forest growth rate approach the critical value, g.

Heterogeneous Adaptation

Rule:

If a tree on a site would have burned down, then decrease the growth rate; otherwise, increase it.

Applying a varying rule-set with finer granularity (i.e., to individual trees) results in adaptation that is individually decided but which suits the collective good. Over enough time this results in substantially growth rate.

Adding More Intelligence

Rule:

Individual agents construct independent models of the system, making assumptions about their neighbors behavior which drives their own.

This strategy is far more sophisticated than previous models and leads to some potentially complex behavioral dynamics, but not necessarily any better solution.

Omnicient Closure

Allowing for altruistic behavior, it is possible (albeit difficult and unlikely) to achieve an optimal and stable state.

This model is still not likely to out-perform heterogeneous adaptation, which converges steadily on an optimal solution and provides considerable stability.

By applying different labels, the same models can be applied to bank failures and urban migration, among other problems.

Eight Folding into One

Ultimately, none of the models presented falls into the category of Universal Computer. The author reminds us of Turing's findings regarding the Halting Problem: that general propositions about universal computers are undecidable.

Notwithstanding, this does not diminish the value of having applied a model toward achieving a solution to a particular problem.

Conclusion

- Different levels of adaptation impact behavior. The emergence of firewalls in the forest fire model demonstrates how collective intelligence can arise. Miller points to the interesting space between fixed rules and cognitive closure, referring to it as, "both clever and messv."
- Applying different labels allow us to use the same model in a variety of different domains across the same problem class (e.g., forest fires, bank failures, urban-suburban migration).
- "The promise of uncovering deep connections among apparently disparate complex social systems is an important one."

Complex Adaptive Social Systems in One Dimension

Goal

We want to have simple models that reveal something basic about complex adaptive social systems.

Modeling is an iterative process by which we arrive at a better understanding of complex systems.

- Begin with simple assumptions and see where they lead.
- Use these results to create better models which lead to more exact results.

Cellular Automata

Simple homogeneous rules can result in surprising behavior. Moments of coherence are mixed with perpetual novelty.

Wolfram categorized rules into four classes (previously discussed at length). These rules allow us to make predictions about behavior based on structure and initial conditions.

Social Cellular Automata

Modeling social systems means accepting a couple of limitations.

- All agents operate under the same rules.
- Mistory is summarily discarded (is this really different that reality).

Rule sets can be dramatically reduced by imposing both observational and outcome symmetry. Miller selects four rules that appear to be representative of broad classes of rule sets under these constraints, but lays no claim to specificity.

Majority Rules

Rule:

Each agent will look a distance of k sites and alter its action if it is in the minority.

Different updating rules may result in very different equilibrium outcomes.

Claim 8.3.1

Any N-Site k-Majority Rule model with asynchronous updating attains fixed-point equilibrium in in finite time.

Proof is contained on page 127 of Miller.

Randomness introduces mistakes which can help avoid local maxima and minima.

The Edge of Chaos

What Is the Edge

"The edge of chaos captures the essence of all interesting adaptive systems as they evolve to this boundary between stable order and unstable chaos."

The edge is in the rules, not the resulting phase space. We use λ , which equals the percentage of all rule table entries that map to a predefined quiescent state. Thus, as λ approaches 1/2 (in between the two extremes, 0 and 1), chaos becomes more prevalent.

Example of columns 1

Contents of the first column

Contents split into two lines

Example of columns 2

Contents of first column split into two lines



Block Types

This is a Block

This is important information

This is an Alert block

This is an important alert

This is an Example block

This is an example

Questions?

