# /EXPRESS.JS

"You think, you can"



#### HTTP REQUEST

just a message with a certain format

```
POST /docs/1/related HTTP/1.1
Host: www.test101.com
Accept: image/gif, image/jpeg, */*
Accept-Language: en-us
Accept-Encoding: gzip, deflate
User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
bookId=12345&author=Nimit
```

(from <a href="http://www.ntu.edu.sg/home/ehchua/programming/webprogramming/HTTP\_Basics.html">http://www.ntu.edu.sg/home/ehchua/programming/webprogramming/HTTP\_Basics.html</a>)

# "Oh boy! Parsing this string of text will be lots of fun!"

- NO DEVELOPER EVER

#### BUILDING A SERVER WITH NODE

 Node.js provides several low-level tools for building servers

 Abstracts HTTP requests and responses into nice objects that have useful methods

```
const http = require('http')
const server = http.createServer()
server.listen(3000, 'localhost')
```

```
const http = require('http')
const server = http.createServer()
server.on('request', (req, res) \Rightarrow {
  res.writeHead(200)
  res.write('<h1>Welcome to my website</h1>')
  res.end()
server.listen(3000, 'localhost')
```

```
const http = require('http')
const server = http.createServer()
server.on('request', (req, res) \Rightarrow {
  if (req.method \equiv 'GET') {
    if (req.url \equiv '/') {
      res.writeHead(200)
      res.write(`<h1>Welcome to the main page!</h1>`)
      res.end()
    } else if (req.url \equiv '/puppies') {
      res.writeHead(200)
      res.write(`<h1>Welcome to the puppies page!</h1>`)
      res.end()
server.listen(3000, 'localhost')
```



## **EXPRESS**

A library for request handling in Node





```
const express = require('express')
const app = express()
app.listen(3000)
```



```
const express = require('express')

const app = express()

app.get('/', (req, res, next) ⇒ {
  res.send(`<h1>Welcome to the main page</h1>`)
})

app.listen(3000)
```



```
const express = require('express')
const app = express()
app.get('/', (req, res, next) \Rightarrow {
  res.send(`<h1>Welcome to the main page</h1>`)
app.get('/puppies', (req, res, next) \Rightarrow {
  res.send(`<h1>Welcome to the puppies page</h1>`)
app.listen(3000)
```

## DEMO

### SUMMARY

- We can use Node to easily create servers
- The `express` library makes it even easier to write (and subsequently maintain) our server code
- The `express` library is just a (light) abstraction over the built-in node `http` module, which is itself an abstraction over some code written in C++ making lower-level system calls