# The inventory of linguistic relations used in the Copenhagen Dependency Treebanks

Matthias Buch-Kromann Morten Gylling-Jørgensen Lotte Jelsbech Knudsen Iørn Korzen Henrik Høeg Müller

Dept. of International Language Studies and Computational Linguistics Copenhagen Business School

May 7, 2010

### Abstract

This manual describes the inventory of linguistic relations used in the Copenhagen Dependency Treebanks, a set of parallel treebanks for Danish, English, German, Italian, and Spanish annotated with respect to syntax, morphology, discourse, coreference, and translational equivalence. The manual is generated automatically from the CDT project's online relation spreadsheet.<sup>1</sup>

<sup>1</sup>http://spreadsheets.google.com/ccc?key=0ArjTKYTQS1lWcnNUWGJrX3lZTkxDc3QxYmlqWlRXQ1E&hl=

# **C**ontents

1	Introduction	2
<b>2</b>	Top-level relations: ANY	3
3	Syntactic relations: SYNTAX 3.1 Complement relations: SYNCOMP	5
	3.2 Adverbial adjunct relations: ADVERB	11 19
4	Morphological relations: MORPHOLOGY	27
	4.1 Compositional relations: MORPHCOMP	27
	4.2 Derivational relations: MORPHDERIV	29
	4.2.1 Prefix relations: PREFIX	29
	4.2.2 Suffix relations: SUFFIX	32
5	Discourse relations: DISCOURSE	39
	5.1 Functional relations: DISCFUNC	36
	5.2 Semantic relations: DISCSEM	41
6	Anaphor relations: ANAPHORA	45
	6.1 Coreference relations: coref	45
	6.2 Associative anaphor relations: assoc	46
7	Semantic relations: SEMANTICS	47
	7.1 Qualia relations: QUALIA	47
	7.2 Thematic role relations: SEMROLE	48
8	Word alignment relations: ALIGN	<b>5</b> 4
9	Rule schemata for complex relations: RULE	55
10	Relations misplaced outside the ANY hierarchy	58
$\mathbf{A}$	Overview tables	59
R	Index	70

## Chapter 1

## Introduction

This manual describes the relations used in the Copenhagen Dependency Treebanks. The relations are ordered in a hierarchy, where each relation may have zero or more immediate super types, and zero or more immediate subtypes. The relations are presented in detail in the following chapters, grouped by linguistic level and general relation type. Every time a relation is introduced, its name is written in the left margin, with an indication of its immediate super types and the row in the online CDT spreadsheet in which the relation was defined. An example is shown below.

**relation** The notation in the left margin indicates that we now describe the relation relation; is super it has immediate super type super and is defined in row 12 in the spreadsheet. When [12] describing a relation, we also lists its other properties, if relevant, including its:

- long name: we use short names in the annotation for brevity, but long names are sometimes more descriptive, so we provide these as an alias for the short relation name:
- deprecated names: when renaming relations, the old name is listed as a deprecated name for backwards compatibility, but it should be avoided in future annotation:
- immediate subtypes: the relation names that have been specified as the immediate subtypes of the relation;
- related types: lists the relations that are closely related to this relation, in some way or another, and which you might want to consult for clarification or additional information;
- examples: small annotated text examples that illustrate how the relation is used;

In PDF versions of this document, relation names are clickable so that you can navigate through the relation hierarchy by clicking on the relation names.

## Chapter 2

# **Top-level relations: ANY**

ANY: directed relation DIM: dimension

DIM:LEVEL: dimension: linguistic level DIM:TYPE: dimension: relation type

+: segment concatenation IDIOM: idiomatic relation

PRIM: primary dependency relation

ADJ: adjunct relation COMP: complement relation SEC: secondary dependency relation

Figure 2.1: The relations matching ANY-SYNTAX-MORPHOLOGY-DISCOURSE-ANAPHORA-SEMANTICS-ALIGNMENT-RULE.

**ANY** Directed relation. An arbitrary directed relation between two tokens. The arrow [4] goes from parent (head, governor, nucleus) to child (dependent, satellite). Subtypes: DIM RULE.

**DIM** *Dimension* (long: DIMENSION). A dimension in the hierarchy. Eg, linguistic level and isa ANY relation type.

[5] Subtypes: DIM:LEVEL DIM:TYPE.

**DIM:LEVEL** Dimension: linguistic level. Dimension specifying the linguistic level of the relation.

isa DIM The classification of relations into linguistic levels is slightly arbitrary (there will be borderline cases where there is no single natural classification), and does not carry any deep linguistic significance. It is more a question about linguistic convention and research tradition than about any deep underlying difference between relations.

Subtypes: ALIGN ANA DISC MORPH SEM SYN.

**DIM:TYPE** Dimension: relation type. Dimension specifying the type of the relation.

isa DIM Subtypes: + IDIOM PRIM SEC.

[7]

+ Segment concatenation (long: CONCATENATION). A concatenation relation between is DIM:TYPE two adjacent segments. This relation is used if an indecomposable lexeme has mistakenly been segmented into two segment. Lexicalized complex expressions are instead marked as IDIOM relations with the "#" suffix.

**IDIOM** *Idiomatic relation*. Idiomatic relation. Ie, relations between tokens in a complex is a DIM:TYPE lexicalized expression.

[31] Subtypes: PRIM "#".

**PRIM** Primary dependency relation (long: PRIMARY). A primary dependency relation. Ie, a isa DIM:TYPE relation which specifies the primary head (the governor) of a token (the dependent).

[24] Subtypes: ADJ COMP.

ADJ Adjunct relation (long: ADJUNCT). A primary adjunct relation.

isa PRIM Subtypes: DISCFUNC DISCSEM SYNADJ.

[26]

**COMP** Complement relation (long: COMPLEMENT). A primary complement relation.

isa PRIM Subtypes: "@" adverb SYNCOMP.

[25]

**SEC** Secondary dependency relation (long: SECONDARY). A secondary dependency relation. is a DIM:TYPE Eg, the secondary dependency relation in filler-gap constructions such as relatives

without a relative pronoun (the relativized noun is a secondary dependent of the relative verb), raising and control constructions, and elliptic coordinations.

Subtypes: "[" PRIM "]" "{" SEM "}".

## Chapter 3

# Syntactic relations: SYNTAX

SYN: syntax level

Figure 3.1: The relations matching SYNTAX-SYNCOMP-SYNADJ.

SYN Syntax level (long: SYNTAX). A relation at the syntactic level. Ie, a relation between is a DIM:LEVEL segments within a sentence, but between different lexical units.


Subtypes: SYNADJ SYNCOMP.

#### Complement relations: SYNCOMP 3.1

**SYNCOMP** Syntactic complement.

isa COMP SYN Subtypes: @space @time aobj avobj dobj fobj gobj iobj n<br/>obj numa numm part pobj possd possr pred qobj robj subj vobj.

Valency-bound location/direction adverbial. @space Related types: dir loc. isa SYNCOMP [79]



[95]

**@time** Valency-bound time adverbial. A valency bound time expression. Formerly analyzed as locative object, but we have decided to provide a general mechanism (@) for converting adverbial relations into valency-bound relations.


Related types: cont dur ext hab prec succ.




SYNCOMP: syntactic complement @space: valency-bound location/direction adverbial @time: valency-bound time adverbial aobj: adjectival object avobj: adverbial object dobj: direct object fobj: filler object gobj: genitive object iobj: indirect object nobj: nominal object numa: additive numeral complement numm: multiplicative numeral complement part: verbal particle pobj: prepositional object possd: possessed complement possr: possessor complement pred: predicative predo: object predicative preds: subject predicative qobj: quotational object robj: reflexive object subj: subject expl: expletive subject vobj: verbal object

Figure 3.2: The relations matching SYNCOMP.


aobj Adjectival object. If the adverbial object is part of a NP which nucleus is deis a SYNCOMP verbal, the following annotation possibilities are available: aobj.subj{SEMROLE} aobj.dobj{SEMROLE} aobj.pobj{SEMROLE} aobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location. Related types: avobj.



Adverbial object. avobi isa SYNCOMP Related types: aobj part. [87]



**dobj** Direct object. Related types: iobj robj. isa SYNCOMP [75]



dobj nobj pnct He has a ball .

fobj Filler object. NO LONGER IN USE; see gapping constructions.

Related types: GAP.


isa SYNCOMP [88]


N/A


isa SYNCOMP

gobj Genitive object. If the genitive object is part of a NP which nucleus is deverbal, the following annotation possibilities are available: gobj.subj{SEMROLE} gobj.dobj{SEMROLE} gobj.pobj{SEMROLE} gobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location.


Related types: SEMROLE attrg.








#### with help from the keyboard



#### Denmark's attitude




iobj Indirect object. isa SYNCOMP Related types: dobj. [78]

> subj iobj dobj nobj He gave her a kiss

**nobj** Nominal object. If the nominal object is part of a NP which nucleus is deverbal, the isa SYNCOMP following annotation possibilities are available: nobj.subj{SEMROLE} nobj.dobj{SEMROLE}  $nobj.pobj\{SEMROLE\}\ nobj.iobj\{SEMROLE\}\ The\ relevant\ semantic\ roles\ in\ this$ context are agent, patient, recipient, experient, location.

#### They joined the party.



numa isa SYNCOMP

 ${\bf numa} \ \ Additive \ numeral \ complement.$ 

Related types: numm.

[89]

numa

hundred two

numm isa SYNCOMP

 ${\bf numm} \ \ Multiplicative \ numeral \ complement.$ 

SYNCOMP Related types: numa.

[90]

numm two hundred


 $\begin{array}{c} \mathbf{part} \\ \mathrm{isa} \ \mathrm{SYNCOMP} \end{array}$ 

Verbal particle. Verbal particle.

Related types: avobj.

[91]


## the fair two years ago



**pobj** isa SYNCOMP

Prepositional object. If the prepositional object is part of a NP which nucleus is deverbal, the following annotation possibilities are available: pobj.subj{SEMROLE} pobj.dobj{SEMROLE} pobj.dobj{SEMROLE} pobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location.


Related types: SEMROLE avobj.



isa SYNCOMP [92]

possed Possessed complement. The possessed complement in a possessive construction. Possession is understood in a syntactic sense as any construction with a clitic genitive marker, not necessarily as possession in a narrow semantic sense. A better name may be chosen for this relation in the future.

Related types: "{" "}" \$PRIM SEMROLE poss possr.



isa SYNCOMP [93] Possessor complement. NO LONGER IN USE

The possessor complement in a possessive construction. Possession is understood in a syntactic sense as any construction with a clitic genitive marker, not necessarily as possession in a narrow semantic sense. A better name may be chosen for this relation in the future.

Related types: poss possd.

**pred** Predicative.

isa SYNCOMP Subtypes: predo preds.

[80] Related types: predo preds.

V->predicative, P->predicative

**predo** Object predicative.


isa pred

Related types: preds.

[82]




**preds** Subject predicative. isa pred Related types: predo. [81]




**qobj** Quotational object. A phrase or discourse segment functioning as directly quoted is a SYNCOMP speech, typically by an attribution verb. Indirect speech is analyzed as "dobj" or [94] "nobj".

Related types: xpl.



**robj** Reflexive object. isa SYNCOMP Related types: dobj. [84]


## He decided to walk.



subj Subject. A subject relation.

Subtypes: expl. isa SYNCOMP

Related types: expl. [73]



**expl** Expletive subject.

isa subj Related types: subj.

[74]




There are many people .

vobj Verbal object.

isa SYNCOMP Related types: "[" "]" \$PRIM.

[83]



#### Adverbial adjunct relations: ADVERB 3.2


ADVERB Adverbial (deprecated other). V/N/P->adverbial

isa SYNADJ Subtypes: agent ben cause comp conc concom cond cons degr exem man neg other prg source space

[134]struct time.

agent Agent adverbial. The passivized agent in passives.


isa ADVERB [172]




ben Benefactive adverbial. Free dative

isa ADVERB Related types: pobj.

[171]






It is never a problem for him.

```
ADVERB: adverbial
 agent: agent adverbial
 ben: benefactive adverbial
 cause: causation adverbial
   goal: goal adverbial
  reas: reason adverbial
 comp: comparison adverbial
 conc: concession adverbial
 concom:
 cond: condition adverbial
 cons: consequence adverbial
 degr: degree adverbial
 exem: example adverbial
 man: manner adverbial
   accom: companionship adverbial
  inst: instrument adverbial
 neg: negation adverbial
 other: other adverbial
 prg: pragmatic adverbial
   att: attitude adverbial
   discmark: sentence-initial discourse marker
   epi: epistemic adverbial
   eval: evaluation adverbial
   focal: focalizer adverbial
   pcond: pragmatic condition adverbial
 source: source attribution adverbial
 space: space adverbial
   dir: direction adverbial
  loc: location adverbial
 struct: text-structuring or connective adverbial
   add: additive adverbial
   bg: background adverbial
   contr: contrast adverbial
   elab: elaboration advebial
 time: time adverbial
   cont: contemporaneity adverbial
   dur: duration adverbial
   ext: extent/frequency adverbial
  hab: habituality adverb
   prec: precedence adverbial
   succ: succession adverbial
```


Figure 3.3: The relations matching ADVERB.

cause Causation adverbial. Causation adverbial. Describes why the event occurred.
isa ADVERB Subtypes: goal reas.
[160]
goal Goal adverbial. Describes the intended goal of the event/action.
isa cause Related types: reas.


[161]




 $\begin{array}{lll} \textbf{reas} & Reason \ adverbial. \ Describes \ the \ cause \ of \ the \ event/action. \\ \hline \text{[162]} & \\ \end{array}$  Related types: goal.



 $\begin{array}{c} \mathbf{comp} \quad Comparison \ adverbial \ (\text{deprecated compare}). \ Comparison \\ \text{isa ADVERB} \\ \text{[166]} \end{array}$ 




 ${f conc}$  Concession adverbial. Describes the concession of the event/action. is a ADVERB [165]




 $\begin{array}{c} \textbf{concom} & \textbf{.} & \textbf{Gerunds in Romance} \\ \textbf{isa ADVERB} & \textbf{Related types: vobj.} \\ \textbf{[169]} \\ \end{array}$ 

### The agressor fled and/but got caught hours later.



 $\begin{array}{ccc} \textbf{cond} & \textit{Condition adverbial}. \ \ \text{Describes the condition of the event/action}. \\ \text{is a ADVERB} & \text{Related types: pcond}. \\ \end{array}$ 

[164]




cons Consequence adverbial. Describes the consequence of the event/action.

isa ADVERB Related types: xtop.

[163]


 $\begin{array}{ccc} \textbf{degr} & \textit{Degree adverbial}. \ \ \text{Modifies the object or verbal by degree} \\ \text{is a ADVERB} & \text{Related types: focal.} \end{array}$ 

[170]



 $\bf exem$   $\it Example \it adverbial \it (deprecated ex).$  Exemplification; subordinated the object which is is a ADVERB  $\it added$  to a list.


[168]



Poe wrote e.g. "The Tell-tale Heart"


 ${\bf man}~~Manner~adverbial.$  The way things are done is a ADVERB ~ Subtypes: accom inst.

[157] Related types: fpredo.




**accom** Companionship adverbial (deprecated comp). Companionship isa man Related types: man.

[158]



 $\begin{array}{ll} \textbf{inst} & Instrument \ adverbial. \ Instrument/means} \\ \text{isa man} & \text{Related types: man.} \end{array}$ 

[159]




neg Negation adverbial. Negation of a verbal

isa ADVERB [173]



It's never a problem.



She never lied



Ella no mintio nunca She not lied never

other Other adverbial.

isa ADVERB

prg Pragmatic adverbial. Sentence level.

isa ADVERB Subtypes: att discmark epi eval focal pcond.

[135]

 $\begin{array}{ccc} \textbf{att} & Attitude \ adverbial. \ \text{Regarding attitude} \\ \text{isa prg} & \text{Related types: epi eval.} \end{array}$ 

[139]




The weather is unfortunately bad .

**discmark** Sentence-initial discourse marker. Discourse marker isa prg Related types: coord.

[141]


#### And I'm telling you...

#### But I'm telling you...







epi Epistemic adverbial. Regarding the level of truth in the expression isa prg
 Related types: att eval.



**eval** Evaluation adverbial. Evaluating adverbials is a prg Related types: att epi. [140]




**focal** Focalizer adverbial. Focalization of a noun isa prg Related types: degr. [136]




**pcond** Pragmatic condition adverbial (deprecated prgcond). Pragmatic condition is a prg Related types: cond.

[137]



 ${\bf source}~Source~attribution~adverbial.$  Reference/source is a ADVERB

[167]




space Space adverbial. Space adverbials

isa ADVERB Subtypes: dir loc.

[154]

Direction adverbial. Movement from one place to another; direction dir Related types: loc. isa space

[156]



There is a long way from Japan to Germany .

loc Location adverbial. Location

isa space

Related types: dir.


[155]



struct Text-structuring or connective adverbial. Connectives and text structuring adverisa ADVERB bials

[142]Subtypes: add bg contr elab.


Related types: bg contr.



I mentioned earlier, there is no doubt about it

add Additive adverbial. Additive information

isa struct [146]




**bg** Background adverbial. Background information

isa struct

Related types: struct.


[143]



contr Contrast adverbial. Opposition

Related types: struct. isa struct


[144]



elab Elaboration advebial. More detailed description

isa struct

[145]



time *Time adverbial*. Time relating adverbials is a ADVERB Subtypes: cont dur ext hab prec succ.

[147]






The Smiths arrive sunday .



Ella no mintio nunca She not lied never


cont Contemporaneity adverbial. Contemporaneity is time.
Related types: time.

[151]



 $\begin{array}{ll} \textbf{dur} & Duration \ adverbial. \ Duration \\ \text{is a time} & \text{Related types: ext hab.} \end{array}$ 

[148]




[subj]

**ext** Extent/frequency adverbial (deprecated freq). Frequency; extention Related types: dur hab. isa time [153]

He called her seven times .


hab Habituality adverb. Habitual; repeated habit isa time Related types: dur ext.

[152]



prec Precedence adverbial. Precedence


isa time [149]



Before she arrived , there were only men in the room .

**succ** Succession adverbial. Succesion

isa time [150]



#### 3.3 Other adjunct relations: SYNADJ

**SYNADJ** Syntactic adjunct.


isa ADJ SYN Subtypes: ADVERB GAP app attr attrg conj coord correl fpred mod name pnct rel voc xtop. [71]


isa SYNADJ


GAP Gapping dependent (long: GAPPING). A relation between a gapping dependent in a secondary conjunct and the head of the first conjunct. In gapping coordinations, the secondary conjuncts have an elided head, so the remaining material in the secondary conjuncts is instead analyzed as gapping dependents of the head of the first conjunct. In the final CDT annotation, the annotation of gapping dependents will eventually be used to insert a phonetically empty head for the gapped conjuncts, and the gapping dependents will be attached to this gapped head. Subtypes: "<" PRIM ... ":" INTEGER ">".

```
SYNADJ: syntactic adjunct
  GAP: gapping dependent
   "<" PRIM ... ":" INTEGER ">": gapping dependent
  app: apposition
   appa: parenthetic apposition (comma)
    xpl: explication
   appr: restrictive apposition (no comma)
  attr: attributive
  attrg: genitive attributive
  conj: conjunct relation
  coord: coordinator relation
  correl: correlative coordinator relation
  fpred: free predicative
   fpredo: free direct-object predicative
   fpreds: free subject predicative
  mod: modifier/adverbial
   modp: parenthetic modifier
  name: part of name
   namef: first name
   namel: last name
   title: person title
  pnct: punctuation
  rel: relative clause
   relelab: elaborating relative clause
   relpa: parenthetic relative clause
   relr: restrictive relative clause
  voc: vocative
  xtop: external topic with resuming pronoun
```

Figure 3.4: The relations matching SYNADJ-ADVERB.








"<" PRIM ... ":" Gapping dependent. First conjunct->gapping dependent

INTEGER ">" isa GAP RULE

AP RULE [357]



**app** Apposition.


isa SYNADJ Subtypes: appa appr.

[109] Related types: appa appr.

appa Parenthetic apposition (comma).


isa app Subtypes: xpl.

[110] Related types: appr xpl.




 ${f xpl}$  Explication. Explication of an NP or VP. is a appa Related types: qobj.

[123]




**appr** Restrictive apposition (no comma). isa app Related types: appa. [111]




attr Attributive (deprecated attrd attrr). In Germanic languages, adjectives modify the deisa SYNADJ terminer; in Romance languages, adjectives modify the noun even if there is a de[107] terminer

Related types: SEMROLE attrg pobj.





attrg Genitive attributive.
isa SYNADJ Related types: SEMROLE gobj.
[108]



**conj** Conjunct relation. isa SYNADJ Related types: co


sa SYNADJ [99] Related types: coord correl.






coord Coordinator relation. A dependency relation between a coordinating conjunction is a SYNADJ and a secondary conjunct. The coordinator is analyzed as a dependent of the secondary conjunct. Secondary conjuncts are in turn analyzed as "conj"-dependents of the first conjunct.


Related types: conj correl discmark.



correl Correlative coordinator relation.
a SYNADJ Related types: conj coord.

isa SYNADJ [101]





 $\begin{array}{ccc} \textbf{fpred} & \textit{Free predicative}. \\ \text{is a SYNADJ} & \text{Subtypes: fpredo fpreds}. \\ & & \text{Related types: fpredo fpreds}. \end{array}$ 


V->free predicative

**fpredo** Free direct-object predicative. isa fpred Related types: fpreds man. [106]



Terrified she walked down the street .

**fpreds** Free subject predicative. isa fpred Related types: fpredo. [105]



 $oxdot{\mathbf{mod}}$  Modifier/adverbial. Deprecated name for adverbials is a SYNADJ Subtypes: modp.

[129]

 ${f modp}$  Parenthetic modifier. Deprecated name for parenthetic modifiers is a mod

native Part of name. Part of a name. isa SYNADJ Subtypes: namef namel title.

[117]




namef First name. A first name. isa name Related types: namel title. [118]



**namel** Last name. A second last name is a name Related types: namef title.

[119]



title Person title. A title in a name. If the is the title is determinated by an article, eg. is a name the director Smith, the title must be annotated as "nobj" and the name as "appr".


[120] Related types: namef namel.



pnct Punctuation.

isa SYNADJ

[102]



rel Relative clause.

isa SYNADJ Subtypes: relelab relpa relr.

Related types: relelab relpa relr. [112]

$$N->V, V->V$$

relelab Elaborating relative clause. Ledsætning med sætningsantecedent i hovedsætning; da:

isa rel hvilket, it: il che, cosa che [115]Related types: relpa relr.

V -> V

relpa Parenthetic relative clause.

isa rel [114] Related types: relelab relr.


Consideration must be given to a higher degree to the nature north of Bella Centre , where 31 hectares in all



will be exempt on environmental grounds .

relr Restrictive relative clause.


isa rel Related types: relelab relpa. [113]



The part of the Amager Commons , which has not become a part of Ørestaden is to be preserved . ref


 ${\bf voc}~$   $\it Vocative.$  Vocative specification. The person to whom the statement is directed. is a SYNADJ

[122]




xtop External topic with resuming pronoun. An external topic is a sentence-initial NP is a SYNADJ whose only function is to provide the antecedent for a pronoun later in the sentence. [116] Eg in "John, he is a nice person". Here "John" is the "xtop" of "is", and "he" is the subject of "is".

Related types: cons ref.



If you are having any problems, call me.



## Chapter 4

# Morphological relations: MORPHOLOGY

```
MORPH: morphology level
"§" PRIM: morphology specification
```

Figure 4.1: The relations matching MORPHOLOGY-MORPHCOMP-MORPHDERIV.

MORPH Morphology level (long: MORPHOLOGY). A relation at the morphological level. Ie, a isa DIM:LEVEL relation between segments within a word.

[15] Subtypes: "\$" PRIM MORPHCOMP MORPHDERIV.

"\$" PRIM Morphology specification.

isa MORPH RULE
[360]

## 4.1 Compositional relations: MORPHCOMP

MORPHCOMP: compositional semantic relations ABOUT: noun-noun compound (about) AGENT: noun-noun compound (agentive) CONST: noun-noun compound (constitutive) EVAL: noun-noun compound (evaluative) FUNC: noun-noun compound (function) ORIGIN: noun-noun compound (origin) OTHER: noun-noun compound (other) POS: noun-noun compound (position) POSS: noun-noun compound (possession) RESEM: noun-noun compound (resemblance) TIME:MC: noun-noun compound (time)

Figure 4.2: The relations matching MORPHCOMP.

MORPHCOMP Compositional semantic relations. A semantic relation is created between two (or isa MORPH more) elements which could potentially be used as stems. (A compound contains at [255]least two roots.) Subtypes: ABOUT AGENT CONST EVAL FUNC ORIGIN OTHER POS POSS RESEM TIME:MC. **ABOUT** Noun-noun compound (about). Non-head has an aboutness meaning wrt. head. isa MORPHCOMP (theme: skattelov 'tax law' = lov - [skat]te/ABOUT) [347]**AGENT** Noun-noun compound (agentive). Non-head has an agentive meaning wrt. head. isa MORPHCOMP (agent: politikontrol 'police control' = kontrol –politi/AGENT) [339]**CONST** Noun-noun compound (constitutive). Non-head has a constitutive meaning wrt. isa MORPHCOMP head. [338](constitutive: træbord 'wooden table' = bord -træ/CONST) **EVAL** Noun-noun compound (evaluative). Non-head has an evaluative meaning wrt. head. isa MORPHCOMP [345]coche de lujo 'luksusbil' FUNC Noun-noun compound (function). Non-head has a functional meaning wrt. head. isa MORPHCOMP (function: krigsskib 'war ship' = skib – [krig]s/FUNC) [341]**ORIGIN** Noun-noun compound (origin). Non-head has a meaning of origin wrt. head. isa MORPHCOMP (origin: rørsukker 'cane sugar' = sukker –rør/ORIGIN) [340]**OTHER** Noun-noun compound (other). If in doubt about the meaning relation between head isa MORPHCOMP and non-head. [348]POS Noun-noun compound (position). Non-head has a locative meaning wrt. head. isa MORPHCOMP (position: loftlampe 'ceiling lamp' = lampe -loft/POS) [343]POSS Noun-noun compound (possession). Non-head has a possessive meaning wrt. head. isa MORPHCOMP [342](possession: politibil = bil-politi/POSS **RESEM** Noun-noun compound (resemblance). Denotations of head and non-head resemble isa MORPHCOMP each other. [346]silla de tijeras 'saksestol' [klapstol], válvula de mariposa 'sommerfugleventil' **TIME:MC** Noun-noun compound (time). Non-head has a temporal meaning wrt. head. isa MORPHCOMP (time: oktoberregn 'October rain' = regn – oktober/TIME) [344]

#### 4.2 Derivational relations: MORPHDERIV

MORPHDERIV: derivational semantic relations

Figure 4.3: The relations matching MORPHDERIV-PREFIX-SUFFIX.

## isa MORPH an affix

MORPHDERIV Derivational semantic relations. A semantic relation is created between a base and

[254]Subtypes: PREFIX SUFFIX.

#### 4.2.1 Prefix relations: PREFIX

PREFIX: semantic relations appearing with prefixes

ASPEC: aspectual dimension ASPEC:cause: causation ASPEC:iter: iteration ASPEC:reflex: reflexivity ASPEC:resul: result ASPEC:rev: reversion ASPEC:term: termination

GRAD: graduation GRAD:qual: quality GRAD:size: size LOC: location LOC:dir: direction LOC:pos: position LOC:proce: origin MOD: modification

MOD:cuant: quantification MOD:man: manner

MOD:qual: qualification

NEG: negation

NEG:oppo: opposition NEG:priv: privation

PRE:other: other prefix relation

TIME§: time TRANS: transitivity

Figure 4.4: The relations matching PREFIX.

**PREFIX** Semantic relations appearing with prefixes. A semantic relation is created between isa MORPHDERIV a base and a prefix.

[257]Subtypes: ASPEC GRAD LOC MOD NEG PRE:other TIME§ TRANS.

**ASPEC** Aspectual dimension. Prefix conveys an asepctual dimension in a broad sense. isa PREFIX Subtypes: ASPEC:cause ASPEC:iter ASPEC:reflex ASPEC:resul ASPEC:rev ASPEC:term.

[274]

**ASPEC:**cause Causation. Prefix conveys causation. isa ASPEC [277](causative: acallar 'silence' = callar -a/ASPEC:cause) **ASPEC:iter** *Iteration*. Prefix conveys iteration. isa ASPEC [276] (iterative: redefine = define -re/ASPEC:iter) **ASPEC:reflex** Reflexivity. Prefix conveys reflexivity. isa ASPEC [278](reflexive: autopilot = pilot -auto/ASPEC:reflex) **ASPEC:resul** Result. Prefix conveys result. isa ASPEC [280] (resultative: fastnagle 'rivet' = nagle -fast/ASPEC:resul) **ASPEC:rev** Reversion. Prefix conveys reversion. isa ASPEC [275](reversion: deactivate = activate -de/ASPEC:rev) **ASPEC:term** *Termination*. Prefix conveys termination. isa ASPEC [279](terminative: oplåse 'open' = låse –op/ASPEC:term) **GRAD** Graduation. Prefix conveys graduation in a broad sense. isa PREFIX Subtypes: GRAD:qual GRAD:size. [271] **GRAD:**qual Quality. Prefix conveys quality. isa GRAD [273](quality: supercomputer = computer -super/GRAD:qual) **GRAD:size** Size. Prefix conveys size. isa GRAD [272](size/quantity: minibar = bar -mini/GRAD:size) LOC Location. Prefix expresses location in a broad sense. isa PREFIX Subtypes: LOC:dir LOC:pos LOC:proce. [260]LOC:dir Direction. Prefix expresses direction. isa LOC

[262]

(direction/origin: deverbal = verbal -de/LOC:dir)

LOC:pos Position. Prefix expresses position. isa LOC [261] (position: intramural = mural -intra/LOC:pos) LOC:proce Origin. Prefix conveys origin. isa LOC [263] (origin: extraer: = traer -ex/LOC:proce) MOD Modification. Prefix conveys modification in a broad sense. isa PREFIX Subtypes: MOD:cuant MOD:man MOD:qual. [282]MOD:cuant Quantification. Prefix conveys quantification. isa MOD [283] (quantification: multicultural = cultural -multi/MOD:quant) MOD:man Manner. Prefix conveys manner. isa MOD [284](manner: maleducado = educado -mal/MOD:man) MOD:qual Qualification. Prefix conveys qualification. isa MOD [285](qualification: paleochristian = christian –paleo/MOD:qual) **NEG** Negation. Prefix conveys negation in a broad sense. isa PREFIX Subtypes: NEG:oppo NEG:priv. [268]**NEG:oppo** Opposition. Prefix conveys opposition. isa NEG [269] (opposition: antihero = hero –anti/NEG:oppo) **NEG:priv** Privation. Prefix conveys privation. isa NEG [270](privation: desalt = salt -de/NEG:priv) **PRE:other** Other prefix relation. If in doubt about the meaning conveyed by the prefix isa PREFIX **TIMAS** Time. Prefix conveys time in a broad sense. isa PREFIX TRAMS Transitivity. Prefix conveys transitivity. isa PREFIX [281]

(transitivising: påsejle 'collide': sejle -på/TRANS)

#### 4.2.2 Suffix relations: SUFFIX

**SUFFIX** Semantic relations appearing with suffixes. A semantic relation is created between isa MORPHDERIV a base and a suffix.

[258] Subtypes: AUG DENOM DENUM DER DEV DEVN DIMIN NOPRED PEJ QUAL.

AUG Augmentation. Suffix conveys augmentation.

isa SUFFIX

[287]

(augmentative: perrazo 'big dog' = perro +azo/AUG)

**DENOM** Noun-adjective derivation. Suffix creates denominal adjectives in a broad sense. isa SUFFIX Subtypes: DENOM:disp DENOM:eff DENOM:other DENOM:poss DENOM:resem.

[323]

**DENOM:disp** Noun-adjective derivation (disposition). Suffix creates denominal adjectives that isa DENOM express disposition.

[331]

"que tiene afición por N" (mujeriego - "que afición por las mujeres" 'kvindeglad/som er glad for kvinder')

**DENOM:eff** Noun-adjective derivation (effect). Suffix creates denominal adjectives that express is a DENOM an effect.

[332]

"que causa simpatía" (simpático – "que causa simpatía" 'sympatisk/som vækker sympati')

**DENOM:other** Noun-adjective derivation (other). If in doubt about the meaning conveyed by the isa DENOM suffix [333]

**DENOM:poss** Noun-adjective derivation (possession). Suffix creates denominal adjectives that isa DENOM express possession.

[330]

"que posee/tiene/lleva N" (barbudo - "que lleva barba" 'skægget/som bærer skæg')

**DENOM:rel** Noun-adjective derivation (relational). Suffix creates denominal adjectives with a isa DENOM relational meaning.

[324] Subtypes: DENOM:rel.deono DENOM:rel.norm.

**ENOM:rel.deono** Noun-adjective derivation (naming). Suffix creates relational adjectives with the isa DENOM:rel meaning of "naming".

[326] Subtypes: DENOM:rel.deono.pers DENOM:rel.deono.place.

**NOM:rel.deono.per***Soun-adjective derivation (naming persons)*. Suffix creates relational adjectives with sa DENOM:rel.deono the meaning of "naming" persons.

[327]

Cervantino 'som har at gøre med Cervantes'

NOM:rel.deono.plaNeun-adjective derivation (naming places). Suffix creates relational adjectives with sa DENOM:rel.deono the meaning of "naming" of places.

[328]

Madrileño 'som har at gøre med/kommer fra Madrid'

**DENOM:rel.norm** Noun-adjective derivation (normal). Suffix creates relational adjectives with a "norisa DENOM:rel mal" meaning aspect.

[325]

(denominal adjective: presidential = president +ial/DENOM:rel.norm)

**DENOM:** resem Noun-adjective derivation (resemblance). Suffix creates denominal adjectives that isa DENOM express resemblance.

[329]

"que se parece a N" (sanchopancesco – "que se parece a Sancho Panza" 'sanchopanzask/som ligner Sancho Panza')

**DENUM** Adjective-numeral derivation. Suffix creates denumeral adjectives in a broad sense.

isa SUFFIX Subtypes: DENUM:mult DENUM:ord DENUM:part.

[334]

 $\textbf{DENUM:mult} \quad \textit{Adjective-multiplicative derivation}. \ \text{Suffix creates multiplicative numerals}.$ 

isa DENUM

[337]"kardinal=cinco - multiplikativ=quíntuplo" 'fem/femdobbelte'

**DENUM:ord** Adjective-ordinal derivation. Suffix creates ordinals.

isa DENUM

[335]

"kardinal=dos – ordinal=segundo" 'to/anden'

**DENUM:**part Adjective-partitive derivation. Suffix creates partitive numerals.

isa DENUM

[336]

"kardinal=doce - partitiv=doceavo" 'tolv/tolvtedel'

**DER** Verb derivation. Suffix triggers a derivation

isa SUFFIX  $\,$  Subtypes: DER:av DER:nv DER:vv.

[290]

**DER:**av Adjective-verb derivation. Suffix triggers a derivation from an adjective to a verb.

isa DER

[292]

(adjective->verb derivation: darken = dark+en/DER:av)

**DER:nv** Noun-verb derivation. Suffix triggers a derivation from a noun to a verb.

isa DER

[291](noun->verb derivation: salar 'to salt' = sal +ar/DER:nv) **DER:vv** Verb-verb derivation. Suffix triggers a derivation from a verb to another verb.

isa DER

[293] (verb->verb derivation: adormecer 'lull to sleep' = dormir -+[a][ecer]/DER:vv)

 $\mathbf{DEV}$  (long: DEVERB).

isa SUFFIX Subtypes: DEVA.

[314]

**DEVA** Verb-adjective derivation (long: DEVERBA). Suffix creates deverbal adjectives in a isa DEV broad sense.

[315] Subtypes: DEVA:act DEVA:pas.part.

**DEVA:act** Verb-adjective derivation (active) (long: DEVERB:act.pure). Suffix creates active adjective DEVA tives.

[316] Subtypes: DEVA:act.disp DEVA:act.poten DEVA:pas.

**DEVA:act.disp** Verb-adjective derivation (pure) (long: DEVERB:act.disp). Suffix creates active adjective DEVA:act tives with the meaning aspect "pure".

[317]

"que V" (conmovedor – "que conmueve" 'gribende/der griber')

**DEVA:act.poten** Verb-adjective derivation (disposition) (long: DEVERB:act.poten). Suffix creates active isa DEVA:act adjectives with the meaning aspect "disposition".

[318]

"que suele V, que tiende a V" (adulón - "que suele adular, que tiende a adular" 'smigre/som plejer eller har

tendens til at være krybende

**DEVA:pas** Verb-adjective derivation (potentiality) (long: DEVERB:pas). Suffix creates active adisa DEVA:act jectives with the meaning aspect "potentiality".

[319] Subtypes: DEVA:pas.deon DEVA:pas.poten.

(deverbal adjective: transportable = transport +able/DEVERB:pas.poten)

**DEVA:pas.deon** Verb-adjective derivation (passive potentiality) (long: DEVERB:pas.deon). Suffix creates isa DEVA:pas passive adjectives with the meaning aspect "potentiality".

[322]

"que puede {ser PP/Vse}" (transportable – "máquina que puede {ser transportada/transportarse}

<sup>&#</sup>x27;transportabel/maskine som kan blive transporteret/transporteres

**DEVA:**pas.poten Verb-adjective derivation (passive participles) (long: DEVERB:pas.poten). Suffix creates isa DEVA:pas passive adjectives with the form of participles.

"que {ha sido/está/es} PP" (comprado - "hombre que {ha sido/está/es} comprado 'mand som er blevet/er/bliver

købt"

isa DEVA jectives.

**DEVA:pas.part** Verb-adjective derivation (passive) (long: DEVERB:pas.part). Suffix creates passive ad-

[320]

[321]

**DEVN** Verb-noun derivation (long: DEVERBN, deprecated PRED). Suffix creates deverbal nouns is a SUFFIX in a broad sense.

[294]Subtypes: DEVN:agent DEVN:core DEVN:exper DEVN:inst DEVN:loc DEVN:other DEVN:recip DEVN:result.

isa DEVN role. [295]

**DEVN:agent** Verb-noun derivation (agent). Suffix creates deverbal nouns absorbing the agent

(agent derivation: singer = sing +er/PRED:agent)

[297]

**DEVN:core** Verb-noun derivation (core). Suffix creates deverbal nouns expressing a nominalized is DEVN version of the situation denoted by the original verb.

(core derivation: exploitation = exploit@V +ation/PRED:core)

[296]

**DEVN:exper** Verb-noun derivation (experiencer). Suffix creates deverbal nouns absorbing the isa DEVN experiencer role.

(experiencer derivation: admirer = admire+r/PRED:exper

[301]

**DEVN:inst** Verb-noun derivation (instrument). Suffix creates deverbal nouns expressing the isa DEVN instrument related to the meaning of the original noun.

(instrument derivation: exprimidor 'saftpresser' = exprimir +dor/PRED:inst)

[300]

**DEVN:loc** Verb-noun derivation (location). Suffix creates deverbal nouns expressing the locaisa DEVN tion related to the meaning of the original noun.

(locative derivation: comedor 'spisestue' = comer +dor/PRED:loc)

**DEVN:other** Verb-noun derivation (other). If in doubt about the meaning conveyed by the suffix

isa DEVN

[302]

DEVN:recip isa DEVN [299]

Verb-noun derivation (recipient). Suffix creates deverbal nouns absorbing the recipient role

(recipient derivation: beneficiario 'den begunstigede' = beneficiar +ario/PRED:recip)

isa DEVN

**DEVN:result** Verb-noun derivation (patient). Suffix creates deverbal nouns absorbing the patient role.

(result derivation: hallazgo 'fund' = hallar +azgo/PRED:result)

**DIMIN** Diminution. Suffix conveys diminution.

isa SUFFIX

[288]

[298]

(diminutive: viejecito 'little old man' = viejo +ecito/DIM)

isa SUFFIX a broad sense.

NOPRED Noun-noun derivation. Suffix creates non-predicative nouns (from other nouns) in

[304]

Subtypes: NOPRED:agent NOPRED:capac NOPRED:cont NOPRED:loc NOPRED:other NO-PRED:result NOPRED:script NOPRED:set NOPRED:temp.

isa NOPRED

[305]

**NOPRED:** agent Noun-noun derivation (agent). Suffix creates non-predicative nouns expressing an agent role.

(agent derivation: miller = mill+er/NOPRED:agent)

isa NOPRED capacity.

[310]

**NOPRED: capac** Noun-noun derivation (capacity). Suffix creates non-predicative nouns expressing a

(capacity derivation: cestada 'kurvfuld' = cesta +ada/NOPRED:capac)

[307]

**NOPRED:**cont *Noun-noun derivation (container)*. Suffix creates non-predicative nouns expressing isa NOPRED a container.

(container derivation: azucarero 'sugar bowl' = azucar+ero/NOPRED:cont)

isa NOPRED location. [311]

NOPRED: loc Noun-noun derivation (location). Suffix creates non-predicative nouns expressing a

(locative derivation: arenal 'sandet strækning' = arena +al/NOPRED:loc)

**NOPRED:other** Noun-noun derivation (other). If in doubt about the meaning conveyed by the suffix isa NOPRED [313]NOPRED:result Noun-noun derivation (result). Suffix creates non-predicative nouns expressing a isa NOPRED result. [306](result derivation: puñalada 'knivstik' = puñal +ada/NOPRED:result) **NOPRED:** script Noun-noun derivation (script). Suffix creates non-predicative nouns expressing a isa NOPRED script/notion related to the original noun. [312](script derivation: pontaje 'brobetaling' = puente +aje/NOPRED:script) NOPRED:set Noun-noun derivation (set). Suffix creates non-predicative nouns expressing a set. isa NOPRED [309](set derivation: perrada 'hundekobbel' = perro +ada/NOPRED:set) **NOPRED:** temp Noun-noun derivation (temporal). Suffix creates non-predicative nouns expressing a isa NOPRED temporal aspect. [308] (temporal derivation: temporada 'tidsrum/sæson' = tiempo +ada/NOPRED:temp)

**PEJ** Pejoration. Suffix conveys a pejorative sense.

isa SUFFIX

[289]

(pejorative: vinacho 'bad vine' = vino+acho/PEJ)

```
SUFFIX: semantic relations appearing with suffixes
 AUG: augmentation
 DENOM: noun-adjective derivation
  DENOM:disp: noun-adjective derivation (disposition)
   DENOM:eff: noun-adjective derivation (effect)
   DENOM:other: noun-adjective derivation (other)
   DENOM:poss: noun-adjective derivation (possession)
   DENOM:rel: noun-adjective derivation (relational)
    DENOM:rel.deono: noun-adjective derivation (naming)
     DENOM:rel.deono.pers: noun-adjective derivation (naming persons)
     DENOM:rel.deono.place: noun-adjective derivation (naming places)
    DENOM:rel.norm: noun-adjective derivation (normal)
  DENOM:resem: noun-adjective derivation (resemblance)
 DENUM: adjective-numeral derivation
   DENUM:mult: adjective-multiplicative derivation
   DENUM: ord: adjective-ordinal derivation
  DENUM:part: adjective-partitive derivation
 DER: verb derivation
   DER:av: adjective-verb derivation
   DER:ny: noun-verb derivation
  DER:vv: verb-verb derivation
 DEV
   DEVA: verb-adjective derivation
    DEVA:act: verb-adjective derivation (active)
     DEVA:act.disp: verb-adjective derivation (pure)
     DEVA:act.poten: verb-adjective derivation (disposition)
     DEVA:pas: verb-adjective derivation (potentiality)
      DEVA:pas.deon: verb-adjective derivation (passive potentiality)
      DEVA:pas.poten: verb-adjective derivation (passive participles)
    DEVA:pas.part: verb-adjective derivation (passive)
 DEVN: verb-noun derivation
  DEVN:agent: verb-noun derivation (agent)
  DEVN:core: verb-noun derivation (core)
   DEVN:exper: verb-noun derivation (experiencer)
   DEVN:inst: verb-noun derivation (instrument)
   DEVN:loc: verb-noun derivation (location)
   DEVN:other: verb-noun derivation (other)
   DEVN:recip: verb-noun derivation (recipient)
   DEVN:result: verb-noun derivation (patient)
 DIMIN: diminution
 NOPRED: noun-noun derivation
  NOPRED: agent: noun-noun derivation (agent)
  NOPRED:capac: noun-noun derivation (capacity)
  NOPRED:cont: noun-noun derivation (container)
   NOPRED:loc: noun-noun derivation (location)
  NOPRED:other: noun-noun derivation (other)
  NOPRED:result: noun-noun derivation (result)
  NOPRED:script: noun-noun derivation (script)
   NOPRED:set: noun-noun derivation (set)
   NOPRED:temp: noun-noun derivation (temporal)
 PEJ: pejoration
 QUAL: adjective derivation
```

Figure 4.5: The relations matching SUFFIX.

## Chapter 5

## Discourse relations: DISCOURSE

DISC: discourse level
""" PRIM: discourse specification

Figure 5.1: The relations matching DISCOURSE-DISCFUNC-DISCSEM.

**DISC** Discourse level (long: DISCOURSE). A relation at the discourse level. Ie, a relation is a DIM:LEVEL between segments in different sentences or clauses.

[17] Subtypes: "x" PRIM DISCFUNC DISCSEM.

"¤" PRIM Discourse specification. A primary syntactic relation that has been used as a disisa DISC RULE course relation for stilistic purposes.

[359]

#### 5.1 Functional relations: DISCFUNC

 ${\bf DISCFUNC:\ functional\ discourse\ relation}$ 

ANSW: answer

CONSOL: consolidation CONSOL:enabl: enablement CONSOL:just: justification CONSOL:motiv: motivation

DIREC: directive act EXPR: expressive act

INTACT: interactional signals INTACT:attn: attention INTACT:inter: interruption

QUEST: question

Figure 5.2: The relations matching DISCFUNC.

DISCFUNC Functional discourse relation. The relation between governing and depending text is ADJ DISC segments is defined functionally: the depending text segment has illocutionary, structuring or enhancing function

Subtypes: ANSW CONSOL DIREC EXPR INTACT QUEST.

ANSW Answer. Governing text segment contains question or problem, dependent text isa DISCFUNC segment answer or solution

[242]

**CONSOL** Consolidation (deprecated SUPPORT?).

isa DISCFUNC Subtypes: CONSOL:enabl CONSOL:just CONSOL:motiv.

[248]

**CONSOL:** enable *Enablement*. S enables reader or recipient to carry out the action mentioned in N; is a CONSOL frequent in directive texts

[250]

CONSOL: just Justification (deprecated JUST). S justifies N wrt its content (reason for mentioning it isa CONSOL or sim.) thereby strengthening it argumentatively [249]

[da] Fordi, Eftersom

CONSOL:motiv Motivation. S motivates reader or recipient to carry out the action mentioned in N isa CONSOL

[251]

**DIREC** Directive act. Dependent text segment contains an order, command or request

isa DISCFUNC

[243] e.g. imperatives

**EXPR** Expressive act. Dependent text segment contains an expression of the speaker's isa DISCFUNC attitudes or emotions, e.g. congratulations, excuses or thanks

[244]

[en] I'm sorry!; My condolences!

**INTACT** Interactional signals.

isa DISCFUNC Subtypes: INTACT:attn INTACT:inter.

[245]

**INTACT:attn** Attention. S contains an attention signal

isa INTACT

[246]

[da] Ja; Nå; OK; [it] Sì; Beh; [en] Yeah, Oh, Really?

**INTACT:inter** *Interruption*. S contains an interruption signal

isa INTACT

[247]

[da] Jamen; [it] Ma; [en] But... But

QUEST Question. The dependent text segment contains a question with or withour an isa DISCFUNC answer

[241]

DISCSEM: semantic discourse relation CAUSE: cause relation (discourse) CAUSE:expl: explanation relation (discourse)

CAUSE:goal: goal relation (discourse) CAUSE:reas: reason relation (discourse)

CONC: concession COND: condition CONJ: conjunction CONJ:seq: sequence

CONS: consequence/result/conclusion relation (discourse)

CONS:dir: direct, physical consequence, result

CONS:prg: pragmatic/personal conclusion, deduction

CONTR: contrast

CONTR:dir: direct contrast CONTR:prg: pragmatic contrast DESCR: description/evaluation

DESCR:eval: positive/negative evaluation

DESCR:qual: neutral description

DISJ: disjunction

DISJ:dir: direct disjunction DISJ:prg: pragmatic disjunction

ELAB: elaboration

ELAB:exem: exemplification ELAB:exp: expansion ELAB:part: part of relation ELAB:rest: restatement JOINT: no clear relation STRUCT: structural relation STRUCT:prep: preparation STRUCT:rep: repaired TIME: temporal relation

TIME:cont: contemporaneity TIME:prec: temporal precedence TIME:prec§: temporal precedence TIME:succ: temporal succession TIME:succ§: temporal succession

Figure 5.3: The relations matching DISCSEM.

#### 5.2 Semantic relations: DISCSEM

**DISCSEM** Semantic discourse relation. The relation between governing and depending text isa ADJ DISC segments is defined semantically

[205]Subtypes: CAUSE CONC COND CONJ CONS CONTR DESCR DISJ ELAB JOINT STRUCT TIME.

CAUSE Cause relation (discourse). S expresses cause in a broad sense

isa DISCSEM Subtypes: CAUSE:expl CAUSE:goal CAUSE:reas.

**CAUSE:expl** Explanation relation (discourse). S expresses explanation; a more general and elabisa CAUSE orating explanation than "reason"

41

[209]

[da] Nemlig; [it] Infatti

CAUSE:goal Goal relation (discourse). S expresses goal, purpose, aim

isa CAUSE

[210]

[da] For (at)

CAUSE:reas Reason relation (discourse). S expresses a specific and concrete reason

isa CAUSE

[211]

[da] Fordi, Eftersom

CONC Concession. S admits or acknowledges a fact wrt N, which may however not have isa DISCSEM the expected consequence or effect

[227]

Related types: conc.

[da] Dog, Skønt

COND Condition.

isa DISCSEM

Related types: cond.

[228]

[da] På betingelse af, Hvis

CONJ Conjunction. Dependent text segment adds a new subject somehow related to governing text segment; may be difficult to distinguish from ELAB:exp

isa DISCSEM

Subtypes: CONJ:seq.

Related types: conj.

CONJ:seq Sequence. Dependent text segment is part of list or sequence linked to governing isa CONJ text segment as e.g. in recipes, sport results etc.

[230]

[229]

CONS Consequence/result/conclusion relation (discourse). S expresses consequence, result

is a DISCSEM  $\,$  or conclusion wrt N

[212] Subtypes: CONS:dir CONS:prg.

**CONS:**dir *Direct, physical consequence, result.* Physical, objectivally observed consequence or

isa CONS result

[213]

[da] Derfor, Af den grund

CONS:prg Pragmatic/personal conclusion, deduction. Personal, subjective conclusion or de-

isa CONS duction

[214]

[da] Derfor, Af den grund

CONTR Contrast. isa DISCSEM Subtypes: CONTR:dir CONTR:prg. [234]CONTR:dir Direct contrast. The contrast lies between the governing and dependent text segment isa CONTR [235][da] Men, Derimod **CONTR:**prg *Pragmatic contrast.* The contrast lies between the dependent and an inferred text isa CONTR segment [236][da] Men **DESCR** Description/evaluation. S expresses description or evaluation of N isa DISCSEM Subtypes: DESCR:eval DESCR:qual. [215]**DESCR:eval** Positive/negative evaluation. S expresses a personal and/or subjective positive or is a DESCR  $\,$  negative description of N[216]**DESCR:**qual Neutral description. S expresses an objective and/or neutral description of N isa DESCR [217][da] Sådan **DISJ** Disjunction. isa DISCSEM Subtypes: DISJ:dir DISJ:prg. [237][da] Eller **DISJ:**dir *Direct disjunction*. The disjunction lies between the governing and dependent text isa DISJ segment [238]**DISJ:prg** Pragmatic disjunction. The disjunction lies between the dependent and an inferred isa DISJ text segment [239]**ELAB** Elaboration. S adds more information or detail on N isa DISCSEM  $\,$  Subtypes: ELAB:exem ELAB:exp ELAB:part ELAB:rest. [218]**ELAB:exem** Exemplification. S gives examples of elements or phenomena mentioned in N isa ELAB [219][en] For example **ELAB:exp** Expansion (deprecated ELAB:spec). S develops and expans knowledge of N; may be isa ELAB difficult to distinguish from CONJ

[it] Cioè

[220]

**ELAB:part** Part of relation. S is a concrete part of N isa ELAB [221] [da] Herunder, Heri **ELAB:rest** Restatement. S states N again in a different way isa ELAB [222][da] Dvs.; [it] Ossia, In altre parole, Cioè; [en] In other words, Or **JOINT** No clear relation. The dependent text segment adds a completely new content isa DISCSEM without any clear discourse relation to the governing segment [240]STRUCT Structural relation. is a DISCSEM  $\,$  Subtypes: STRUCT:prep STRUCT:rep. [231]STRUCT:prep Preparation. Dependent text segment "prepares" for the following and governing isa STRUCT text, e.g. headings, titles [232]STRUCT:rep Repaired. Dependent text segment is interrupted and unfinished and "repaired" by isa STRUCT the following and governing text segments, which completes it [233] TIME Temporal relation (deprecated CIRCUM). There is a clear temporal relation between N isa DISCSEM and S [223]Subtypes: TIME:cont TIME:prec TIME:prec§ TIME:succ TIME:succ§. **TIME:cont** Contemporaneity. S is contemporary with N (now includes abolished TIME:dur) isa TIME [224][da] Samtidig, Mens, Så længe, Da **TIME:prec** Temporal precedence. S precedes N isa TIME [225][en] Earlier, Some days before **TIME:prec§** Temporal precedence. Prefix conveys precedence. isa TIME [266] (temporal precedence: prehistorical = historical -pre/TIME:prec) TIME:succ Temporal succession. S succeeds N isa TIME [226] [en] Later, Some time afterwards TIME:succ§ Temporal succession. Prefix conveys succession. isa TIME

(temporal succession: postmodernism = modernism -post/TIME:succ)

[267]

## Chapter 6

## **Anaphor relations: ANAPHORA**

ANA: anaphoric level anaphor:

Figure 6.1: The relations matching ANAPHORA-coref-assoc.

ANA Anaphoric level (long: ANAPHORA). An anaphoric relation. Ie, a relation between an isa DIM:LEVEL anaphor (pronoun, definite description, etc.) and an antecedent which either is a coreferent, or which provides access to a coreferent via its qualia structure. The relation goes from antecedent to anaphor. Subtypes: anaphor.

anaphor .

isa ANA Subtypes: assoc coref. [186]

#### Coreference relations: coref 6.1

coref: coreference

coref-id: lexical identity coreference coref-part: partial coreference coref-prg: pragmatic coreference coref-res: resumptive anaphor

coref-var: lexical variation coreference ref: syntactically determined coreference

Figure 6.2: The relations matching coref.

**coref** Coreference. Anaphor denotes same entity as antecedent is an anaphor Subtypes: coref-id coref-part coref-prg coref-res coref-var ref.

[187]

coref-id Lexical identity coreference. A car -> the car // a yellow car -> the yellow car isa coref [189]

```
coref-part Partial coreference. Coreferential with a part of the antecedent isa coref coref-[1973] Pragmatic coreference. Takes up a statement and evaluates it with respect to speech act; I will be there tomorrow -> the threat / promise / warning / statement [191] coref-res Resumptive anaphor.

isa coref coref-[1973] Lexical variation coreference. A car -> the vehicle // a yellow car -> the car isa coref [1974] Syntactically determined coreference. Syntactically determined coreference (eg, relias coref ative pronouns, external topics)
```

antecedent->anaphor

### 6.2 Associative anaphor relations: assoc

```
assoc: associative anaphor
"assoc-" QUALIA: associative anaphor wrt. qualia
assoc-agentive: associative anaphor (agentive)
assoc-const: associative anaphor (constitutive)
assoc-formal: associative anaphor (formal)
assoc-telic: associative anaphor (telic)
```

Figure 6.3: The relations matching assoc.

```
assoc Associative anaphor. Anaphor denotes entity which is associated with antecedent
        isa anaphor
                     Subtypes: "assoc-" QUALIA assoc-agentive assoc-const assoc-formal assoc-telic.
               [194]
assoc-" QUALIA Associative anaphor wrt. qualia. Anaphor denotes entity which is associated with
     isa RULE assoc antecedent
               [195]
   assoc-agentive Associative anaphor (agentive) (deprecated assoc-agent?).
           isa assoc
      assoc-const
                     Associative anaphor (constitutive) (deprecated assoc-loc?).
           isa assoc
     assoc-formal
                     Associative anaphor (formal) (deprecated assoc-form?).
           isa assoc
       assoc-tellic
                     Associative anaphor (telic) (deprecated assoc-scope?).
           isa assoc
               [199]
```

## Chapter 7

## Semantic relations: SEMANTICS

SEM: semantic level

Figure 7.1: The relations matching SEMANTICS-QUALIA-SEMROLE.

 $\bf SEM$   $Semantic\ level\ (long: SEMANTICS).$  A relation at the semantic level. Ie, a relation is a DIM:LEVEL between functors, arguments, and modifiers.

[18] Subtypes: QUALIA SEMROLE.

### 7.1 Qualia relations: QUALIA

QUALIA: qualia roles
const: constitutive qualia

formal: formal qualia agentive: agentive qualia location: location qualia

resem: resemblance wrt. qualia role

"" QUALIA: resemblance wrt. \$qualia relation

telic: telic qualia about: about qualia

Figure 7.2: The relations matching QUALIA.

QUALIA Qualia roles.

isa SEM Subtypes: const formal resem telic.

[32]

const Constitutive qualia. Relates to material or part-whole qualia

isa QUALIA [39]

N->P.material/part

formal Formal qualia. Relates to hyperonym (super type) wrt. form, dimension, quality, isa QUALIA shape, size.

[36] Subtypes: agentive location.

agentive Agentive qualia. Relates to agentive qualia

isa formal [37]

N->P.agent

location Location qualia.

isa formal

resentiance wrt. qualia role. Resemblance wrt. some qualia role isa QUALIA Subtypes: "\* QUALIA.

[42]

N->P.resem

QUALIA Resemblance wrt. Squalia relation.

isa RULE resem

telle Telic qualia. Relates to purpose qualia

isa QUALIA Subtypes: about.

**about** About qualia. Relates to hyponym (subtype)

isa telic

[41]

#### 7.2 Thematic role relations: SEMROLE

**SEMROLE** . All the relations of the semantic roles run under the text line. The syntactic isa SEM relation that runs over the text line is determinated by the word class of the lemma [46] in question.

> Subtypes: {about} {agent} {arg} {class} {const} {elab} {eval} {experient} {form} {func} {iden} {location} {origin} {patient} {poss} {pos} {quant} {recipient} {resem} {time}.

 $\{about\}$ . isa SEMROLE

[57]



{agent} An object or a person that performs an action. Often generated by subject relation isa SEMROLE [64]





```
SEMROLE:
 {about}:
 {agent}: An object or a person that performs an action
 {apart}:
  {arg}:
  \{class\}:
  \{const\}:
  {elab}:
  {eval}:
  {experient}: The receiver of an emotion or a psysical impact
 {func}:
  {iden}:
  {location}: The location where something is situated or happens
  {patient}: An object or a person that is the subject of the action or the one
who is located somewhere
 \{poss\}:
 \{pos\}:
  {quant}:
  {recipient}: The receiver of something
  \{resem\}:
 \{time\}:
```

Figure 7.3: The relations matching SEMROLE.


{apart} (long: arbitrary part). Please note that the semantic relation goes from the satellite to isa SEMROLE the nucleus in opposition to the main part of the other semantic roles.

[58]








#### Denmark's attitude




 $\{class\}$  . Please note that the semantic relation goes from the satellite to the nucleus in isa SEMROLE opposition to the main part of the other semantic roles.









{experient} The receiver of an emotion or a psysical impact. Often generated by direct object is a SEMROLE [66] film critics






{patient} An object or a person that is the subject of the action or the one who is located is SEMROLE somewhere. Often generated by direct object [65]

#### bread producer












[67]








 $\begin{array}{ll} \{\mathbf{resem}\} & \text{(long: resemblance)}. \\ \text{isa SEMROLE} & \\ [56] \end{array}$ 

## folding chair



 $\begin{array}{c} \textbf{\{time\}} & . \\ \text{isa SEMROLE} \\ & [54] \end{array}$ 



## **Chapter 8**

## Word alignment relations: ALIGN


ALIGN: alignment level

"": unlabeled word alignment f: fuzzy word alignment

Figure 8.1: The relations matching ALIGN.

**ALIGN** Alignment level (long: ALIGNMENT). A relation at the word alignment level. Ie, an is a DIM:LEVEL alignment relation that expresses a translational equivalence between two sets of [19] words (and their associated phrases), either in terms of form or meaning. Subtypes: "" f.

"" Unlabeled word alignment (long: align). An unlabeled word alignment is represented is a ALIGN as a word alignment where the label is an empty string. It is used to represent the [373] default word alignment, where there is full translational equivalence between the two sets of words.



f Fuzzy word alignment (long: fuzzy). A semantically fuzzy word alignment.

isa ALIGN [374]

Here is a car Here is a vehicle

## Chapter 9

# Rule schemata for complex relations: RULE

```
RULE: relation rule
  "(" ANY ")": disambiguation
 "*" DISC: down-head in attribution
 "<" PRIM ... ":" INTEGER ">": gapping dependent
 "@" adverb: valency-bound adverbial
 "[" PRIM "]": pattern for secondary syntactic dependency relation formed
from primary syntactic dependency relation
  "assoc-" QUALIA: associative anaphor wrt. qualia
  "{" SEM "}": pattern for secondary semantic dependency realtion formed
from primary semantic dependency relation
  "" QUALIA: resemblance wrt. $qualia relation
 "¤" PRIM: discourse specification
 "$" PRIM: morphology specification
 ANY "&" ANY: both-and relation
 ANY "|" ANY: either-or relation
 DISC "*": down-dependent in attribution
 PRIM "#": pattern for idiomatic primary dependency
 PRIM "/" CONNECTOR: explicit connector
 PRIM "/(" CONNECTOR ")": implicit connector
 PRIM "/ATTR" INTEGER: attribution
 PRIM "{" THEM "}": pattern for primary dependency relation with
thematic role
```

Figure 9.1: The relations matching RULE.

```
RULE Relation rule. Rule for specifying complex relations.

isa ANY Subtypes: "(" ANY ")" "*" DISC "<" PRIM ... ":" INTEGER ">" "@" adverb "[" PRIM "]" "assoc-"

[8] QUALIA "{" SEM "}" "" QUALIA "x" PRIM "$" PRIM ANY "&" ANY ANY "|" ANY DISC "*"

PRIM "#" PRIM "/" CONNECTOR PRIM "/(" CONNECTOR ")" PRIM "/ATTR" INTEGER


PRIM "{" THEM "}".

"(" ANY ")" Disambiguation.
```

isa RULE
"\*" D[SS] Down-head in attribution. The head in the relation is one step further down in the isa RULE attribution chain
[369]


Gapping dependent. First conjunct->gapping dependent <" PRIM ... ":"

INTEGER ">" isa GAP RULE [357]



"@" adverb Valency-bound adverbial. A complement relation which can be interpreted as an isa COMP RULE obligatory, valency-bound adverbial relation.


> [371]Related types: cont dir dur ext hab loc prec succ time.



isa RULE SEC [355]

"[" PRIM "]" Pattern for secondary syntactic dependency relation formed from primary syntactic dependency relation. Governor->secondary syntactic dependent; \$PRIM must be non-secondary

Related types: "{" "}" \$PRIM.




isa RULE assoc antecedent [195]

assoc-" QUALIA Associative anaphor wrt. qualia. Anaphor denotes entity which is associated with

"{" SEM`"}" isa RULE SEC [356]

Pattern for secondary semantic dependency realtion formed from primary semantic dependency relation. Governor->secondary semantic dependent; \$PRIM must be non-secondary

Related types: "[" "]" \$PRIM.



QUALIA Resemblance wrt. \$qualia relation.

isa RULE resem

"" PRIM Discourse specification. A primary syntactic relation that has been used as a disisa DISC RULE course relation for stilistic purposes.

[359]

"\$" PRIM Morphology specification.

isa MORPH RULE

ANY "&" A 1869 Both-and relation. Both relations hold

isa RULE

ANY "| ANY | Either-or relation. One of the relations holds

isa RULE

[353]

DISC[362] Down-dependent in attribution. The dependent in the relation is one step further isa RULE down in the attribution chain

[370]PRIM "#" isa IDIOM RULE

Pattern for idiomatic primary dependency. Head->dependent within idiom

side effect



PRIM "/" Explicit connector. The discourse relation has explicit connector \$CONNECTOR

CONNECTOR

PRIMRULE Implicit connector. The discourse relation has implicit connector \$CONNECTOR

ONNECTOR[367]


PRIM "/iATRURE Attribution. Specifies the person to whom the utterance is attributed (ATTR or **INTEGER** ATTR1, ATTR2, ... when there is more than one person)

isa RULE

PRIM "{" THE M Pattern for primary dependency relation with thematic role. \$PRIM must be nonthematic; the thematic roles can be agent, patient, recipient, experient, location.

isa RULE [354]

> nobj.subj shark attack {agent#}



## Chapter 10

# Relations misplaced outside the ANY hierarchy

MISPLACED: misplaced relation

Figure 10.1: The relations matching -ANY.

MISPLACED Misplaced relation. A relation is misplaced if it fails to have ANY as a transitive [9] super type. This should never happen, and the problem must be corrected if a misplaced relation shows up here.

## Appendix A

## **Overview tables**

The tables in this section lists all the relations in the Copenhagen Dependency Treebanks, repeated from the preceding sections.

ANY: directed relation DIM: dimension

DIM:LEVEL: dimension: linguistic level DIM:TYPE: dimension: relation type

+: segment concatenation IDIOM: idiomatic relation

PRIM: primary dependency relation

ADJ: adjunct relation COMP: complement relation SEC: secondary dependency relation

The relations matching ANY-SYNTAX-MORPHOLOGY-DISCOURSE-ANAPHORA-SEMANTICS-ALIGNMENT-RULE.

SYN: syntax level

The relations matching SYNTAX-SYNCOMP-SYNADJ.

```
SYNCOMP: syntactic complement
  @space: valency-bound location/direction adverbial
  @time: valency-bound time adverbial
  aobj: adjectival object
  avobj: adverbial object
  dobj: direct object
  fobj: filler object
  gobj: genitive object
  iobj: indirect object
  nobj: nominal object
  numa: additive numeral complement
  numm: multiplicative numeral complement
  part: verbal particle
  pobj: prepositional object
  possd: possessed complement
  possr: possessor complement
  pred: predicative
   predo: object predicative
   preds: subject predicative
  qobj: quotational object
  robj: reflexive object
  subj: subject
   expl: expletive subject
  vobj: verbal object
```

The relations matching SYNCOMP.

```
ADVERB: adverbial
 agent: agent adverbial
 ben: benefactive adverbial
 cause: causation adverbial
   goal: goal adverbial
  reas: reason adverbial
 comp: comparison adverbial
 conc: concession adverbial
 concom:
 cond: condition adverbial
 cons: consequence adverbial
 degr: degree adverbial
 exem: example adverbial
 man: manner adverbial
   accom: companionship adverbial
  inst: instrument adverbial
 neg: negation adverbial
 other: other adverbial
 prg: pragmatic adverbial
   att: attitude adverbial
   discmark: sentence-initial discourse marker
   epi: epistemic adverbial
   eval: evaluation adverbial
   focal: focalizer adverbial
  pcond: pragmatic condition adverbial
 source: source attribution adverbial
 space: space adverbial
   dir: direction adverbial
  loc: location adverbial
 struct: text-structuring or connective adverbial
   add: additive adverbial
   bg: background adverbial
   contr: contrast adverbial
   elab: elaboration advebial
 time: time adverbial
   cont: contemporaneity adverbial
   dur: duration adverbial
   ext: extent/frequency adverbial
  hab: habituality adverb
   prec: precedence adverbial
   succ: succession adverbial
```

The relations matching ADVERB.

```
SYNADJ: syntactic adjunct
  GAP: gapping dependent
   "<" PRIM ... ":" INTEGER ">": gapping dependent
  app: apposition
   appa: parenthetic apposition (comma)
    xpl: explication
   appr: restrictive apposition (no comma)
  attr: attributive
  attrg: genitive attributive
  conj: conjunct relation
  coord: coordinator relation
  correl: correlative coordinator relation
  fpred: free predicative
   fpredo: free direct-object predicative
   fpreds: free subject predicative
  mod: modifier/adverbial
   modp: parenthetic modifier
  name: part of name
   namef: first name
   namel: last name
   title: person title
  pnct: punctuation
  rel: relative clause
   relelab: elaborating relative clause
   relpa: parenthetic relative clause
   relr: restrictive relative clause
  voc: vocative
  xtop: external topic with resuming pronoun
```

The relations matching SYNADJ-ADVERB.

MORPH: morphology level

"§" PRIM: morphology specification

The relations matching MORPHOLOGY-MORPHCOMP-MORPHDERIV.

MORPHCOMP: compositional semantic relations

ABOUT: noun-noun compound (about)
AGENT: noun-noun compound (agentive)
CONST: noun-noun compound (constitutive)
EVAL: noun-noun compound (evaluative)
FUNC: noun-noun compound (function)
ORIGIN: noun-noun compound (origin)
OTHER: noun-noun compound (other)
POS: noun-noun compound (position)
POSS: noun-noun compound (possession)
RESEM: noun-noun compound (resemblance)
TIME:MC: noun-noun compound (time)

The relations matching MORPHCOMP.

MORPHDERIV: derivational semantic relations

The relations matching MORPHDERIV-PREFIX-SUFFIX.

PREFIX: semantic relations appearing with prefixes

ASPEC: aspectual dimension ASPEC:cause: causation ASPEC:iter: iteration ASPEC:reflex: reflexivity ASPEC:resul: result ASPEC:rev: reversion ASPEC:term: termination

GRAD: graduation
GRAD:qual: quality
GRAD:size: size
LOC: location
LOC:dir: direction
LOC:pos: position

LOC:proce: origin MOD: modification

MOD:cuant: quantification MOD:man: manner MOD:qual: qualification

NEG: negation

NEG:oppo: opposition NEG:priv: privation

PRE:other: other prefix relation

TIME§: time

TRANS: transitivity

The relations matching PREFIX.

```
SUFFIX: semantic relations appearing with suffixes
 AUG: augmentation
 DENOM: noun-adjective derivation
  DENOM:disp: noun-adjective derivation (disposition)
  DENOM:eff: noun-adjective derivation (effect)
   DENOM:other: noun-adjective derivation (other)
   DENOM:poss: noun-adjective derivation (possession)
   DENOM:rel: noun-adjective derivation (relational)
    DENOM:rel.deono: noun-adjective derivation (naming)
     DENOM:rel.deono.pers: noun-adjective derivation (naming persons)
     DENOM:rel.deono.place: noun-adjective derivation (naming places)
    DENOM:rel.norm: noun-adjective derivation (normal)
  DENOM:resem: noun-adjective derivation (resemblance)
 DENUM: adjective-numeral derivation
   DENUM:mult: adjective-multiplicative derivation
   DENUM: ord: adjective-ordinal derivation
  DENUM:part: adjective-partitive derivation
 DER: verb derivation
   DER:av: adjective-verb derivation
   DER:ny: noun-verb derivation
  DER:vv: verb-verb derivation
 DEV
   DEVA: verb-adjective derivation
    DEVA:act: verb-adjective derivation (active)
     DEVA:act.disp: verb-adjective derivation (pure)
     DEVA:act.poten: verb-adjective derivation (disposition)
     DEVA:pas: verb-adjective derivation (potentiality)
      DEVA:pas.deon: verb-adjective derivation (passive potentiality)
      DEVA:pas.poten: verb-adjective derivation (passive participles)
    DEVA:pas.part: verb-adjective derivation (passive)
 DEVN: verb-noun derivation
  DEVN:agent: verb-noun derivation (agent)
  DEVN:core: verb-noun derivation (core)
   DEVN:exper: verb-noun derivation (experiencer)
   DEVN:inst: verb-noun derivation (instrument)
   DEVN:loc: verb-noun derivation (location)
   DEVN:other: verb-noun derivation (other)
   DEVN:recip: verb-noun derivation (recipient)
   DEVN:result: verb-noun derivation (patient)
 DIMIN: diminution
 NOPRED: noun-noun derivation
  NOPRED: agent: noun-noun derivation (agent)
  NOPRED:capac: noun-noun derivation (capacity)
  NOPRED:cont: noun-noun derivation (container)
   NOPRED:loc: noun-noun derivation (location)
  NOPRED:other: noun-noun derivation (other)
  NOPRED:result: noun-noun derivation (result)
  NOPRED:script: noun-noun derivation (script)
   NOPRED:set: noun-noun derivation (set)
   NOPRED:temp: noun-noun derivation (temporal)
 PEJ: pejoration
 QUAL: adjective derivation
```

The relations matching SUFFIX.

DISC: discourse level

" ${\tt z}$ " PRIM: discourse specification

The relations matching DISCOURSE-DISCFUNC-DISCSEM.

DISCFUNC: functional discourse relation

ANSW: answer

CONSOL: consolidation CONSOL:enabl: enablement CONSOL:just: justification CONSOL:motiv: motivation

DIREC: directive act EXPR: expressive act

INTACT: interactional signals INTACT:attn: attention INTACT:inter: interruption

QUEST: question

The relations matching DISCFUNC.

DISCSEM: semantic discourse relation CAUSE: cause relation (discourse) CAUSE:expl: explanation relation (discourse) CAUSE:goal: goal relation (discourse) CAUSE:reas: reason relation (discourse) CONC: concession COND: condition CONJ: conjunction CONJ:seq: sequence CONS: consequence/result/conclusion relation (discourse) CONS:dir: direct, physical consequence, result CONS:prg: pragmatic/personal conclusion, deduction CONTR: contrast CONTR:dir: direct contrast CONTR:prg: pragmatic contrast DESCR: description/evaluation DESCR:eval: positive/negative evaluation DESCR:qual: neutral description DISJ: disjunction DISJ:dir: direct disjunction DISJ:prg: pragmatic disjunction ELAB: elaboration ELAB:exem: exemplification ELAB:exp: expansion ELAB:part: part of relation ELAB:rest: restatement JOINT: no clear relation STRUCT: structural relation STRUCT:prep: preparation STRUCT:rep: repaired

TIME:cont: contemporaneity TIME:prec: temporal precedence TIME:prec§: temporal precedence TIME:succ: temporal succession TIME:succ§: temporal succession

TIME: temporal relation

The relations matching DISCSEM.

ANA: anaphoric level anaphor:

The relations matching ANAPHORA-coref-assoc.

coref: coreference

coref-id: lexical identity coreference coref-part: partial coreference coref-prg: pragmatic coreference coref-res: resumptive anaphor coref-var: lexical variation coreference

ref: syntactically determined coreference

The relations matching coref.

assoc: associative anaphor

"assoc-" QUALIA: associative anaphor wrt. qualia assoc-agentive: associative anaphor (agentive) assoc-const: associative anaphor (constitutive) assoc-formal: associative anaphor (formal) assoc-telic: associative anaphor (telic)

The relations matching assoc.

SEM: semantic level

The relations matching SEMANTICS-QUALIA-SEMROLE.

QUALIA: qualia roles

const: constitutive qualia formal: formal qualia agentive: agentive qualia location: location qualia

resem: resemblance wrt. qualia role

"\* QUALIA: resemblance wrt. \$qualia relation

telic: telic qualia about: about qualia

The relations matching QUALIA.

```
SEMROLE:
  {about}:
  {agent}: An object or a person that performs an action
  {apart}:
  {arg}:
  \{class\}:
  \{const\}:
  {elab}:
  {eval}:
  {experient}: The receiver of an emotion or a psysical impact
  \{form\}:
  {func}:
  {iden}:
  {location}: The location where something is situated or happens
  {patient}: An object or a person that is the subject of the action or the one
who is located somewhere
  \{poss\}:
  \{pos\}:
  {quant}:
  {recipient}: The receiver of something
  \{resem\}:
  \{time\}:
```

The relations matching SEMROLE.

```
ALIGN: alignment level
"": unlabeled word alignment
f: fuzzy word alignment
```

The relations matching ALIGN.

```
RULE: relation rule
 "("ANY")": disambiguation
 "*" DISC: down-head in attribution
 "<" PRIM ... ":" INTEGER ">": gapping dependent
 "@" adverb: valency-bound adverbial
 "[" PRIM "]": pattern for secondary syntactic dependency relation formed
from primary syntactic dependency relation
  "assoc-" QUALIA: associative anaphor wrt. qualia
 "{" SEM "}": pattern for secondary semantic dependency realtion formed
from primary semantic dependency relation
 "* QUALIA: resemblance wrt. $qualia relation
 "¤" PRIM: discourse specification
 "§" PRIM: morphology specification
 ANY "&" ANY: both-and relation
 ANY "|" ANY: either-or relation
 DISC "*": down-dependent in attribution
 PRIM "#": pattern for idiomatic primary dependency
 PRIM "/" CONNECTOR: explicit connector
 PRIM "/(" CONNECTOR ")": implicit connector
 PRIM "/ATTR" INTEGER: attribution
 PRIM "{" THEM "}": pattern for primary dependency relation with
thematic role
```

The relations matching RULE.

MISPLACED: misplaced relation

The relations matching -ANY.

# Appendix B

## Index

[hyperpage, 11, 56	DEVERB, 34	identity, 51
\$PRIM, 9, 11, 56	DEVERB:act.disp, 34	
hyperpage, 11, 56	DEVERB:act.poten,	JUST, 40
	34	MODDIIOI OCV 97
ADJUNCT, 4	DEVERB:act.pure, 34	MORPHOLOGY, 27
align, 54	DEVERB:pas, 34	other, 11
ALIGNMENT, 54	DEVERB:pas.deon, 34	,
ANAPHORA, 45	DEVERB:pas.part, 35	position, 52
arbitrary part, 49	DEVERB:pas.poten,	poss, 9
argument, 49	35	possession, 52
assoc-agent?, 46	DEVERBA, 34	PRED, $35$
assoc-form?, 46	DEVERBN, 35	prgcond, 16
assoc-loc?, 46	DIMENSION, 3	PRIMARY, 4
assoc-scope?, 46	DISCOURSE, 39	
attrd attrr, 22		quantity, 52
,	ELAB:spec, 43	relation, 2
CIRCUM, 44	evaluation, 50	resemblance, 52
comp, 15	ex, 14	resemblance, 52
compare, 13	freq, 19	SECONDARY, 4
COMPLEMENT, 4	function, 51	SEMANTICS, 47
CONCATENATION,	fuzzy, 54	super, 2
3	1022y, 04	SUPPORT?, 40
constituent, 50	GAPPING, 19	SYNTAX, 5