The inventory of linguistic relations used in the Copenhagen Dependency Treebanks

Matthias Buch-Kromann Morten Gylling-Jørgensen Lotte Jelsbech Knudsen Iørn Korzen Henrik Høeg Müller

Dept. of International Language Studies and Computational Linguistics Copenhagen Business School

May 21, 2010

Abstract

This manual describes the inventory of linguistic relations used in the Copenhagen Dependency Treebanks, a set of parallel treebanks for Danish, English, German, Italian, and Spanish annotated with respect to syntax, morphology, discourse, coreference, and translational equivalence. The manual is generated automatically from the CDT project's online relation spreadsheet.¹

¹http://spreadsheets.google.com/ccc?key=0ArjTKYTQS1lWcnNUWGJrX3lZTkxDc3QxYmlqWlRXQ1E&hl=

Contents

1	Introduction	2
2	Top-level relations: ANY	3
3	Syntactic relations: SYNTAX 3.1 Complement relations: SYNCOMP	5 11 20
4	Morphological relations: MORPHOLOGY 4.1 Compositional relations: MORPHCOMP 4.2 Derivational relations: MORPHDERIV 4.2.1 Prefix relations: PREFIX 4.2.2 Suffix relations: SUFFIX	27 27 29 29 32
5	Discourse relations: DISCOURSE 5.1 Functional relations: DISCFUNC	39 39 41
6	Anaphor relations: ANAPHORA 6.1 Coreference relations: coref	46 46 47
7	Semantic relations: SEMANTICS 7.1 Qualia relations: QUALIA	48 48 49
8	Word alignment relations: ALIGN	5 5
9	Rule schemata for complex relations: RULE	56
10	Relations misplaced outside the ANY hierarchy	59
\mathbf{A}	Overview tables	60
B	Index	71

Chapter 1

Introduction

This manual describes the relations used in the Copenhagen Dependency Treebanks. The relations are ordered in a hierarchy, where each relation may have zero or more immediate super types, and zero or more immediate subtypes. The relations are presented in detail in the following chapters, grouped by linguistic level and general relation type. Every time a relation is introduced, its name is written in the left margin, with an indication of its immediate super types and the row in the online CDT spreadsheet in which the relation was defined. An example is shown below.

relation The notation in the left margin indicates that we now describe the relation relation; is super it has immediate super type super and is defined in row 12 in the spreadsheet. When [12] describing a relation, we also lists its other properties, if relevant, including its:

- long name: we use short names in the annotation for brevity, but long names are sometimes more descriptive, so we provide these as an alias for the short relation name:
- deprecated names: when renaming relations, the old name is listed as a deprecated name for backwards compatibility, but it should be avoided in future annotation:
- immediate subtypes: the relation names that have been specified as the immediate subtypes of the relation;
- related types: lists the relations that are closely related to this relation, in some way or another, and which you might want to consult for clarification or additional information;
- examples: small annotated text examples that illustrate how the relation is used;

In PDF versions of this document, relation names are clickable so that you can navigate through the relation hierarchy by clicking on the relation names.

Chapter 2

Top-level relations: ANY

ANY: directed relation
DIM: dimension
DIM:LEVEL: dimension: linguistic level
DIM:TYPE: dimension: relation type
+: segment concatenation
IDIOM: idiomatic relation
PRIM: primary dependency relation
ADJ: adjunct relation
COMP: complement relation
SEC: secondary dependency relation

Figure 2.1: The relations matching ANY-SYNTAX-MORPHOLOGY-DISCOURSE-ANAPHORA-SEMANTICS-ALIGNMENT-RULE.

ANY Directed relation. An arbitrary directed relation between two tokens. The arrow [4] goes from parent (head, governor, nucleus) to child (dependent, satellite).

Subtypes: DIM RULE.

DIM *Dimension* (long: DIMENSION). A dimension in the hierarchy. Eg, linguistic level and isa ANY relation type.

[5] Subtypes: DIM:LEVEL DIM:TYPE.

DIM:LEVEL Dimension: linguistic level. Dimension specifying the linguistic level of the relation. isa DIM The classification of relations into linguistic levels is slightly arbitrary (there will be

[6] borderline cases where there is no single natural classification), and does not carry any deep linguistic significance. It is more a question about linguistic convention and research tradition than about any deep underlying difference between relations.

Subtypes: ALIGN ANA DISC MORPH SEM SYN.

DIM:TYPE Dimension: relation type. Dimension specifying the type of the relation.

isa DIM Subtypes: + IDIOM PRIM SEC.

+ Segment concatenation (long: CONCATENATION). A concatenation relation between is a DIM:TYPE two adjacent segments. This relation is used if an indecomposable lexeme has mis- [30] takenly been segmented into two segments. Lexicalized complex expressions are instead marked as IDIOM relations with the "#" suffix.

Related types: IDIOM.

IDIOM *Idiomatic relation*. Idiomatic relation. Ie, relations between tokens in a complex is a DIM:TYPE lexicalized expression.

[31] Subtypes: PRIM"#".

PRIM Primary dependency relation (long: PRIMARY). A primary dependency relation. Ie, a isa DIM:TYPE relation which specifies the primary head (the governor) of a token (the dependent). [24]

Subtypes: ADJ COMP.

ADJ Adjunct relation (long: ADJUNCT). A primary adjunct relation. The relation is licensed is a PRIM by the adjunct, ie, the lexical entry of the adjunct specifies the permissible adjunct frames for the adjunct (ie, the permissible adjunct roles and the restrictions on the governor, eg, with respect to word class). In the compositional semantics, the adjunct acts as functor with the governor as argument.

Subtypes: DISCFUNC DISCSEM SYNADJ.

COMP Complement relation (long: COMPLEMENT). A primary complement relation. The isa PRIM relation is licensed by the governor, ie, the lexical entry of the governor specifies the complement frames that it allows (the complement frame specifies the permissible complement roles, and the lexical restrictions on the complements, eg, with respect to word class). In the compositional semantics, the complements act as arguments with the governor as functor.

Subtypes: "@"adverb SYNCOMP.

SEC Secondary dependency relation (long: SECONDARY). A secondary dependency relation. is a DIM:TYPE Eg, the secondary dependency relation in filler-gap constructions such as relatives without a relative pronoun (the relativized noun is a secondary dependent of the relative verb), raising and control constructions, and elliptic coordinations.

Subtypes: "["PRIM"]" "{"SEM"}".

Chapter 3

Syntactic relations: SYNTAX

SYN: syntax level

Figure 3.1: The relations matching SYNTAX-SYNCOMP-SYNADJ.

isa DIM:LEVEL

SYN Syntax level (long: SYNTAX). A relation at the syntactic level. Ie, a relation between two segments within a sentence, but not within a single word.

[16] Subtypes: SYNADJ SYNCOMP.

Complement relations: SYNCOMP 3.1

SYNCOMP Syntactic complement.

isa COMP SYN Subtypes: @space @time aobj avobj dobj fobj gobj iobj nobj numa numm part pobj possd possr

pred qobj robj subj vobj.


@space Valency-bound location/direction adverbial. isa SYNCOMP Related types: dir loc.

[79]

The Colosseum is located in Rome [subj] She went home

@time Valency-bound time adverbial. A valency bound time expression. Formerly analyzed is a SYNCOMP as locative object, but we have decided to provide a general mechanism (@) for converting adverbial relations into valency-bound relations.

Related types: cont dur ext hab prec succ.




SYNCOMP: syntactic complement @space: valency-bound location/direction adverbial @time: valency-bound time adverbial aobj: adjectival object avobj: adverbial object dobj: direct object fobj: filler object gobj: genitive object iobj: indirect object nobj: nominal object numa: additive numeral complement numm: multiplicative numeral complement part: verbal particle pobj: prepositional object possd: possessed complement possr: possessor complement pred: predicative predo: object predicative preds: subject predicative qobj: quotational object robj: reflexive object subj: subject expl: expletive subject vobj: verbal object


Figure 3.2: The relations matching SYNCOMP.

[86]


aobj Adjectival object. If the adverbial object is part of a NP which nucleus is deis a SYNCOMP verbal, the following annotation possibilities are available: aobj.subj{SEMROLE} aobj.dobj{SEMROLE} aobj.pobj{SEMROLE} aobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location. Related types: avobj.



avobj Adverbial object. isa SYNCOMP Related types: aobj part. [87]



dobj Direct object. isa SYNCOMP Related types: iobj robj. [75]




subj dobj nobj pnct He has a ball .


N/A

gobj Genitive object. If the genitve object is part of a NP which nucleus is deverbal, the isa SYNCOMP following annotation possibilities are available: gobj.subj{SEMROLE} gobj.dobj{SEMROLE} gobj.pobj{SEMROLE} gobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location.

Related types: SEMROLE attrg.




iobj Indirect object.isa SYNCOMP Related types: dobj.[78]



nobj Nominal object. If the nominal object is part of a NP which nucleus is deverbal, the isa SYNCOMP following annotation possibilities are available: nobj.subj{SEMROLE} nobj.dobj{SEMROLE} nobj.pobj{SEMROLE} nobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location.

They joined the party.



 $\begin{array}{ll} \textbf{numa} & Additive \ numeral \ complement. \\ \textbf{isa SYNCOMP} & \textbf{Related types: numm.} \end{array}$

[89]

numa hundred two


numm Multiplicative numeral complement. isa SYNCOMP Related types: numa.

[90]

numm two hundred

 $\begin{array}{ccc} \textbf{part} & \textit{Verbal particle}. \ \ \textbf{Verbal particle}. \\ \textbf{isa SYNCOMP} & \textbf{Related types: avobj}. \\ \hline [91] \end{array}$

the fair two years ago




pobj Prepositional object. If the prepositional object is part of a NP which nucleus is isa SYNCOMP deverbal, the following annotation possibilities are available: pobj.subj{SEMROLE} pobj.dobj{SEMROLE} pobj.pobj{SEMROLE} pobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location.
 Related types: SEMROLE avobj.

meeting of ministers pobj.subj nobj i ministri riunione fra meeting among the ministers {agent} subj pobj nobj Paul talked about Sarah . the discovering of the gold participation in the meeting nobj pobj.dobj nobj pobj.pobj nobj el descrubrimiento del deltagelse mødet of-the gold the discovering participation in meeting-the {patient} {location} sale to minors pobj.iobj mindreårige til salg to minors {recipient}

[92]

possd Possessed complement. The possessed complement in a possessive construction. is a SYNCOMP Possession is understood in a syntactic sense as any construction with a clitic genitive marker, not necessarily as possession in a narrow semantic sense. A better name may be chosen for this relation in the future.

Related types: "{"\$PRIM"}" SEMROLE poss possr.



possrisa SYNCOMP [93]

Possessor complement. NO LONGER IN USE

The possessor complement in a possessive construction. Possession is understood in a syntactic sense as any construction with a clitic genitive marker, not necessarily as possession in a narrow semantic sense. A better name may be chosen for this relation in the future.

Related types: poss possd.


pred Predicative.

isa SYNCOMP Subtypes: predo preds.


[80] Related types: predo preds.

V->predicative, P->predicative

predo Object predicative.
isa pred Related types: preds.
[82]




preds Subject predicative.
isa pred Related types: predo.
[81]




qobj Quotational object. A phrase or discourse segment functioning as directly quoted is a SYNCOMP speech, typically by an attribution verb. Indirect speech is analyzed as "dobj" or [94] "nobj".

Related types: xpl.



robj Reflexive object. isa SYNCOMP Related types: dobj. [84]

He decided to walk.




subj Subject. A subject relation.


isa SYNCOMP

Subtypes: expl.


[73] Related types: expl.



expl Expletive subject. isa subj Related types: subj. [74]



vobj Verbal object. isa SYNCOMP Related types: "["\$PRIM"]". [83]



Adverbial adjunct relations: ADVERB 3.2

ADVERB Adverbial (deprecated other). V/N/P->adverbial

isa SYNADJ

Subtypes: agent ben cause comp conc concom cond cons degr exem man neg other prg source space [134]struct time.

agent Agent adverbial. The passivized agent in passives.

isa ADVERB [172]

vobj agent nobj pnct The house was painted by Eric . [subj]

ben Benefactive adverbial. Free dative

isa ADVERB Related types: pobj.

[171]

ADVERB: adverbial

agent: agent adverbial ben: benefactive adverbial cause: causation adverbial goal: goal adverbial reas: reason adverbial comp: comparison adverbial conc: concession adverbial

concom:

cond: condition adverbial cons: consequence adverbial degr: degree adverbial exem: example adverbial man: manner adverbial

accom: companionship adverbial inst: instrument adverbial neg: negation adverbial other: other adverbial prg: pragmatic adverbial

discmark: sentence-initial discourse marker

epi: epistemic adverbial eval: evaluation adverbial focal: focalizer adverbial

att: attitude adverbial

pcond: pragmatic condition adverbial source: source attribution adverbial

space: space adverbial dir: direction adverbial loc: location adverbial

struct: text-structuring or connective adverbial

add: additive adverbial bg: background adverbial contr: contrast adverbial elab: elaboration advebial

time: time adverbial


cont: contemporaneity adverbial

dur: duration adverbial

ext: extent/frequency adverbial

hab: habituality adverb prec: precedence adverbial succ: succession adverbial


Figure 3.3: The relations matching ADVERB.



cause Causation adverbial. Causation adverbial. Describes why the event occurred. is a ADVERB [160] Subtypes: goal reas.


 ${\bf goal}\ \ Goal\ adverbial.$ Describes the intended goal of the event/action. is a cause $\ \$ Related types: reas.

[161]




 ${\bf reas}~~Reason~adverbial.$ Describes the cause of the event/action. is a cause ~ Related types: goal.


[162]



 $\begin{array}{c} \mathbf{comp} \quad Comparison \ adverbial \ (\text{deprecated compare}). \ Comparison \\ \text{isa ADVERB} \\ \text{[166]} \end{array}$




 ${f conc}$ Concession adverbial. Describes the concession of the event/action. is a ADVERB [165]




 $\begin{array}{c} \textbf{concom} & \text{. Gerunds in Romance} \\ \text{isa ADVERB} & \text{Related types: vobj.} \\ \hline [169] & \end{array}$

The agressor fled and/but got caught hours later.



 ${\bf cond}$ ${\it Condition~adverbial}.$ Describes the condition of the event/action. is a ADVERB Related types: pcond.

[164]



cons Consequence adverbial. Describes the consequence of the event/action.

isa ADVERB

[163] Related types: xtop.


degr Degree adverbial. Modifies the object or verbal by degree is ADVERB Related types: focal.

[170]

degr subj nobj pnct
Only two people came .

 $\bf exem$ $\it Example adverbial$ (deprecated ex). Exemplification; subordinated the object which is is a ADVERB added to a list.

[168]




Poe wrote e.g. "The Tell-tale Heart"

man Manner adverbial. The way things are done

isa ADVERB Subtypes: accom inst. [157] Related types: fpredo.

subj man pnct He talks slowly . $\begin{array}{ll} \textbf{accom} & Companionship \ adverbial \ (deprecated \ \mathsf{comp}). \ Companionship \\ \text{isa man} & \text{Related types: man.} \end{array}$


[158]



 $\begin{array}{ll} \textbf{inst} & Instrument \ adverbial. \ Instrument/means} \\ \text{isa man} & \text{Related types: man.} \end{array}$


[159]

[173]




 ${\bf neg}$ Negation~adverbial. Negation of a verbal is a ADVERB

subj neg vobj pnct
Thomas is not coming .
[subj]



She never lied



 $\begin{array}{c} \textbf{other} \ \ Other \ adverbial. \\ \text{is a ADVERB} \end{array}$

[**þ**74**g**

Pragmatic adverbial. Sentence level.

isa ADVĒRĒ

Subtypes: att discmark epi eval focal pcond.

[135]

att Attitude adverbial. Regarding attitude isa prg Related types: epi eval.

a prg Related types: epi eval. [139]




The weather is unfortunately bad .


discmark Sentence-initial discourse marker. Discourse marker isa prg Related types: coord.

[141]

And I'm telling you...


But I'm telling you...






epi Epistemic adverbial. Regarding the level of truth in the expression is a prg Related types: att eval.

[138]




eval Evaluation adverbial. Evaluating adverbials is a prg Related types: att epi.

[140]



focal Focalizer adverbial. Focalization of a noun isa prg Related types: degr.

[136]



pcond Pragmatic condition adverbial (deprecated prgcond). Pragmatic condition is a prg Related types: cond.
[137]


coord subj neg vobj dobj pnct pcond subj vobj pnct
But I have not seen anything , if anyone asks .

[subj]

source Source attribution adverbial. Reference/source

isa ADVERB

[167]




space Space adverbial. Space adverbials isa ADVERB

[154]

Subtypes: dir loc.

dir Direction adverbial. Movement from one place to another; direction isa space Related types: loc.


[156]



loc Location adverbial. Location


isa space Related types: dir.

[155]



struct Text-structuring or connective adverbial. Connectives and text structuring adverisa ADVERB bials


[142]Subtypes: add bg contr elab. Related types: bg contr.



add Additive adverbial. Additive information

isa struct


[146]



bg Background adverbial. Background information


is a struct Related types: struct.

[143]




 $\begin{array}{ll} \textbf{contr} & \textit{Contrast adverbial}. \ \ \textbf{Opposition} \\ \text{is a struct} & \text{Related types: struct}. \end{array}$

[144]




elab Elaboration advebial. More detailed description


isa struct [145]




 $\begin{array}{ccc} \textbf{time} & Time \ adverbial. \ Time \ relating \ adverbials \\ \text{isa ADVERB} & \text{Subtypes: cont dur ext hab prec succ.} \\ [147] & \end{array}$



She never lied




cont Contemporaneity adverbial. Contemporaneity is time.
[151]




dur Duration adverbial. Duration

isa time Related types: ext hab.

[148]




ext $Extent/frequency\ adverbial$ (deprecated freq). Frequency; extention is a time Related types: dur hab. [153]



 $\begin{array}{ll} \textbf{hab} & \textit{Habituality adverb}. \text{ Habitual; repeated habit} \\ \text{is a time} & \text{Related types: dur ext.} \end{array}$


[152]



prec Precedence adverbial. Precedence


isa time

[149]



succ Succession adverbial. Succession

isa time [150]



```
SYNADJ: syntactic adjunct
   GAP: gapping dependent
       "<"PRIM...":"INTEGER">": gapping dependent
   app: apposition
       appa: parenthetic apposition (comma)
          xpl: explication
       appr: restrictive apposition (no comma)
   attr: attributive
   attrg: genitive attributive
   conj: conjunct relation
   coord: coordinator relation
   correl: correlative coordinator relation
   fpred: free predicative
       fpredo: free direct-object predicative
       fpreds: free subject predicative
   mod: modifier/adverbial
       modp: parenthetic modifier
   name: part of name
       namef: first name
       namel: last name
       title: person title
    pnct: punctuation
   rel: relative clause
       relelab: elaborating relative clause
       relpa: parenthetic relative clause
       relr: restrictive relative clause
   voc: vocative
   xtop: external topic with resuming pronoun
```

Figure 3.4: The relations matching SYNADJ-ADVERB.


3.3 Other adjunct relations: SYNADJ


SYNADJ Syntactic adjunct.


isa ADJ SYN Subtypes: ADVERB GAP app attr attrg conj coord correl fpred mod name pnct rel voc xtop. [71]

GAP Gapping dependent (long: GAPPING). A relation between a gapping dependent in a is a SYNADJ secondary conjunct and the head of the first conjunct. In gapping coordinations, the secondary conjuncts have an elided head, so the remaining material in the secondary conjuncts is instead analyzed as gapping dependents of the head of the first conjunct. In the final CDT annotation, the annotation of gapping dependents will eventually be used to insert a phonetically empty head for the gapped conjuncts, and the gapping dependents will be attached to this gapped head.

Subtypes: "<"PRIM...":"INTEGER">".








PRIM...":"INTEGER printy dependent. First conjunct->gapping dependent

isa GAP RULE [356]



Peter likes dogs , and Elizabeth cats .

app Apposition.


isa SYNADJ Subtypes: appa appr.

[109] Related types: appa appr.

appa Parenthetic apposition (comma).

isa app Subtypes: xpl.


[110] Related types: appr xpl.



xpl Explication. Explication of an NP or VP.


isa appa Related types: qobj.

[123]




appr Restrictive apposition (no comma). isa app Related types: appa.

[111]




attr Attributive (deprecated attrdattrr). In Germanic languages, adjectives modify the deisa SYNADJ terminer; in Romance languages, adjectives modify the noun even if there is a de[107] terminer

Related types: SEMROLE attrg pobj.




 $\begin{array}{ccc} \textbf{attrg} & Genitive \ attributive. \\ \text{isa SYNADJ} & \text{Related types: SEMROLE gobj.} \\ \hline [108] & \end{array}$




conj Conjunct relation. A dependency relation relating the conjuncts in a coordination.
 isa SYNADJ Secondary conjuncts are analyzed as "conj"-dependents of the first conjunct. Coordinators are analyzed as dependents of the secondary conjuncts.

Related types: coord correl.




coord Coordinator relation. A dependency relation between a coordinating conjunction and a secondary conjunct. The coordinator is analyzed as a dependent of the secondary conjunct. Secondary conjuncts are in turn analyzed as "conj"-dependents of the first conjunct.

Related types: conj correl discmark.



correl Correlative coordinator relation. isa SYNADJ Related types: conj coord.


[101]



 $\begin{array}{ccc} \textbf{fpred} & \textit{Free predicative}. \\ \text{is a SYNADJ} & \text{Subtypes: fpredo fpreds}. \\ & [104] & \text{Related types: fpredo fpreds}. \end{array}$

V->free predicative

fpredo Free direct-object predicative. isa fpred Related types: fpreds man. [106]



fpreds Free subject predicative. isa fpred Related types: fpredo.

[105]



Terrified she walked down the street .

mod Modifier/adverbial. Deprecated name for adverbials

isa SYNADJ

Subtypes: modp.

[129]

modp Parenthetic modifier. Deprecated name for parenthetic modifiers

isa mod

name Part of name. Part of a name.

isa SYNADJ Subtypes: namef namel title.

[117]



a Garrett engine



namef First name. A first name.

isa name Related types: namel title.


[118]



namel Last name. A second last name

is a name Related types: namef title.

[119]



Matthias Trautner Kromann

title Person title. A title in a name. If the is the title is determinated by an article, eg. is a name the director Smith, the title must be annotated as "nobj" and the name as "appr".


[120] Related types: namef namel.



pnct Punctuation.

isa $\bar{\text{SYNADJ}}$

[102]



rel Relative clause.

isa SYNADJ Subtypes: relelab relpa relr.

[112] Related types: relelab relpa relr.

$$N->V, V->V$$

relelab Elaborating relative clause. Ledsætning med sætningsantecedent i hovedsætning; da:

isa rel hvilket, it: il che, cosa che

[115] Related types: relpa relr.

 $V \rightarrow V$

relpa Parenthetic relative clause.

isa rel Related types: relelab relr.

[114]

Consideration must be given to a higher degree to the nature north of Bella Centre , where 31 hectares in all ref



will be exempt on environmental grounds .

relr Restrictive relative clause.

isa rel Related types: relelab relpa.

[113]




The part of the Amager Commons , which has not become a part of Ørestaden is to be preserved .

rel


 ${\bf voc}~$ $\it Vocative.$ Vocative specification. The person to whom the statement is directed. is a SYNADJ

[122]



xtop External topic with resuming pronoun. An external topic is a sentence-initial NP is a SYNADJ whose only function is to provide the antecedent for a pronoun later in the sentence. [116] Eg in "John, he is a nice person". Here "John" is the "xtop" of "is", and "he" is the subject of "is".

Related types: cons ref xtop.



Chapter 4

Morphological relations: **MORPHOLOGY**

```
MORPH: morphology level
   "§"PRIM: morphology specification
```

Figure 4.1: The relations matching MORPHOLOGY-MORPHCOMP-MORPHDERIV.

[15]

MORPH Morphology level (long: MORPHOLOGY). A relation at the morphological level. Ie, a is a DIM:LEVEL relation between two word segments within a single word.

Subtypes: "\$"PRIM MORPHCOMP MORPHDERIV.

isa MORPH RULE [359]

"§"PRIM Morphology specification.

Compositional relations: MORPHCOMP 4.1

MORPHCOMP: compositional semantic relations ABOUT: noun-noun compound (about) AGENT: noun-noun compound (agentive) CONST: noun-noun compound (constitutive) EVAL: noun-noun compound (evaluative) FUNC: noun-noun compound (function) ORIGIN: noun-noun compound (origin) OTHER: noun-noun compound (other) POS: noun-noun compound (position) POSS: noun-noun compound (possession) RESEM: noun-noun compound (resemblance) TIME:MC: noun-noun compound (time)

Figure 4.2: The relations matching MORPHCOMP.

MORPHCOMP Compositional semantic relations. A semantic relation is created between two (or isa MORPH more) elements which could potentially be used as stems. (A compound contains at [254]least two roots.) Subtypes: ABOUT AGENT CONST EVAL FUNC ORIGIN OTHER POS POSS RESEM TIME:MC. **ABOUT** Noun-noun compound (about). Non-head has an aboutness meaning wrt. head. isa MORPHCOMP [346](theme: skattelov 'tax law' = lov -[skat]te/ABOUT) **AGENT** Noun-noun compound (agentive). Non-head has an agentive meaning wrt. head. isa MORPHCOMP [338](agent: politikontrol 'police control' = kontrol –politi/AGENT) CONST Noun-noun compound (constitutive). Non-head has a constitutive meaning wrt. isa MORPHCOMP head. [337](constitutive: træbord 'wooden table' = bord -træ/CONST) **EVAL** Noun-noun compound (evaluative). Non-head has an evaluative meaning wrt. head. isa MORPHCOMP [344]coche de lujo 'luksusbil' FUNC Noun-noun compound (function). Non-head has a functional meaning wrt. head. isa MORPHCOMP [340](function: krigsskib 'war ship' = skib -[krig]s/FUNC) **ORIGIN** Noun-noun compound (origin). Non-head has a meaning of origin wrt. head. isa MORPHCOMP [339](origin: rørsukker 'cane sugar' = sukker –rør/ORIGIN) **OTHER** Noun-noun compound (other). If in doubt about the meaning relation between head isa MORPHCOMP and non-head. [347]**POS** Noun-noun compound (position). Non-head has a locative meaning wrt. head. isa MORPHCOMP [342](position: loftlampe 'ceiling lamp' = lampe –loft/POS) **POSS** Noun-noun compound (possession). Non-head has a possessive meaning wrt. head. isa MORPHCOMP

[341]

(possession: politibil = bil-politi/POSS

isa MORPHCOMP each other.

RESEM Noun-noun compound (resemblance). Denotations of head and non-head resemble

[345]

[343]

silla de tijeras 'saksestol' [klapstol], válvula de mariposa 'sommerfugleventil'

isa MORPHCOMP

TIME:MC Noun-noun compound (time). Non-head has a temporal meaning wrt. head.

(time: oktoberregn 'October rain' = regn – oktober/TIME)

Derivational relations: MORPHDERIV 4.2

MORPHDERIV: derivational semantic relations

Figure 4.3: The relations matching MORPHDERIV-PREFIX-SUFFIX.

isa MORPH an affix

MORPHDERIV Derivational semantic relations. A semantic relation is created between a base and

[253]

Subtypes: PREFIX SUFFIX.

Prefix relations: PREFIX 4.2.1

isa MORPHDERIV

PREFIX Semantic relations appearing with prefixes. A semantic relation is created between a base and a prefix.

[256]

Subtypes: ASPEC GRAD LOC MOD NEG PRE:other TIME§ TRANS.

ASPEC isa PREFIX Aspectual dimension. Prefix conveys an asepctual dimension in a broad sense.

Subtypes: ASPEC:cause ASPEC:iter ASPEC:reflex ASPEC:resul ASPEC:rev ASPEC:term. [273]

ASPEC:cause isa ASPEC

Causation. Prefix conveys causation.

[276]

(causative: acallar 'silence' = callar -a/ASPEC:cause)

ASPEC:iter *Iteration*. Prefix conveys iteration.

isa ASPEC

[275]

(iterative: redefine = define -re/ASPEC:iter)

ASPEC:reflex Reflexivity. Prefix conveys reflexivity.

isa ASPEC

[277]

PREFIX: semantic relations appearing with prefixes

ASPEC: aspectual dimension ASPEC:cause: causation ASPEC:iter: iteration ASPEC:reflex: reflexivity ASPEC:resul: result ASPEC:rev: reversion ASPEC:term: termination

GRAD: graduation GRAD:qual: quality GRAD:size: size

LOC:dir: direction LOC:pos: position LOC:proce: origin MOD: modification

> MOD:cuant: quantification MOD:man: manner MOD:qual: qualification

NEG: negation

LOC: location

NEG:oppo: opposition NEG:priv: privation

PRE:other: other prefix relation

TIME§: time TRANS: transitivity

Figure 4.4: The relations matching PREFIX.

(reflexive: autopilot = pilot -auto/ASPEC:reflex)

ASPEC:resul Result. Prefix conveys result.

isa ASPEC

[279](resultative: fastnagle 'rivet' = nagle -fast/ASPEC:resul)

ASPEC:rev Reversion. Prefix conveys reversion.

isa ASPEC

[274](reversion: deactivate = activate -de/ASPEC:rev)

ASPEC:term *Termination*. Prefix conveys termination.

isa ASPEC [278]

(terminative: oplåse 'open' = låse –op/ASPEC:term)

GRAD Graduation. Prefix conveys graduation in a broad sense.

isa PREFIX Subtypes: GRAD:
qual GRAD:
size.

[270]

GRAD:qual Quality. Prefix conveys quality.

isa GRAD

[272]

(quality: supercomputer = computer -super/GRAD:qual)

GRAD:size Size. Prefix conveys size. isa GRAD [271] (size/quantity: minibar = bar -mini/GRAD:size) **LOC** Location. Prefix expresses location in a broad sense. isa PREFIX Subtypes: LOC:dir LOC:pos LOC:proce. [259]LOC:dir Direction. Prefix expresses direction. isa LOC [261] (direction/origin: deverbal = verbal -de/LOC:dir) LOC:pos Position. Prefix expresses position. isa LOC [260] (position: intramural = mural –intra/LOC:pos) LOC:proce Origin. Prefix conveys origin. isa LOC [262](origin: extraer: = traer -ex/LOC:proce) MOD Modification. Prefix conveys modification in a broad sense. isa PREFIX Subtypes: MOD:cuant MOD:man MOD:qual. [281] **MOD:cuant** Quantification. Prefix conveys quantification. isa MOD [282](quantification: multicultural = cultural -multi/MOD:quant)

 $oxed{MOD:man}$ Manner. Prefix conveys manner. isa MOD

[283]

(manner: maleducado = educado -mal/MOD:man)

MOD:qual Qualification. Prefix conveys qualification.

isa MOD

[284]

(qualification: paleochristian = christian –paleo/MOD:qual)

NEG Negation. Prefix conveys negation in a broad sense.

isa PREFIX Subtypes: NEG:oppo NEG:priv.

[267]

NEG:oppo Opposition. Prefix conveys opposition.

isa NEG

[268]

(opposition: antihero = hero –anti/NEG:oppo)

NEG:priv Privation. Prefix conveys privation.

isa NEG [269]

privation: desalt = salt -de/NEG:priv)

PRE:other Other prefix relation. If in doubt about the meaning conveyed by the prefix

isa PREFIX

TIMES Time. Prefix conveys time in a broad sense.

isa PREFIX

TRANS Transitivity. Prefix conveys transitivity.

isa PREFIX [280]

(transitivising: påsejle 'collide': sejle –på/TRANS)

4.2.2 Suffix relations: SUFFIX

SUFFIX Semantic relations appearing with suffixes. A semantic relation is created between isa MORPHDERIV a base and a suffix.

[257] Subtypes: AUG DENOM DENUM DER DEV DEVN DIMIN NOPRED PEJ QUAL.

AUG Augmentation. Suffix conveys augmentation.

isa SUFFIX

[286] (augmentative: perrazo 'big dog' = perro +azo/AUG)

DENOM Noun-adjective derivation. Suffix creates denominal adjectives in a broad sense.

isa SUFFIX [322]

 ${\bf Subtypes:\ DENOM: disp\ DENOM: eff\ DENOM: other\ DENOM: poss\ DENOM: rel\ DENOM: resem.}$

DENOM:disp Noun-adjective derivation (disposition). Suffix creates denominal adjectives that is a DENOM express disposition

isa DENOM express disposition.
[330]

"que tiene afición por N" (mujeriego - "que afición por las mujeres" 'kvindeglad/som er glad for kvinder')

DENOM:eff Noun-adjective derivation (effect). Suffix creates denominal adjectives that express is a DENOM an effect.

[331]

"que causa simpatía" (simpático – "que causa simpatía" 'sympatisk/som vækker sympati')

DENOM:other Noun-adjective derivation (other). If in doubt about the meaning conveyed by the isa DENOM suffix

[332]

DENOM:poss Noun-adjective derivation (possession). Suffix creates denominal adjectives that is a DENOM express possession.

NOM express possessic [329] "que posee/tiene/lleva N" (barbudo – "que lleva barba" 'skægget/som bærer skæg')

DENOM:rel Noun-adjective derivation (relational). Suffix creates denominal adjectives with a isa DENOM relational meaning.

[323]

Subtypes: DENOM:rel.deono DENOM:rel.norm.

isa DENOM:rel meaning of "naming".

ENOM:rel.deono Noun-adjective derivation (naming). Suffix creates relational adjectives with the

[325]

Subtypes: DENOM:rel.deono.pers DENOM:rel.deono.place.

NOM:rel.deono.per%oun-adjective derivation (naming persons). Suffix creates relational adjectives with sa DENOM:rel.deono the meaning of "naming" persons. [326]

Cervantino 'som har at gøre med Cervantes'

NOM:rel.deono.placeun-adjective derivation (naming places). Suffix creates relational adjectives with sa DENOM:rel.deono the meaning of "naming" of places. [327]

Madrileño 'som har at gøre med/kommer fra Madrid'

[324]

DENOM:rel.norm Noun-adjective derivation (normal). Suffix creates relational adjectives with a "norisa DENOM:rel mal" meaning aspect.

(denominal adjective: presidential = president +ial/DENOM:rel.norm)

[328]

DENOM: resem Noun-adjective derivation (resemblance). Suffix creates denominal adjectives that isa DENOM express resemblance.

"que se parece a N" (sanchopancesco – "que se parece a Sancho Panza" 'sanchopanzask/som ligner Sancho Panza')

isa SUFFIX

DENUM Adjective-numeral derivation. Suffix creates denumeral adjectives in a broad sense.

[333]

[336]

Subtypes: DENUM:mult DENUM:ord DENUM:part.

isa DENUM

DENUM:mult Adjective-multiplicative derivation. Suffix creates multiplicative numerals.

"kardinal=cinco - multiplikativ=quíntuplo" 'fem/femdobbelte'

DENUM:ord Adjective-ordinal derivation. Suffix creates ordinals.

isa DENUM [334]

"kardinal=dos - ordinal=segundo" 'to/anden'

DENUM:part Adjective-partitive derivation. Suffix creates partitive numerals. isa DENUM [335]"kardinal=doce - partitiv=doceavo" 'tolv/tolvtedel' **DER** Verb derivation. Suffix triggers a derivation isa SUFFIX Subtypes: DER:av DER:nv DER:vv. [289]**DER:av** Adjective-verb derivation. Suffix triggers a derivation from an adjective to a verb. isa DER [291] (adjective->verb derivation: darken = dark +en/DER:av) **DER:nv** Noun-verb derivation. Suffix triggers a derivation from a noun to a verb. isa DER [290] (noun->verb derivation: salar 'to salt' = sal +ar/DER:nv) **DER:vv** Verb-verb derivation. Suffix triggers a derivation from a verb to another verb. isa DER [292](verb->verb derivation: adormecer 'lull to sleep' = dormir -+[a][ecer]/DER:vv) (long: DEVERB). \mathbf{DEV} isa SUFFIX Subtypes: DEVA. [313]DEVA Verb-adjective derivation (long: DEVERBA). Suffix creates deverbal adjectives in a isa DEV broad sense. [314]Subtypes: DEVA:act DEVA:pas.part. **DEVA:**act Verb-adjective derivation (active) (long: DEVERB:act.pure). Suffix creates active adjective derivation (active) isa DEVA tives. [315]Subtypes: DEVA:act.disp DEVA:act.poten DEVA:pas. **DEVA:act.disp** Verb-adjective derivation (pure) (long: DEVERB:act.disp). Suffix creates active adjective derivation (pure) isa DEVA:act tives with the meaning aspect "pure". [316]"que V" (conmovedor – "que conmueve" 'gribende/der griber') **DEVA:**act.poten Verb-adjective derivation (disposition) (long: DEVERB:act.poten). Suffix creates active is DEVA: act adjectives with the meaning aspect "disposition". [317]

"que suele V, que tiende a V" (adulón - "que suele adular, que tiende a adular" 'smigre/som plejer eller har

tendens til at være krybende

DEVA:pas Verb-adjective derivation (potentiality) (long: DEVERB:pas). Suffix creates active adisa DEVA:act jectives with the meaning aspect "potentiality".

[318] Subtypes: DEVA:pas.deon DEVA:pas.poten.

(deverbal adjective: transportable = transport +able/DEVERB:pas.poten)

[321]

DEVA:pas.deon Verb-adjective derivation (passive potentiality) (long: DEVERB:pas.deon). Suffix creates isa DEVA:pas passive adjectives with the meaning aspect "potentiality".

"que puede {ser PP/Vse}" (transportable – "máquina que puede {ser transportada/transportarse}

'transportabel/maskine som kan blive transporteret/transporteres

[320]

DEVA:pas.poten Verb-adjective derivation (passive participles) (long: DEVERB:pas.poten). Suffix creates isa DEVA:pas passive adjectives with the form of participles.

"que {ha sido/está/es} PP" (comprado - "hombre que {ha sido/está/es} comprado 'mand som er blevet/er/bliver

købt"

isa DEVA jectives.

DEVA:pas.part Verb-adjective derivation (passive) (long: DEVERB:pas.part). Suffix creates passive ad-

[319]

DEVN Verb-noun derivation (long: DEVERBN, deprecated PRED). Suffix creates deverbal nouns is a SUFFIX in a broad sense.

[293]

Subtypes: DEVN:agent DEVN:core DEVN:exper DEVN:inst DEVN:loc DEVN:other DEVN:recip DEVN:result.

isa DEVN role.

DEVN:agent Verb-noun derivation (agent). Suffix creates deverbal nouns absorbing the agent

[294]

[296]

(agent derivation: singer = sing +er/PRED:agent)

DEVN:core Verb-noun derivation (core). Suffix creates deverbal nouns expressing a nominalized is DEVN version of the situation denoted by the original verb.

(core derivation: exploitation = exploit@V +ation/PRED:core)

DEVN: exper Verb-noun derivation (experiencer). Suffix creates deverbal nouns absorbing the isa DEVN experiencer role.

[295]

[300]

[299]

(experiencer derivation: admirer = admire+r/PRED:exper

DEVN:inst Verb-noun derivation (instrument). Suffix creates deverbal nouns expressing the isa DEVN instrument related to the meaning of the original noun.

(instrument derivation: exprimidor 'saftpresser' = exprimir +dor/PRED:inst)

DEVN:loc Verb-noun derivation (location). Suffix creates deverbal nouns expressing the locaisa DEVN tion related to the meaning of the original noun.

(locative derivation: comedor 'spisestue' = comer +dor/PRED:loc)

isa DEVN

DEVN:other Verb-noun derivation (other). If in doubt about the meaning conveyed by the suffix

[301]

DEVN:recip Verb-noun derivation (recipient). Suffix creates deverbal nouns absorbing the recip-

isa DEVN ient role [298]

(recipient derivation: beneficiario 'den begunstigede' = beneficiar +ario/PRED:recip)

isa DEVN role.

DEVN:result Verb-noun derivation (patient). Suffix creates deverbal nouns absorbing the patient

[297]

(result derivation: hallazgo 'fund' = hallar +azgo/PRED:result)

isa SUFFIX

DIMIN Diminution. Suffix conveys diminution.

[287]

(diminutive: viejecito 'little old man' = viejo +ecito/DIM)

isa SUFFIX a broad sense.

NOPRED Noun-noun derivation. Suffix creates non-predicative nouns (from other nouns) in

[303]

Subtypes: NOPRED:agent NOPRED:capac NOPRED:cont NOPRED:loc NOPRED:other NO-PRED:result NOPRED:script NOPRED:set NOPRED:temp.

isa NOPRED

NOPRED: agent Noun-noun derivation (agent). Suffix creates non-predicative nouns expressing an agent role.

[304]

(agent derivation: miller = mill+er/NOPRED:agent)

isa NOPRED

NOPRED: capac Noun-noun derivation (capacity). Suffix creates non-predicative nouns expressing a capacity.

[309]

(capacity derivation: cestada 'kurvfuld' = cesta +ada/NOPRED:capac)

isa NOPRED a container.

NOPRED:cont *Noun-noun derivation (container)*. Suffix creates non-predicative nouns expressing

[306]

[310]

(container derivation: azucarero 'sugar bowl' = azucar+ero/NOPRED:cont)

isa NOPRED

NOPRED: loc Noun-noun derivation (location). Suffix creates non-predicative nouns expressing a location.

(locative derivation: arenal 'sandet strækning' = arena +al/NOPRED:loc)

isa NOPRED [312]

NOPRED: other Noun-noun derivation (other). If in doubt about the meaning conveyed by the suffix

isa NOPRED [305]

NOPRED: result Noun-noun derivation (result). Suffix creates non-predicative nouns expressing a result.

(result derivation: puñalada 'knivstik' = puñal +ada/NOPRED:result)

NOPRED: script Noun-noun derivation (script). Suffix creates non-predicative nouns expressing a isa NOPRED script/notion related to the original noun.

(script derivation: pontaje 'brobetaling' = puente +aje/NOPRED:script)

isa NOPRED

NOPRED:set Noun-noun derivation (set). Suffix creates non-predicative nouns expressing a set.

[311]

[308](set derivation: perrada 'hundekobbel' = perro +ada/NOPRED:set)

[307]

NOPRED: temp Noun-noun derivation (temporal). Suffix creates non-predicative nouns expressing a isa NOPRED temporal aspect.

(temporal derivation: temporada 'tidsrum/sæson' = tiempo +ada/NOPRED:temp)

PEJ Pejoration. Suffix conveys a pejorative sense.

isa SUFFIX [288]

(pejorative: vinacho 'bad vine' = vino +acho/PEJ)

isa SUFFIX

QUAL Adjective derivation. Suffix creates deadjectival nouns.

[302]

(deadjectival noun: bitterness = bitter +ness/QUAL)

```
SUFFIX: semantic relations appearing with suffixes
   AUG: augmentation
   DENOM: noun-adjective derivation
      DENOM:disp: noun-adjective derivation (disposition)
      DENOM:eff: noun-adjective derivation (effect)
      DENOM:other: noun-adjective derivation (other)
      DENOM:poss: noun-adjective derivation (possession)
      DENOM:rel: noun-adjective derivation (relational)
         DENOM:rel.deono: noun-adjective derivation (naming)
             DENOM:rel.deono.pers:
                                      noun-adjective derivation (naming
persons)
             DENOM:rel.deono.place:
                                       noun-adjective derivation (naming
places)
         DENOM:rel.norm: noun-adjective derivation (normal)
      DENOM:resem: noun-adjective derivation (resemblance)
   DENUM: adjective-numeral derivation
      DENUM:mult: adjective-multiplicative derivation
      DENUM:ord: adjective-ordinal derivation
      DENUM:part: adjective-partitive derivation
   DER: verb derivation
      DER:av: adjective-verb derivation
      DER:nv: noun-verb derivation
      DER:vv: verb-verb derivation
   DEV:
      DEVA: verb-adjective derivation
         DEVA:act: verb-adjective derivation (active)
             DEVA:act.disp: verb-adjective derivation (pure)
             DEVA:act.poten: verb-adjective derivation (disposition)
            DEVA:pas: verb-adjective derivation (potentiality)
                DEVA:pas.deon: verb-adjective derivation (passive potential-
ity)
                DEVA:pas.poten: verb-adjective derivation (passive partici-
ples)
         DEVA:pas.part: verb-adjective derivation (passive)
   DEVN: verb-noun derivation
      DEVN:agent: verb-noun derivation (agent)
      DEVN:core: verb-noun derivation (core)
      DEVN:exper: verb-noun derivation (experiencer)
      DEVN:inst: verb-noun derivation (instrument)
      DEVN:loc: verb-noun derivation (location)
      DEVN:other: verb-noun derivation (other)
      DEVN:recip: verb-noun derivation (recipient)
      DEVN:result: verb-noun derivation (patient)
   DIMIN: diminution
   NOPRED: noun-noun derivation
      NOPRED:agent: noun-noun derivation (agent)
      NOPRED:capac: noun-noun derivation (capacity)
      NOPRED:cont: noun-noun derivation (container)
      NOPRED:loc: noun-noun derivation (location)
      NOPRED: other: noun-noun derivation (other)
      NOPRED:result: noun-noun derivation (result)
      NOPRED:script: noun-noun derivation (script)
      NOPRED:set: noun-noun derivation (set)
      NOPRED:temp: noun-noun derivation (temporal)
   PEJ: pejoration
   QUAL: adjective derivation
```

38

Chapter 5

Discourse relations: DISCOURSE

```
DISC: discourse level
""PRIM: discourse specification
```

Figure 5.1: The relations matching DISCOURSE-DISCFUNC-DISCSEM.

DISC Discourse level (long: DISCOURSE). A relation at the discourse level. Ie, a relation is a DIM:LEVEL between segments in different sentences or clauses.

[17] Subtypes: "¤"PRIM DISCFUNC DISCSEM.

" \square "PRIM Discourse specification. A primary syntactic relation that has been used as a disisa DISC RULE course relation for stilistic purposes. [358]

5.1 Functional relations: DISCFUNC

DISCFUNC: functional discourse relation

ANSW: answer

CONSOL: consolidation

CONSOL: enable enablement CONSOL: just: justification CONSOL: motiv: motivation

DIREC: directive act EXPR: expressive act

INTACT: interactional signals INTACT:attn: attention INTACT:inter: interruption

PREP: preparation QUEST: question REP: repaired

Figure 5.2: The relations matching DISCFUNC.

DISCFUNC Functional discourse relation. The relation between governing and depending text isa ADJ DISC segments is defined functionally: the depending text segment has illocutionary,

[206] structuring or enhancing function

Subtypes: ANSW CONSOL DIREC EXPR INTACT PREP QUEST REP.

ANSW Answer. Governing text segment contains question or problem, dependent text is a DISCFUNC segment answer or solution

[239] Confusion₁: $ANSW_{100\%}$.

CONSOL Consolidation (deprecated SUPPORT?).

isa DISCFUNC Subtypes: CONSOL:enabl CONSOL:just CONSOL:motiv.

[245]

CONSOL:enabl *Enablement*. S enables reader or recipient to carry out the action mentioned in N; is a CONSOL frequent in directive texts

[247]

CONSOL: just Justification (deprecated JUST). S justifies N wrt its content (reason for mentioning it isa CONSOL or sim.) thereby strengthening it argumentatively

 $[246] \quad \text{Confusion}_2{:} \ \, \mathsf{ELAB:} \mathsf{exp}_{50\%} \ \, \mathsf{CAUSE:} \mathsf{reas}_{25\%} \ \, \mathsf{CAUSE:} \mathsf{expl}_{25\%} \ \, .$

[da] Fordi, Eftersom

CONSOL: motivation. S motivates reader or recipient to carry out the action mentioned in N isa CONSOL Confusion₁: CAUSE: $expl_{100\%}$.

[248]

DIREC Directive act. Dependent text segment contains an order, command or request

isa DISCFUNC [240]

e.g. imperatives

EXPR Expressive act. Dependent text segment contains an expression of the speaker's isa DISCFUNC attitudes or emotions, e.g. congratulations, excuses or thanks [241]

[en] I'm sorry!; My condolences!

INTACT Interactional signals.

is a DISCFUNC $\,$ Subtypes: INTACT:attn INTACT:inter.

[242]

INTACT:attn Attention. S contains an attention signal

isa INTACT

[243]

[da] Ja; Nå; OK; [it] Sì; Beh; [en] Yeah, Oh, Really?

INTACT:inter Interruption. S contains an interruption signal

isa INTACT

[244]

[da] Jamen; [it] Ma; [en] But... But

 ${\bf QUEST}$ Question . The dependent text segment contains a question with or withour an isa DISCFUNC answer [238]

REP Repaired. Dependent text segment is interrupted and unfinished and "repaired" by isa DISCFUNC the following and governing text segments, which completes it [250]

5.2 Semantic relations: DISCSEM

DISCSEM: semantic discourse relation CAUSE: cause relation (discourse) CAUSE:expl: explanation relation (discourse) CAUSE:goal: goal relation (discourse) CAUSE:reas: reason relation (discourse) CONC: concession COND: condition CONJ: conjunction CONJ:seq: sequence CONS: consequence/result/conclusion relation (discourse) CONS:dir: direct, physical consequence, result CONS:prg: pragmatic/personal conclusion, deduction CONTR: contrast CONTR:dir: direct contrast CONTR:prg: pragmatic contrast DESCR: description/evaluation DESCR:eval: positive/negative evaluation DESCR:qual: neutral description DISJ: disjunction DISJ:dir: direct disjunction DISJ:prg: pragmatic disjunction ELAB: elaboration ELAB:exem: exemplification ELAB:exp: expansion ELAB:part: part of relation ELAB:rest: restatement JOINT: no clear relation TIME: temporal relation TIME:cont: contemporaneity TIME:prec: temporal precedence TIME:prec§: temporal precedence TIME:succ: temporal succession TIME:succ§: temporal succession

Figure 5.3: The relations matching DISCSEM.

DISCSEM Semantic discourse relation. The relation between governing and depending text isa ADJ DISC segments is defined semantically [205]

Subtypes: CAUSE CONC COND CONJ CONS CONTR DESCR DISJ ELAB JOINT TIME.

CAUSE Cause relation (discourse). S expresses cause in a broad sense

isa DISCSEM Subtypes: CAUSE:
expl CAUSE:
goal CAUSE:
reas.

[208]

CAUSE:expl Explanation relation (discourse). S expresses explanation; a more general and elabisa CAUSE orating explanation than "reason"

> Confusion₁₁: CAUSE:reas_{26%} CAUSE:expl_{18%} ELAB:exp_{18%} CONJ_{14%} CONSOL:motiv_{9%} vobj_{6%} conj_{5%} CONSOL:just5% .

> > [da] Nemlig; [it] Infatti

CAUSE:goal Goal relation (discourse). S expresses goal, purpose, aim

isa CAUSE

[210] [da] For (at)

CAUSE:reas Reason relation (discourse). S expresses a specific and concrete reason

 ${
m isa~CAUSE~~Confusion_8:~CAUSE:}$ expl $_{35\%}$ vobj $_{21\%}$ DESCR:eval $_{13\%}$ CONS:dir $_{13\%}$ conj $_{6\%}$ ELAB:exp $_{6\%}$ CONSOL:just $_{6\%}$

[211]

[da] Fordi, Eftersom

CONC Concession. S admits or acknowledges a fact wrt N, which may however not have

isa DISCSEM the expected consequence or effect

[227]Related types: conc.

Confusion₂: $CONJ_{25\%}$ ELAB: $exp_{25\%}$ $CONC_{25\%}$ $CONTR:dir_{25\%}$.

[da] Dog, Skønt

COND Condition.

isa DISCSEM Related types: cond.

[228]

[da] På betingelse af, Hvis

CONJ Conjunction. Dependent text segment adds a new subject somehow related to gov-

isa DISCSEM erning text segment; may be difficult to distinguish from ELAB:exp

[229]Subtypes: CONJ:seq.

Related types: conj.

Confusion₄₁: CONJ_{39%} ELAB:exp_{30%} CONTR:prg_{5%} CAUSE:expl_{4%} JOINT_{4%} CONS:dir_{4%} conj_{3%}

 $\mathsf{rel}_{2\%} \; \mathsf{cont}_{2\%} \; \mathsf{qobj}_{2\%} \; \mathsf{DESCR:eval}_{1\%} \; \mathsf{CONS:prg}_{1\%} \; \mathsf{ELAB:exem}_{1\%} \; \mathsf{CONC}_{1\%} \; .$

CONJ:seq Sequence. Dependent text segment is part of list or sequence linked to governing isa CONJ

text segment as e.g. in recipes, sport results etc. [230]

CONS Consequence/result/conclusion relation (discourse). S expresses consequence, result

isa DISCSEM or conclusion wrt N

[212]Subtypes: CONS:dir CONS:prg.

CONS:dir Direct, physical consequence, result. Physical, objectivally observed consequence or

isa CONS result

[213] $\operatorname{Confusion}_5$: $\operatorname{CONJ}_{30\%}$ $\operatorname{CONS:dir}_{25\%}$ $\operatorname{CAUSE:reas}_{20\%}$ $\operatorname{vobj}_{15\%}$ $\operatorname{CONS:prg}_{10\%}$.

[da] Derfor, Af den grund

CONS:prg Pragmatic/personal conclusion, deduction. Personal, subjective conclusion or deisa CONS duction

 $[214] \quad \mathrm{Confusion_4} \colon \, \mathsf{CONS:} \mathsf{prg}_{75\%} \, \, \mathsf{CONJ}_{13\%} \, \, \mathsf{CONS:} \mathsf{dir}_{13\%} \, \, .$

[da] Derfor, Af den grund

CONTR Contrast.

isa DISCSEM Subtypes: CONTR:dir CONTR:prg.

[231] $Confusion_1$: $CONTR:prg_{33\%}$ $conj_{33\%}$ $CONTR:dir_{33\%}$.

CONTR:dir *Direct contrast.* The contrast lies between the governing and dependent text segment isa CONTR

 $[232] \quad \mathrm{Confusion}_5 \colon \mathsf{CONTR} : \mathsf{prg}_{30\%} \ \mathsf{expl}_{20\%} \ \mathsf{CONC}_{20\%} \ \mathsf{conj}_{13\%} \ \mathsf{CONTR} : \mathsf{dir}_{10\%} \ \mathsf{CONTR}_{7\%} \ .$

[da] Men, Derimod

CONTR:prg *Pragmatic contrast.* The contrast lies between the dependent and an inferred text

isa CONTR segment

 $[233] \quad \mathrm{Confusion}_{11} \colon \mathsf{conj}_{30\%} \ \mathsf{CONTR} \colon \mathsf{prg}_{24\%} \ \mathsf{CONJ}_{18\%} \ \mathsf{CONTR} \colon \mathsf{dir}_{15\%} \ \mathsf{coord}_{9\%} \ \mathsf{CONTR}_{3\%} \ .$

[da] Men

DESCR Description/evaluation. S expresses description or evaluation of N

isa DISCSEM Subtypes: DESCR:eval DESCR:qual. [215]

DESCR:eval Positive/negative evaluation. S expresses a personal and/or subjective positive or

isa DESCR negative description of N

[216]Confusion₂: $CONJ_{50\%}$ CAUSE:reas_{50%} .

DESCR:qual Neutral description. S expresses an objective and/or neutral description of N

isa DESCR $Confusion_1$: ELAB: $exp_{100\%}$.

[217]

[da] Sådan

DISJ Disjunction.

isa DISCSEM Subtypes: DISJ:dir DISJ:prg.

[234]

[da] Eller

DISJ:dir *Direct disjunction*. The disjunction lies between the governing and dependent text isa DISJ segment [235]**DISJ:prg** Pragmatic disjunction. The disjunction lies between the dependent and an inferred isa DISJ text segment [236]**ELAB** Elaboration. S adds more information or detail on N isa DISCSEM Subtypes: ELAB:exem ELAB:exp ELAB:part ELAB:rest. [218]**ELAB:exem** Exemplification. S gives examples of elements or phenomena mentioned in N isa ELAB $_{\rm Confusion_1:~CONJ_{50\%}~ELAB:exp_{50\%}}$. [219] [en] For example **ELAB:exp** Expansion (deprecated ELAB:spec). S develops and expans knowledge of N: may be isa ELAB difficult to distinguish from CONJ $[220] \quad \mathrm{Confusion}_{32} \colon \ \mathsf{ELAB} : \mathsf{exp}_{39\%} \quad \mathsf{CONJ}_{37\%} \quad \mathsf{CAUSE} : \mathsf{expl}_{6\%} \quad \mathsf{DESCR} : \mathsf{qual}_{3\%} \quad \mathsf{CONSOL} : \mathsf{just}_{3\%} \quad \mathsf{ELAB} : \mathsf{rest}_{3\%} : \mathsf{CONSOL} : \mathsf{just}_{3\%} \quad \mathsf{ELAB} : \mathsf{rest}_{3\%} : \mathsf{CONSOL} : \mathsf{just}_{3\%} : \mathsf{CONSOL$ $\mathsf{qobj}_{2\%} \ \mathsf{xpl}_{2\%} \ \mathsf{CAUSE}:\mathsf{reas}_{2\%} \ \mathsf{ELAB}:\mathsf{exem}_{2\%} \ \mathsf{CONC}_{2\%} \ .$ [it] Cioè **ELAB:part** Part of relation. S is a concrete part of N isa ELAB [221] [da] Herunder, Heri **ELAB:rest** Restatement. S states N again in a different way isa ELAB Confusion₄: $\mathsf{ELAB}:\mathsf{rest}_{50\%}$ $\mathsf{ELAB}:\mathsf{exp}_{33\%}$ $\mathsf{xpl}_{17\%}$. [222][da] Dvs.; [it] Ossia, In altre parole, Cioè; [en] In other words, Or **JOINT** No clear relation. The dependent text segment adds a completely new content is a DISCSEM without any clear discourse relation to the governing segment [237]Confusion₄: $CONJ_{50\%}$ $JOINT_{50\%}$. TIME Temporal relation (deprecated CIRCUM). There is a clear temporal relation between N isa DISCSEM [223]Subtypes: TIME:cont TIME:prec TIME:prec§ TIME:succ TIME:succ§. Contemporaneity. S is contemporary with N (now includes abolished TIME:dur) TIME:cont isa TIME [224][da] Samtidig, Mens, Så længe, Da **TIME:prec** Temporal precedence. S precedes N isa TIME [225][en] Earlier, Some days before

 ${\bf TIME:prec\$} \ \ \textit{Temporal precedence}. \ \text{Prefix conveys precedence}.$

isa TIME

[265]

(temporal precedence: prehistorical = historical -pre/TIME:prec)

TIME:succ Temporal succession. S succeeds N

isa TIME

[226]

[en] Later, Some time afterwards

TIME:succ§ Temporal succession. Prefix conveys succession.

isa TIME

[266]

(temporal succession: postmodernism = modernism -post/TIME:succ)

Chapter 6

Anaphor relations: ANAPHORA

ANA: anaphoric level anaphor:

Figure 6.1: The relations matching ANAPHORA-coref-assoc.

ANA Anaphoric level (long: ANAPHORA). An anaphoric relation. Ie, a relation between an isa DIM:LEVEL anaphor (pronoun, definite description, etc.) and an antecedent which either is a coreferent, or which provides access to a coreferent via its qualia structure. The relation goes from antecedent to anaphor.

Subtypes: anaphor.

anaphor .

isa ANA Subtypes: assoc coref. [186]

6.1 Coreference relations: coref

coref: coreference coref-id: lexical identity coreference coref-part: partial coreference coref-prg: pragmatic coreference coref-res: resumptive anaphor coref-var: lexical variation coreference ref: syntactically determined coreference

Figure 6.2: The relations matching coref.

coref Coreference. Anaphor denotes same entity as antecedent

isa anaphor Subtypes: coref-id coref-part coref-prg coref-res coref-var ref. [187]

coref-id Lexical identity coreference. A car -> the car // a yellow car -> the yellow car isa coref

[189]

```
coref-part Partial coreference. Coreferential with a part of the antecedent isa coref coref-prg Pragmatic coreference. Takes up a statement and evaluates it with respect to speech act; I will be there tomorrow -> the threat / promise / warning / statement [191]

coref-res Resumptive anaphor.
isa coref coref[v2] Lexical variation coreference. A car -> the vehicle // a yellow car -> the car isa coref [190] Syntactically determined coreference. Syntactically determined coreference (eg, relisa coref ative pronouns, external topics)
```

antecedent->anaphor

6.2 Associative anaphor relations: assoc

```
assoc: associative anaphor
"assoc-"QUALIA: associative anaphor wrt. qualia
assoc-agentive: associative anaphor (agentive)
assoc-const: associative anaphor (constitutive)
assoc-formal: associative anaphor (formal)
assoc-telic: associative anaphor (telic)
```

Figure 6.3: The relations matching assoc.

```
assoc Associative anaphor. Anaphor denotes entity which is associated with antecedent
        isa anaphor
                     Subtypes: "assoc-"QUALIA assoc-agentive assoc-const assoc-formal assoc-telic.
               [194]
"assoc-"QUALIA
                     Associative anaphor wrt. qualia. Anaphor denotes entity which is associated with
    isa RULE assoc
                     antecedent
               [195]
  assoc-agentive
                    Associative anaphor (agentive) (deprecated assoc-agent?).
           isa assoc
      assoc-const
                     Associative anaphor (constitutive) (deprecated assoc-loc?).
           isa assoc
     assoc-formal
                     Associative anaphor (formal) (deprecated assoc-form?).
           isa assoc
       assoc-tell
                     Associative anaphor (telic) (deprecated assoc-scope?).
           isa assoc
```

[199]

Chapter 7

Semantic relations: SEMANTICS

SEM: semantic level

Figure 7.1: The relations matching SEMANTICS-QUALIA-SEMROLE.

 ${f SEM}$ Semantic level (long: SEMANTICS). A relation at the semantic level. Ie, a relation is DIM:LEVEL between functors, arguments, and modifiers.

[18] Subtypes: QUALIA SEMROLE.

7.1 Qualia relations: QUALIA

QUALIA: qualia roles

const: constitutive qualia formal: formal qualia agentive: agentive qualia location: location qualia

resem: resemblance wrt. qualia role

 $""{\rm QUALIA}:$ resemblance wrt. \$qualia relation

telic: telic qualia about: about qualia

Figure 7.2: The relations matching QUALIA.

QUALIA Qualia roles.

is a $\operatorname{SEM}\$ Subtypes: const formal resem telic.

[32]

const Constitutive qualia. Relates to material or part-whole qualia

isa QUALIA

[39]

N->P.material/part

formal Formal qualia. Relates to hyperonym (super type) wrt. form, dimension, quality, isa QUALIA shape, size.

[36] Subtypes: agentive location.

agentive Agentive qualia. Relates to agentive qualia

isa formal [37]

N->P.agent

location Location qualia.

isa formal

resemblance wrt. qualia role. Resemblance wrt. some qualia role isa QUALIA $_{\mbox{Subtypes:}}$ "*QUALIA.

[42]

N->P.resem

""QUALIA Resemblance wrt. \$qualia relation.

isa RULE resem

tellic Telic qualia. Relates to purpose qualia

isa QUALIA

Subtypes: about.

about About qualia. Relates to hyponym (subtype)

isa telic [41]

[40]

7.2 Thematic role relations: SEMROLE

SEMROLE . All the relations of the semantic roles run under the text line. The syntactic isa SEM relation that runs over the text line is determinated by the word class of the lemma [46] in question.

> Subtypes: {about} {agent} {arg} {class} {const} {elab} {eval} {experient} {form} {func} {iden} {location} {origin} {patient} {poss} {pos} {quant} {recipient} {resem} {time}.

{about} isa SEMROLE

[57]

[64]



{agent} An object or a person that performs an action. Often generated by subject relation isa SEMROLE

police violence

```
SEMROLE:
    {about}:
    {agent}: An object or a person that performs an action
    {apart}:
    \{arg\}:
    {class}:
    \{const\}:
    \{elab\}:
    {eval}:
    {experient}: The receiver of an emotion or a physical impact
    {func}:
    {iden}:
    {location}: The location where something is situated or happens
    {origin}:
    {patient}: An object or a person that is the subject of the action or the
one who is located somewhere
    \{poss\}:
    \{pos\}:
    {quant}:
    {recipient}: The receiver of something
    \{resem\}:
    \{time\}:
```

Figure 7.3: The relations matching SEMROLE.

{apart} (long: arbitrarypart). Please note that the semantic relation goes from the satellite to isa SEMROLE the nucleus in opposition to the main part of the other semantic roles.

[58]


nobj pobj nobj

1 dl of milk
{apart}


apart}

nobj pobj nobj
il nord di Selandia
the north of Zealand
{apart}


Northern Zealand




Denmark's attitude



 $\{class\}$. Please note that the semantic relation goes from the satellite to the nucleus in isa SEMROLE opposition to the main part of the other semantic roles.









{experient} The receiver of an emotion or a physical impact. Often generated by direct object is a SEMROLE
[66]





{patient} An object or a person that is the subject of the action or the one who is located is SEMROLE somewhere. Often generated by direct object

bread producer





 $\begin{cases} \mathbf{poss} \\ \text{isa SEMROLE} \\ [52] \end{cases}$




 $\begin{array}{c} \left\{ \mathbf{pos} \right\} & (\mathrm{long:\ position}). \\ \mathrm{isa\ SEMROLE} \\ [53] \end{array}$








{recipient} The receiver of something. Often generated by indirect object is a SEMROLE
[67]









Chapter 8

Word alignment relations: ALIGN

ALIGN: alignment level

Figure 8.1: The relations matching ALIGN.

ALIGN Alignment level (long: ALIGNMENT). A relation at the word alignment level. Ie, an isa DIM:LEVEL alignment relation that expresses a translational equivalence between two sets of [19] words (and their associated phrases), either in terms of form or meaning. Null alignments - ie, a set of words in one text which does not correspond to any set of words in the other text - are encoded as a set of words that is aligned to itself.

Chapter 9

Rule schemata for complex relations: RULE

```
RULE: relation rule
   "("ANY")": disambiguation
   "*"DISC: down-head in attribution
   "<"PRIM...":"INTEGER">": gapping dependent
   "@"adverb: valency-bound adverbial
   "["PRIM"]": pattern for secondary syntactic dependency relation formed
from primary syntactic dependency relation
   "assoc-"QUALIA: associative anaphor wrt. qualia
   "{"SEM"}": pattern for secondary semantic dependency realtion formed
from primary semantic dependency relation
   ""QUALIA: resemblance wrt. $qualia relation
   "¤"PRIM: discourse specification
   "$"PRIM: morphology specification
   ANY"&"ANY: both-and relation
   ANY"|"ANY: either-or relation
   DISC"*": down-dependent in attribution
   PRIM"#": pattern for idiomatic primary dependency
   PRIM"/"CONNECTOR: explicit connector
   PRIM"/("CONNECTOR")": implicit connector
   PRIM"/ATTR"INTEGER: attribution
   PRIM"{"THEM"}": pattern for primary dependency relation with the-
matic role
```

Figure 9.1: The relations matching RULE.

```
RULE Relation rule. Rule for specifying complex relations.

isa ANY
[8] Subtypes: "("ANY")" "*"DISC "<"PRIM...":"INTEGER">" "@"adverb "["PRIM"]" "assoc-"QUALIA

"{"SEM"}" "*"QUALIA "¤"PRIM "$"PRIM ANY"&"ANY ANY"|"ANY DISC"*" PRIM"#" PRIM"/"CONNECTOR

PRIM"/("CONNECTOR")" PRIM"/ATTR"INTEGER PRIM"{"THEM"}".
```


```
"("ANY")" Disambiguation.
isa RULE

"*"Disc) Down-head in attribution. The head in the relation is one step further down in the attribution chain
[368]
```

PRIM...":"INTEGER print dependent. First conjunct->gapping dependent


isa GAP RULE

[356]




"@"adverb Valency-bound adverbial. A complement relation which can be interpreted as an isa COMP RULE obligatory, valency-bound adverbial relation.

[370] Related types: cont dir dur ext hab loc prec succ time.



"["PRIM"]" Pattern for secondary syntactic dependency relation formed from primary syntactic is RULE SEC dependency relation. Governor->secondary syntactic dependent; \$PRIM must be [354] non-secondary

Related types: "{"\$PRIM"}".




"assoc-"QUALIA Associative anaphor wrt. qualia. Anaphor denotes entity which is associated with isa RULE assoc antecedent

"{"SEM"}" Pattern for secondary semantic dependency realtion formed from primary semantic is RULE SEC dependency relation. Governor->secondary semantic dependent; \$PRIM must be [355] non-secondary

Related types: "["\$PRIM"]".

[195]



his car



""QUALIA Resemblance wrt. \$qualia relation.

isa RULE resem

" \square "PRIM Discourse specification. A primary syntactic relation that has been used as a disisa DISC RULE course relation for stilistic purposes.

[358]

"§"PRIM Morphology specification.

isa MORPH RULE

ANY"&"ABSY Both-and relation. Both relations hold

isa RULE


ANY" | "A FOY Either-or relation. One of the relations holds

isa RULE

[352]

DISC[364] Down-dependent in attribution. The dependent in the relation is one step further is a RULE down in the attribution chain

[369] **PRIM"#"** Pattern for idiomatic primary dependency. Head->dependent within idiom is a IDIOM RULE




[M"/"CONNECTOR plicit connector. The discourse relation has explicit connector \$CONNECTOR is a RULE

IM"/("CONNECTOR is a RULE

IM"/ATTR"INGEGERbution. Specifies the person to whom the utterance is attributed (ATTR or isa RULE ATTR1, ATTR2, ... when there is more than one person)
[357]

RIM"{"THEM"}" Pattern for primary dependency relation with thematic role. \$PRIM must be non-isa RULE thematic; the thematic roles can be agent, patient, recipient, experient, location.

[353]



Chapter 10

Relations misplaced outside the ANY hierarchy

MISPLACED: misplaced relation

Figure 10.1: The relations matching -ANY.

MISPLACED Misplaced relation. A relation is misplaced if it fails to have ANY as a transitive [9] super type. This should never happen, and the problem must be corrected if a misplaced relation shows up here.

Appendix A

Overview tables

The tables in this section lists all the relations in the Copenhagen Dependency Treebanks, repeated from the preceding sections.

ANY: directed relation
DIM: dimension

DIM:LEVEL: dimension: linguistic level DIM:TYPE: dimension: relation type

+: segment concatenation IDIOM: idiomatic relation

PRIM: primary dependency relation

ADJ: adjunct relation COMP: complement relation SEC: secondary dependency relation

The relations matching ANY-SYNTAX-MORPHOLOGY-DISCOURSE-ANAPHORA-SEMANTICS-ALIGNMENT-RULE.

SYN: syntax level

The relations matching SYNTAX-SYNCOMP-SYNADJ.

```
SYNCOMP: syntactic complement
    @space: valency-bound location/direction adverbial
    @time: valency-bound time adverbial
   aobj: adjectival object
   avobj: adverbial object
   dobj: direct object
    fobj: filler object
    gobj: genitive object
   iobj: indirect object
   nobj: nominal object
    numa: additive numeral complement
   numm: multiplicative numeral complement
   part: verbal particle
    pobj: prepositional object
    possd: possessed complement
   possr: possessor complement
   pred: predicative
       predo: object predicative
       preds: subject predicative
    qobj: quotational object
   robj: reflexive object
   subj: subject
       expl: expletive subject
   vobj: verbal object
```

The relations matching SYNCOMP.

```
ADVERB: adverbial
   agent: agent adverbial
   ben: benefactive adverbial
   cause: causation adverbial
       goal: goal adverbial
       reas: reason adverbial
   comp: comparison adverbial
   conc: concession adverbial
   concom:
   cond: condition adverbial
   cons: consequence adverbial
   degr: degree adverbial
   exem: example adverbial
   man: manner adverbial
       accom: companionship adverbial
       inst: instrument adverbial
   neg: negation adverbial
   other: other adverbial
   prg: pragmatic adverbial
       att: attitude adverbial
       discmark: sentence-initial discourse marker
       epi: epistemic adverbial
       eval: evaluation adverbial
       focal: focalizer adverbial
       pcond: pragmatic condition adverbial
   source: source attribution adverbial
   space: space adverbial
       dir: direction adverbial
       loc: location adverbial
   struct: text-structuring or connective adverbial
       add: additive adverbial
       bg: background adverbial
       contr: contrast adverbial
       elab: elaboration advebial
   time: time adverbial
       cont: contemporaneity adverbial
       dur: duration adverbial
       ext: extent/frequency adverbial
       hab: habituality adverb
       prec: precedence adverbial
       succ: succession adverbial
```

The relations matching ADVERB.

```
SYNADJ: syntactic adjunct
   GAP: gapping dependent
       "<"PRIM...": "INTEGER">": gapping dependent
   app: apposition
       appa: parenthetic apposition (comma)
          xpl: explication
       appr: restrictive apposition (no comma)
   attr: attributive
   attrg: genitive attributive
   conj: conjunct relation
   coord: coordinator relation
   correl: correlative coordinator relation
   fpred: free predicative
       fpredo: free direct-object predicative
       fpreds: free subject predicative
   mod: modifier/adverbial
       modp: parenthetic modifier
   name: part of name
       namef: first name
       namel: last name
       title: person title
   pnct: punctuation
   rel: relative clause
       relelab: elaborating relative clause
       relpa: parenthetic relative clause
       relr: restrictive relative clause
   voc: vocative
   xtop: external topic with resuming pronoun
```

The relations matching SYNADJ-ADVERB.

MORPH: morphology level

"§"PRIM: morphology specification

The relations matching MORPHOLOGY-MORPHCOMP-MORPHDERIV.

MORPHCOMP: compositional semantic relations
ABOUT: noun-noun compound (about)
AGENT: noun-noun compound (agentive)
CONST: noun-noun compound (constitutive)
EVAL: noun-noun compound (evaluative)
FUNC: noun-noun compound (function)
ORIGIN: noun-noun compound (origin)
OTHER: noun-noun compound (other)
POS: noun-noun compound (position)
POSS: noun-noun compound (possession)
RESEM: noun-noun compound (resemblance)
TIME:MC: noun-noun compound (time)

The relations matching MORPHCOMP.

MORPHDERIV: derivational semantic relations

The relations matching MORPHDERIV-PREFIX-SUFFIX.

PREFIX: semantic relations appearing with prefixes

ASPEC: aspectual dimension ASPEC:cause: causation ASPEC:iter: iteration ASPEC:reflex: reflexivity ASPEC:resul: result ASPEC:rev: reversion ASPEC:term: termination

GRAD: graduation GRAD:qual: quality GRAD:size: size LOC: location

LOC:dir: direction LOC:pos: position LOC:proce: origin MOD: modification

> MOD:cuant: quantification MOD:man: manner MOD:qual: qualification

NEG: negation

NEG:oppo: opposition NEG:priv: privation

PRE:other: other prefix relation

TIME§: time

TRANS: transitivity

The relations matching PREFIX.

```
SUFFIX: semantic relations appearing with suffixes
   AUG: augmentation
   DENOM: noun-adjective derivation
      DENOM:disp: noun-adjective derivation (disposition)
      DENOM:eff: noun-adjective derivation (effect)
      DENOM:other: noun-adjective derivation (other)
      DENOM:poss: noun-adjective derivation (possession)
      DENOM:rel: noun-adjective derivation (relational)
         DENOM:rel.deono: noun-adjective derivation (naming)
             DENOM:rel.deono.pers:
                                      noun-adjective derivation (naming
persons)
             DENOM:rel.deono.place:
                                       noun-adjective derivation (naming
places)
         DENOM:rel.norm: noun-adjective derivation (normal)
      DENOM:resem: noun-adjective derivation (resemblance)
   DENUM: adjective-numeral derivation
      DENUM:mult: adjective-multiplicative derivation
      DENUM:ord: adjective-ordinal derivation
      DENUM:part: adjective-partitive derivation
   DER: verb derivation
      DER:av: adjective-verb derivation
      DER:nv: noun-verb derivation
      DER:vv: verb-verb derivation
   DEV:
      DEVA: verb-adjective derivation
         DEVA:act: verb-adjective derivation (active)
             DEVA:act.disp: verb-adjective derivation (pure)
             DEVA:act.poten: verb-adjective derivation (disposition)
            DEVA:pas: verb-adjective derivation (potentiality)
                DEVA:pas.deon: verb-adjective derivation (passive potential-
ity)
                DEVA:pas.poten: verb-adjective derivation (passive partici-
ples)
         DEVA:pas.part: verb-adjective derivation (passive)
   DEVN: verb-noun derivation
      DEVN:agent: verb-noun derivation (agent)
      DEVN:core: verb-noun derivation (core)
      DEVN:exper: verb-noun derivation (experiencer)
      DEVN:inst: verb-noun derivation (instrument)
      DEVN:loc: verb-noun derivation (location)
      DEVN:other: verb-noun derivation (other)
      DEVN:recip: verb-noun derivation (recipient)
      DEVN:result: verb-noun derivation (patient)
   DIMIN: diminution
   NOPRED: noun-noun derivation
      NOPRED:agent: noun-noun derivation (agent)
      NOPRED:capac: noun-noun derivation (capacity)
      NOPRED:cont: noun-noun derivation (container)
      NOPRED:loc: noun-noun derivation (location)
      NOPRED: other: noun-noun derivation (other)
      NOPRED:result: noun-noun derivation (result)
      NOPRED:script: noun-noun derivation (script)
      NOPRED:set: noun-noun derivation (set)
      NOPRED:temp: noun-noun derivation (temporal)
   PEJ: pejoration
   QUAL: adjective derivation
```

DISC: discourse level

" $\protect\ensuremath{\mathsf{PRIM}}$: discourse specification

The relations matching DISCOURSE-DISCFUNC-DISCSEM.

DISCFUNC: functional discourse relation

ANSW: answer

CONSOL: consolidation

CONSOL:enabl: enablement CONSOL:just: justification CONSOL:motiv: motivation

DIREC: directive act EXPR: expressive act

INTACT: interactional signals INTACT:attn: attention INTACT:inter: interruption

PREP: preparation QUEST: question REP: repaired

The relations matching DISCFUNC.

DISCSEM: semantic discourse relation
CAUSE: cause relation (discourse)
CAUSE:expl: explanation relation (discourse)
CAUSE:goal: goal relation (discourse)
CAUSE:reas: reason relation (discourse)

CONC: concession COND: condition CONJ: conjunction CONJ:seq: sequence

CONS: consequence/result/conclusion relation (discourse)

CONS:dir: direct, physical consequence, result

CONS:prg: pragmatic/personal conclusion, deduction

CONTR: contrast

CONTR:dir: direct contrast CONTR:prg: pragmatic contrast DESCR: description/evaluation

DESCR:eval: positive/negative evaluation

DESCR:qual: neutral description

DISJ: disjunction

DISJ:dir: direct disjunction DISJ:prg: pragmatic disjunction

ELAB: elaboration

ELAB:exem: exemplification ELAB:exp: expansion ELAB:part: part of relation ELAB:rest: restatement JOINT: no clear relation TIME: temporal relation

TIME:cont: contemporaneity
TIME:prec: temporal precedence
TIME:prec§: temporal precedence
TIME:succ: temporal succession
TIME:succ§: temporal succession

The relations matching DISCSEM.

ANA: anaphoric level anaphor:

The relations matching ANAPHORA-coref-assoc.

coref: coreference

coref-id: lexical identity coreference coref-part: partial coreference coref-prg: pragmatic coreference coref-res: resumptive anaphor

coref-var: lexical variation coreference ref: syntactically determined coreference

The relations matching coref.

assoc: associative anaphor

"assoc-"QUALIA: associative anaphor wrt. qualia assoc-agentive: associative anaphor (agentive) assoc-const: associative anaphor (constitutive) assoc-formal: associative anaphor (formal) assoc-telic: associative anaphor (telic)

The relations matching assoc.

SEM: semantic level

The relations matching SEMANTICS-QUALIA-SEMROLE.

QUALIA: qualia roles

const: constitutive qualia formal: formal qualia agentive: agentive qualia location: location qualia

resem: resemblance wrt. qualia role

"*QUALIA: resemblance wrt. \$qualia relation

telic: telic qualia about: about qualia

The relations matching QUALIA.

```
SEMROLE:
    {about}:
    {agent}: An object or a person that performs an action
    {apart}:
    \{arg\}:
    \{class\}:
    \{const\}:
    {elab}:
    \{eval\}:
    {experient}: The receiver of an emotion or a physical impact
    {form}:
    {func}:
    {iden}:
    {location}: The location where something is situated or happens
    {origin}:
    {patient}: An object or a person that is the subject of the action or the
one who is located somewhere
    \{poss\}:
    \{pos\}:
    {quant}:
    {recipient}: The receiver of something
    \{resem\}:
    \{time\}:
```

The relations matching SEMROLE.

ALIGN: alignment level

The relations matching ALIGN.

RULE: relation rule "("ANY")": disambiguation "*"DISC: down-head in attribution "<"PRIM...":"INTEGER">": gapping dependent "@"adverb: valency-bound adverbial "["PRIM"]": pattern for secondary syntactic dependency relation formed from primary syntactic dependency relation "assoc-"QUALIA: associative anaphor wrt. qualia from primary semantic dependency relation "¤"PRIM: discourse specification

"{"SEM"}": pattern for secondary semantic dependency realtion formed

"*QUALIA: resemblance wrt. \$qualia relation

"§"PRIM: morphology specification ANY"&"ANY: both-and relation ANY" | "ANY: either-or relation

DISC"*": down-dependent in attribution

PRIM"#": pattern for idiomatic primary dependency

PRIM"/"CONNECTOR: explicit connector PRIM"/("CONNECTOR")": implicit connector

PRIM"/ATTR"INTEGER: attribution

PRIM"{"THEM"}": pattern for primary dependency relation with thematic role

The relations matching RULE.

MISPLACED: misplaced relation

The relations matching -ANY.

Appendix B

Index

[\$PRIM] hyperpage,	constituent, 51	GAPPING, 20
11, 57	cont, 42	identity, 52
{\$PRIM} hyperpage,	CONTR, 43	identity, 52
9,57	CONTR:dir, 42, 43	JOINT, 42, 44
ADJUNCT, 4	CONTR:prg, 42, 43	JUST, 40
,	coord, 43	3051, 40
ALIGNMENT, 55	DESCR:eval, 42	MORPHOLOGY, 27
ANAPHORA, 46	DESCR:qual, 44	1110101 1110120 01, 21
ANSW, 40	DEVERB, 34	other, 11
arbitrarypart, 50	DEVERB:act.disp, 34	,
argument, 50	DEVERB:act.poten,	position, 53
assoc-agent?, 47	34	poss, 9
assoc-form?, 47	DEVERB:act.pure, 34	possession, 53
assoc-loc?, 47	DEVERB:pas, 35	PRED, 35
assoc-scope?, 47	DEVERB:pas.deon, 35	PREP, 41
attrdattrr, 22	DEVERB:pas.qcon, 35	prgcond, 16
	DEVERB:pas.poten,	PRIMARY, 4
CAUSE:expl, 40, 42,	35	1 1011/111101 , 1
44	DEVERBA, 34	qobj, 42, 44
CAUSE:reas, 40, 42	DEVERBN, 35	quantity, 53
44	DIMENSION, 3	1 0/
CIRCUM, 44	DISCOURSE, 39	rel, 42
comp, 15	DISCOURSE, 39	relation, 2
compare, 13	ELAB:exem, 42, 44	resemblance, 53
COMPLEMENT, 4	ELAB:exp, 40, 4244	
CONC, 4244	ELAB:rest, 44	SECONDARY, 4
CONCATENATION,	ELAB:spec, 44	SEMANTICS, 48
3	elaboration, 51	super, 2
CONJ, 4244	evaluation, 51	SUPPORT?, 40
conj, 42, 43	ex, 14	SYNTAX, 5
CONS:dir, 42, 43	expl, 43	
CONS:prg, 42, 43	- /	vobj, 42
CONSOL:just, 42, 44	freq, 19	
CONSOL:motiv, 42	function, 52	xpl, 44