
Book 12 Proposition 10

Every cone is the third part of the cylinder which has the same base as it, and an equal height.

For let there be a cone (with) the same base as a cylinder, (namely) the circle ABCD, and an equal height. I say that the cone is the third part of the cylinder—that is to say, that the cylinder is three times the cone.



For if the cylinder is not three times the cone then the cylinder will be either more than three times, or less than three times, (the cone). Let it, first of all, be more than three times (the cone). And let the square ABCD have been inscribed in circle ABCD [Prop. 4.6]. So, square ABCD is more than half of circle ABCD [Prop. 12.2]. And let a prism of equal height to the cylinder have been set up on square ABCD. So, the prism set up is more than half of the cylinder, inasmuch as if we also circumscribe a square around circle ABCD [Prop. 4.7] then the square inscribed in circle ABCD is half of the cir-

cumscribed (square). And the solids set up on them are parallelepiped prisms of equal height. And parallelepiped solids having the same height are to one another as their bases [Prop. 11.32]. And, thus, the prism set up on square ABCD is half of the prism set up on the square circumscribed about circle ABCD. And the cylinder is less than the prism set up on the square circumscribed about circle ABCD. Thus, the prism set up on square ABCD of the same height as the cylinder is more than half of the cylinder. Let the circumferences AB, BC, CD, and DA have been cut in half at points E, F, G, and H. And let AE, EB, BF, FC,CG, GD, DH, and HA have been joined. And thus each of the triangles AEB, BFC, CGD, and DHA is more than half of the segment of circle ABCD about it, as was shown previously [Prop. 12.2]. Let prisms of equal height to the cylinder have been set up on each of the triangles AEB, BFC, CGD, and DHA. And each of the prisms set up is greater than the half part of the segment of the cylinder about it—inasmuch as if we draw (straight-lines) parallel to AB, BC, CD, and DA through points E, F, G, and H (respectively), and complete the parallelograms on AB, BC, CD, and DA, and set up parallelepiped solids of equal height to the cylinder on them, then the prisms on triangles AEB, BFC, CGD, and DHA are each half of the set up (parallelepipeds). And the segments of the cylinder are less than the set up parallelepiped solids. Hence, the prisms on triangles AEB, BFC, CGD, and DHA are also greater than half of the segments of the cylinder

about them. So (if) the remaining circumferences are cut in half, and straight-lines are joined, and prisms of equal height to the cylinder are set up on each of the triangles, and this is done continually, then we will (eventually) leave some segments of the cylinder whose (sum) is less than the excess by which the cylinder exceeds three times the cone [Prop. 10.1]. Let them have been left, and let them be AE, EB, BF, FC, CG, GD, DH, and HA. Thus, the remaining prism whose base (is) polygon AEBFCGDH, and height the same as the cylinder, is greater than three times the cone. But, the prism whose base is polygon AEBFCGDH, and height the same as the cylinder, is three times the pyramid whose base is polygon AEBFCGDH, and apex the same as the cone [Prop. 12.7 corr.]. And thus the pyramid whose base [is] polygon AEBFCGDH, and apex the same as the cone, is greater than the cone having (as) base circle ABCD. But (it is) also less. For it is encompassed by it. The very thing (is) impossible. Thus, the cylinder is not more than three times the cone.

So, I say that neither (is) the cylinder less than three times the cone.

For, if possible, let the cylinder be less than three times the cone. Thus, inversely, the cone is greater than the third part of the cylinder. So, let the square ABCD have been inscribed in circle ABCD [Prop. 4.6]. Thus, square ABCD is greater than half of circle ABCD. And let a pyramid having the same apex as the cone have been set up on square ABCD. Thus, the pyramid set up is greater than the half part of the cone, inasmuch as we

showed previously that if we circumscribe a square about the circle [Prop. 4.7] then the square ABCD will be half of the square circum And if we set up on the squares parallelepiped solids which are also called prisms—of the same height as the cone, then the (prism) set up on square ABCD will be half of the (prism) set up on the square circumscribed about the circle. For they are to one another as their bases [Prop. 11.32]. Hence, (the same) also (goes for) the thirds. Thus, the pyramid whose base is square ABCD is half of the pyramid set up on the square circumscribed about the circle [Prop. 12.7 corr.]. And the pyramid set up on the square circumscribed about the circle is greater than the cone. For it encompasses it. Thus, the pyramid whose base is square ABCD, and apex the same as the cone, is greater than half of the cone. Let the circumferences AB, BC, CD, and DAhave been cut in half at points E, F, G, and H (respectively). And let AE, EB, BF, FC, CG, GD, DH, and HA have been joined. And, thus, each of the triangles AEB, BFC, CGD, and DHA is greater than the half part of the segment of circle ABCD about it [Prop. 12.2]. And let pyramids having the same apex as the cone have been set up on each of the triangles AEB, BFC, CGD, and DHA. And, thus, in the same way, each of the pyramids set up is more than the half part of the segment of the cone about it. So, (if) the remaining circumferences are cut in half, and straightlines are joined, and pyramids having the same apex as the cone are set up on each of the triangles, and this is done continually, then we will (eventually) leave some

segments of the cone whose (sum) is less than the excess

by which the cone exceeds the third part of the cylinder [Prop. 10.1]. Let them have been left, and let them be the (segments) on AE, EB, BF, FC, CG, GD, DH, and HA. Thus, the remaining pyramid whose base is polygon AEBFCGDH, and apex the same as the cone, is greater than the third part of the cylinder. But, the pyramid whose base is polygon AEBFCGDH, and apex the same as the cone, is the third part of the prism whose base is polygon AEBFCGDH, and height the same as the cylinder [Prop. 12.7 corr.]. Thus, the prism whose base is polygon AEBFCGDH, and height the same as the cylinder, is greater than the cylinder whose base is circle ABCD. But, (it is) also less. For it is encompassed by it. The very thing is impossible. Thus, the cylinder is not less than three times the cone. And it was shown that neither (is it) greater than three times (the cone). Thus, the cylinder (is) three times the cone. Hence, the cone is the third part of the cylinder.

Thus, every cone is the third part of the cylinder which has the same base as it, and an equal height. (Which is) the very thing it was required to show.