
Book 10 Proposition 111

An apotome is not the same as a binomial.



Let AB be an apotome. I say that AB is not the same as a binomial.

For, if possible, let it be (the same). And let a rational (straight-line) DC be laid down. And let the rectangle CE, equal to the (square) on AB, have been applied to CD, producing DE as breadth. Therefore, since AB is an apotome, DE is a first apotome [Prop. 10.97]. Let EF be an attachment to it. Thus, DF and FE are rational (straight-lines which are) commensurable in square only, and the square on DF is greater than (the square on) FE by the (square) on (some straight-line) commensurable (in length) with (DF), and DF is commensurable in length with the (previously) laid down rational (straight-line) DC [Def. 10.10]. Again, since AB is a binomial, DE is thus a first binomial [Prop. 10.60]. Let (DE) have been divided into its (component) terms at G, and let DG be the greater term. Thus, DG and GE

are rational (straight-lines which are) commensurable in square only, and the square on DG is greater than (the square on) GE by the (square) on (some straight-line) commensurable (in length) with (DG), and the greater (term) DG is commensurable in length with the (previously) laid down rational (straight-line) DC [Def. 10.5]. Thus, DF is also commensurable in length with \overline{DG} [Prop. 10.12]. The remainder GF is thus commensurable in length with DF [Prop. 10.15]. [Therefore, since DF is commensurable with GF, and DF is rational, GFis thus also rational. Therefore, since DF is commensurable in length with GF, DF (is) incommensurable in length with EF. Thus, FG is also incommensurable in length with EF [Prop. 10.13]. GF and FE [are] thus rational (straight-lines which are) commensurable in square only. Thus, EG is an apotome [Prop. 10.73]. But, (it is) also rational. The very thing is impossible.

Thus, an apotome is not the same as a binomial. (Which is) the very thing it was required to show.

Corollary

The apotome and the irrational (straight-lines) after it are neither the same as a medial (straight-line) nor (the same) as one another.

For the (square) on a medial (straight-line), applied to a rational (straight-line), produces as breadth a rational (straight-line which is) incommensurable in length with the (straight-line) to which (the area) is applied

[Prop. 10.22]. And the (square) on an apotome, applied to a rational (straight-line), applied to a rational (straight-line), produces as

breadth a second apotome [Prop. 10.98]. And the (square) on a second apotome of a medial (straight-line), applied to a rational (straight-line), produces as breadth a third apotome [Prop. 10.99]. And (square) on a minor (straight-line), applied to a rational (straight-line), produces as breadth a fourth apotome [Prop. 10.100]. And (square) on that (straight-line) which with a rational (area) produces a medial whole, applied to a rational (straight-line), produces as breadth a fifth apotome [Prop. 10.101]. And (square) on that (straightline) which with a medial (area) produces a medial whole, applied to a rational (straight-line), produces as breadth a sixth apotome [Prop. 10.102]. Therefore, since the aforementioned breadths differ from the first (breadth), and from one another—from the first, because it is rational, and from one another since they are not the same in order—clearly, the irrational (straight-lines) themselves also differ from one another. And since it has been shown that an apotome is not the same as a binomial [Prop. 10.111], and (that) the (irrational straight-lines) after the apotome, being applied to a rational (straightline), produce as breadth, each according to its own (order), apotomes, and (that) the (irrational straight-lines) after the binomial themselves also (produce as breadth), according (to their) order, binomials, the (irrational straightlines) after the apotome are thus different, and the (irrational straight-lines) after the binomial (are also) different, so that there are, in order, 13 irrational (straightlines) in all:

1. Medial,

2. Binomial, 3. First bimedial, 4. Second bimedial, 5. Major, 6. Square-root of a rational plus a medial (area) 7. Square-root of (the sum of) two medial (areas) 8. Apotome, 9. First apotome of a medial, 10. Second apotome of a medial, 11. Minor, 12. That which with a rational (area) produces a medial whole,

13. That which with a medial (area) produces a