


Spoken Digits 0 through 9 (in Arabic!)


- [UCI Machine Learning Repository: Spoken Arabic Digit Data Set](https://archive.ics.uci.edu/ml/datasets/Spoken+Arabic+Digit)
- (<https://archive.ics.uci.edu/ml/datasets/Spoken+Arabic+Digit>)
- Be sure to read the data set description – it explains how to parse the data!



Cepstrum Overview

▲ 1. A segment of voiced speech with a Hamming window during a voiced (vowel-like) time interval of 50 ms. Short-time analysis of speech involves the analysis of a succession of such segments taken sequentially in time. At this particular time in a vowel sound, the pitch period is approximately 12.5 ms.



▲ 2. Log magnitude (in blue, upper graph), lowpass filtered (linearly filtered) log magnitude (in red, upper graph), and cepstrum (in blue, bottom graph) of the segment of voiced speech illustrated in Figure 1. The rapidly varying curve in the upper graph is the log magnitude of the discrete-time Fourier transform of the segment of speech in Figure 1. The lower plot is the cepstrum, i.e., the inverse discrete Fourier transform of the log magnitude in the upper plot. Note the peaks at "harmonics" of $1/80 = 12.5$ ms, the fundamental quefrequency of the quasi-periodic ripples in the upper graph. As can be seen by comparing the speech segment in Figure 1 to this cepstrum, this fundamental quefrequency is also the period (pitch period) of the time waveform. The search for such peaks in the cepstrum was the basis for Noll's pitch detection algorithm.



Figures from: Alan V. Oppenheim and Ronald W. Schaffer, "From Frequency to Quefrequency: A History of the Cepstrum," *IEEE Signal Processing Magazine*, **21**(5), pp. 95-99;106 (September 2004).

For Fall 2023 class use only. Distribution outside of class not permitted.

Modeling



More Info...

- Modeling approaches will be related back to the project as we talk about them in class
- For now, make sure you download the data and can parse and plot the data
 - Time series (MFCC as a function of analysis window index)
 - Scatter plots (pairwise combinations of MFCCs)
- HW #6 (due Th 10/26) will include this data plotting checkpoint
- More complete project guidance will be provided next week