1. (35 points) An open-loop transfer function is given by,

$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.16666s + 7.16666}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?

A. $F(s) = 1.16666 + \frac{2.83333}{s}$

B. $F(s) = -2.83333 + \frac{0.66666}{s}$

C. $F(s) = -9.33334 + \frac{1.33333}{s}$

D. $F(s) = 1.5 + \frac{1.33333}{s}$

E. $F(s) = -9.0 + \frac{2.83333}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?

A.



B.



3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.



A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?

$$\sum \theta = 115.7^\circ + 81.6^\circ + 34.2^\circ = 231.5^\circ$$

A.



$$\sum \theta = 115.7^\circ + 98.4^\circ - 34.2^\circ = 180.0^\circ$$

B.



$$\sum \theta = 115.7^\circ + 98.4^\circ + 145.8^\circ = 360.0^\circ$$

C.



$$\sum \theta = 64.3^\circ + 98.4^\circ + 34.2^\circ = 196.9^\circ$$

D.



$$\sum \theta = 115.7^\circ + 98.4^\circ + 34.2^\circ = 248.4^\circ$$

E.



Q	A
1	B
2	B
3	B