

1. (35 points) An open-loop transfer function is given by,


$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.29797s + 7.29797}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?


- A. $F(s) = -3.09595 + \frac{0.79797}{s}$
- B. $F(s) = -8.80809 + \frac{1.59595}{s}$
- C. $F(s) = 2.28787 + \frac{1.59595}{s}$
- D. $F(s) = 1.69191 + \frac{3.09595}{s}$
- E. $F(s) = -8.21213 + \frac{3.09595}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?


A.



B.




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 116.6^\circ + 99.9^\circ + 143.5^\circ = 360.0^\circ$$




$$\sum \theta = 116.6^\circ + 80.1^\circ + 36.5^\circ = 233.2^\circ$$



$$\sum \theta = 63.4^\circ + 99.9^\circ + 36.5^\circ = 199.7^\circ$$



$$\sum \theta = 116.6^{\circ} + 99.9^{\circ} - 36.5^{\circ} = 180.0^{\circ}$$



| Q | A |
|---|---|
| 1 | A |
| 2 | B |
| 3 | D |