

1. (35 points) An open-loop transfer function is given by,


$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.10605s + 7.10605}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?


- A. $F(s) = -9.57576 + \frac{1.21211}{s}$
- B. $F(s) = 1.13635 + \frac{1.21211}{s}$
- C. $F(s) = -2.71211 + \frac{0.60605}{s}$
- D. $F(s) = 0.92424 + \frac{2.71211}{s}$
- E. $F(s) = -9.36365 + \frac{2.71211}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?


A.



B.




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 115.4^\circ + 97.8^\circ + 146.9^\circ = 360.0^\circ$$




$$\sum \theta = 64.6^\circ + 97.8^\circ + 33.1^\circ = 195.5^\circ$$




$$\sum \theta = 115.4^\circ + 97.8^\circ - 33.1^\circ = 180.0^\circ$$



$$\sum \theta = 115.4^{\circ} + 82.2^{\circ} + 33.1^{\circ} = 230.7^{\circ}$$



$$\sum \theta = 115.4^{\circ} + 97.8^{\circ} + 33.1^{\circ} = 246.3^{\circ}$$



Q	A
1	C
2	A
3	C